

By Instructions of a retained client

UNUSED BRITISH, AMERICAN AND JAPANESE MANUFACTURED HSS THREADING TAPS (1-83) & UNUSED INDUSTRIAL CONSUMABLES (184-584)

BIDDING ENDS

From 1pm Taps and 3pm Consumables Wednesday 28th April

VIEW

By Appointment with Kevin Clarke of Astoca by calling 07598 540790

AT

**Armadillo Self Storage,
8 Parkway Avenue,
Sheffield S9 4WA.**

COLLECTION DAYS

By appointment with the Seller; all lots must be collected by Saturday 9th May at the latest

BUYERS PREMIUM

15% plus VAT

NOTICE

This is a full PPE Site – visitors must wear adequate PPE at all times

At the close of the timed Online Auction Sale final bid figures will be submitted to the seller for its approval and any Bid shall be subject to approval and acceptance by the Company/Seller.

No bid may be withdrawn and **the Company/Seller does not bind himself to accept the highest Bid or any other Bid** placed in the course of the online Auction Sale.

Reacting to the latest government announcements, we have to plan on this situation being the new normal and we will do all that we can to make Viewing and Collections as risk free as possible. You are reminded that All lots are available to view via our Online auction platforms.

In order to protect both you and our staff we are taking immediate steps to help limit the spread of Coronavirus (COVID-19). This involves limiting physical contact on site.

For details of forthcoming sales and to be placed on our email mailing list please visit

eddisons.com/online

To ensure we are doing everything possible to reduce the risk of infection for both our customers and colleagues, we will be introducing some distancing measures for View days and collections.
Please limit attendance on site to only one member of firm or family for viewing, and as small number as possible to deal with collection of your lots. All Viewing and Collections will now require an appointment.

1 SPECIAL CONDITIONS

These Special Conditions of Sale should be read in conjunction with the General Conditions of Sale for Online Auctions posted at www.eddisons.com and contained within this catalogue.

2 VIEW

The lots will be on view on **By Appointment with Kevin Clarke of Astoca by calling 07598 540790**

NB The Auctioneers hereby specifically exclude liability for any accident or injury howsoever arising, sustained by any person or persons who may attend at the premises for the purpose of the auction, inspection, purchaser, collection or any other business. Children under the age of 16 are strictly not allowed on the auction premises

3 SALE

Bidding Ends: From 1pm Taps and 3pm Consumables Wednesday 28th April – please note that should any bid be received during the last 10 minutes of the sale, the chance to bid on that particular lot will be extended to 10 minutes. Important – when bidding do not forget to refresh your screen to ensure you are aware of all current bids.

4 REGISTRATION

To register for this sale visit www.eddisons.com and click on the appropriate sale.

5 BUYERS PREMIUM

A Buyers Premium of 15% plus VAT will be charged on all lots in addition to the hammer price.

6 VALUE ADDED TAX (VAT)

VAT at the applicable rate will be added to all purchasers' invoices by way of a bond which equals the value of the VAT.

For all EU & International purchasers you will have to pay the VAT in the first instance and once we receive copies of bills of lading and delivery notes confirming the delivery of goods to the final destination, which is to our satisfaction we will refund the VAT. VAT is not refundable on the buyer's premium. The bills of lading will need to quote the Invoice Number and Eddisons Auction number, in order for us to match up your bills of lading with the correct invoice. We require these documents within two months of the invoice date.

The Purchaser is entirely responsible for all customs and excise duties including all paperwork requirements

7 DECLARATION

All invoices will be emailed **on Wednesday 28th April**

8 PAYMENT TERMS

Full payment is required within 24 hours of the sale closing
(A) GENERAL

ALL LOTS MUST BE PAID FOR BEFORE COLLECTION.

No purchaser shall be entitled to remove any lot, or part thereof, until full payment has been made to the Auctioneers for every lot purchased.

(B) PAYMENT**ACCEPTED METHODS OF PAYMENT ARE:****Online Payments:****Debit Cards (Visa, Maestro/Switch, and Solo) – UK based only**

For the payments to be processed correctly please make sure you use the correct registered card address. Any other address will cause the transaction to fail. Please make sure you have sufficient funds before payment.

Bank Transfer Payments:

Faster Payments Service or CHAPS – Please quote invoice number or buyer number as reference

We DO NOT accept cash or cheques as payment please use the methods above.

For bank transfers:
Barclays Bank PLC
Barclays Business Centre
PO Box B72
17 Market Place
Huddersfield
HD1 2AB

Eddisons Commercial Limited
Plant & Machinery Clients Account
Account No: 40860484
Bank Sort Code: 20 48 46
Swift Code: BARCGB22
IBAN Code: GB97BARC20484640860484

9 ANTI-MONEY LAUNDERING PROCEDURES

The Law now requires that proof of identity must be presented to register at the sale. This can be provided either with a current signed passport, current full UK driving licence or utility bill. Cash deposits will NOT be accepted as an alternative proof of identification. Cash payments will not be accepted.

10 BUYING INSTRUCTIONS

Bidding is conducted online direct through the link on our website. All bids will be subject to client approval.

11 TRANSFERS

Eddisons will not recognise the sale of accounts (or parts of accounts) to third parties and we will only accept payment from and allow removal of items by the successful bidders themselves or their appointed agent.

12 PURCHASE OF GOODS THROUGH A FINANCE COMPANY

Please notify us well in advance of the sale if you are intending to purchase through a finance company. This is to ensure the finance company is able to make payment in accordance with the General & Special Conditions of Sale

13 REMOVAL OF LOTS

By appointment with the Seller; all lots must be collected by Saturday 9th May at the latest during the hours of 9am and 4.00pm.

The goods are at risk of the Buyer immediately upon receipt of invoice from the Auctioneers and should be removed as soon as possible for security reasons. Eddisons reserve the right to charge £5 + VAT per day for lots not collected within the removal deadline

14 INSURANCE

Goods become the responsibility of the purchaser at the fall of the hammer and we would recommend purchasers insure against all risks. (See Conditions of Sale).

15 COLLECTION NOTES

Purchasers must produce a Collection Note at the time of taking delivery of their Lots and Collection Notes will be issued by the Auctioneers only when they are satisfied that payment has been received

16 COLLECTION SERVICE PROVIDERS

Transnet is a courier company who are able to collect items on your behalf. To enquire about prices and to arrange collection and delivery of your items, please contact Transnet Couriers directly on **0844 543 4433** or email info@transnetservices.co.uk ensuring that you quote Eddisons.

Mail Boxes, 38 Sunbridge Rd, Bradford, BD1 2DZ

Tel 01274726272 M:- 07976254758

Email:- admin@mbebradford.co.uk www.mbebradford.co.uk

These Couriers are not endorsed by Eddisons, other courier companies and transport services are available

Please note Eddisons does not provide a packing and boxing service.

1. Interpretation

In these General Conditions the following definitions apply:

"Auction" any auction (whether a Live Auction or an Online Auction and whether conducted independently or simultaneously) conducted pursuant to these General Conditions and the Special Conditions;

"Auctioneer" the person conducting the Auction or to whom the conduct of the Auction is delegated under General Condition 7.12 below;

"Bidder" any person who offers to purchase any Lot whether by bidding at Auction or offering to purchase by private treaty or tender;

"Bid" an offer to purchase any Lot whether by bidding at Auction or offering to purchase by private treaty or tender, and "Bids" and "Bidding" shall be construed accordingly;

"Buyer" any person who agrees to purchase any Lot whether at Auction or by private treaty or tender and as determined under General condition 7.9 below;

"Buyer's Premium" a commission payable by the Buyer on the completion of a Sale the amount of which is set out in the Special Conditions; The Auctioneer, when acting as Agent for the Seller, may also receive commission from the Seller.

"Catalogue" the catalogue incorporating these General Conditions and the Special Conditions;

"Clearance Date and Time" the date and time on which all Lots must be removed by the Buyer from the Location as specified in the Special Conditions;

"Company" Eddisons Commercial Limited;

"Deposit" the sum payable by the Buyer to the Company as set out in the Special Conditions;

"Live Auction" any auction conducted at the Location or at such other location(s) as shall be notified by the Company in the Special Conditions or in the Catalogue;

"Location" the premises at which the Lots are located, as detailed on the website and in the auction catalogue;

"Lot" any Lot described in the Catalogue, on the Website or on the Company's invoice;

"Online Auction" any auction conducted over the internet via the Website pursuant to these General Conditions and the Special Conditions;

"Sale" the sale of any Lot by Auction, private treaty or tender and as determined under General Condition 7.17 below;

"Seller" the person upon whose instructions the Company is conducting the Sale;

"Special Conditions" any additions to these General Conditions set out or referred to in the Catalogue, announced at Auction or otherwise specified by the Company;

"Website" the website at: www.eddisons.com;

"VAT" Value Added Tax chargeable under English Law for the time being and any similar additional tax.

2. Application of these General Conditions

2.1. These General Conditions apply to every Auction of any or all assets, whether tangible or intangible, conducted by the Auctioneer and to any Lot offered for sale in the Auction whether that Lot includes property fixed to land or not fixed to land or any other personal property.

2.2. If these General Conditions have not previously been accepted by a person bidding at the Auction, bidding for any Lot in the Auction shall be deemed to be an acceptance by the Bidder of these General Conditions.

2.3. These General Conditions, the Special Conditions and any terms set out in the Catalogue shall together comprise "Conditions of Sale".

2.4. To the extent that these General Conditions are inconsistent with any special conditions set out or referred to in the Auction Catalogue or announced at the Auction, the Auctioneer may adopt the condition deemed most appropriate in the circumstances, decided at his sole discretion.

2.5. These General Conditions shall be governed, construed and enforced in accordance with the law of England but:

(a) if the Auction is held in Scotland, in accordance with the law of Scotland;

(b) if the Auction is held in Northern Ireland, in accordance with the law of Northern Ireland.

2.6. Any reference to writing or written shall include email.

- 2.7. Any word or phrase having a meaning defined in these General Conditions shall have the same meaning when used in the Special Conditions.

3. Identities of the Parties

- 3.1. Every Bidder is required to give his name and address and provide satisfactory proof of identity and such other information and documentation as is required to the Company before making any Bid and in the case of:

- (a) a Live Auction by the completion of a registration form;
- (b) an Online Auction by online registration at the Website; and
- (c) a private treaty or tender by prior registration or notification of details, as and when requested by the Company.

- 3.2. The Company reserves the right at any time to reject the registration of any persons and refuse access to the Auction at its sole discretion.

- 3.3. On registration in accordance with General condition 3.1 the Bidder acknowledges that only adults aged 18 years and over are entitled to enter into a legally binding contract and as a result they are the only people entitled to register for the Auction. By registering the Bidder warrants that he is aged 18 years or older and is capable of forming a legally binding contract.

4. The Seller's Instructions and Warranties

- 4.1. The Seller warrants that:-

- (a) to any Lot offered for sale he will be able to pass good and unencumbered title free from third party claims;
- (b) any Lot offered for sale may lawfully be sold;
- (c) the premises where the Auction is to be held (if not the Auctioneers premises) will be safe for that purpose and that it will be lawful to hold the Auction there;
- (d) **Errors & omissions.** Details are provided in good faith. They should not be relied upon as fact and buyers must make their own investigations where measurements, mileage, hours, condition or authenticity are critical. Buyers should make themselves satisfied they are happy with the lot before they bid as viewing is available on all lots by prior appointment, all bids are non-retractable.

We strictly enforce our terms and conditions. Potential purchasers, who do not inspect lots prior to bidding, do so at their own risk.

The condition and function of an item should be confirmed by the bidder, prior to bidding, there will be NO refunds or allowance given after the closure of the bidding process. Your bid is your commitment to purchase, not to view or negotiate after the sale. Transgression of these rules will result in the bidder being blocked from taking part in future auctions.

No warranty is offered or implied; each lot is bought and sold as seen. Viewing is welcome and recommended.

- 4.2. If the Seller's instructions are given by the Seller's agent, the Seller's agent warrants that he has the Seller's authority:

- (a) to instruct the Auctioneer;
- (b) to give the warranties set out in condition 4.1 above;
- (c) to instruct the Auctioneer to act in accordance with these General Conditions and any special conditions.

5. The Auctioneer's Remuneration

- 5.1. The Auctioneer's remuneration shall be such as has been agreed between the Seller and the Auctioneer.
- 5.2. The Auctioneer may deduct his remuneration from monies received from Buyers before accounting to the Seller for the balance.

6. Bidding on behalf of Another

- 6.1. Unless the Auctioneer has previously acknowledged in writing that the Bidder bids as agent on behalf of a named principal, every Bidder shall be taken to bid on his own behalf as principal.
- 6.2. If the Auctioneer has earlier acknowledged in writing that the Bidder bids as agent on behalf of a named principal, the Bidder warrants that he has the authority of his principal to make each bid he makes.
- 6.3. Any Bidder acting as agent on behalf of a named principal shall remain liable to the Seller and the Company for all obligations and liabilities of his principal jointly and severally with the principal. The Bidder warrants that he has the authority of his principal to make each Bid made.

7. Conduct of the Auction

- 7.1. The Auctioneer offers each lot as agent of the Seller and not as principal unless otherwise indicated In the Auction Catalogue.
- 7.2. Any Lot may be subject to a reserve price unless otherwise indicated in the Auction Catalogue.
- 7.3. The Seller or his representative or the Auctioneer on his behalf may bid for any Lot unless otherwise indicated in the Auction Catalogue. Persons entitled to Bid pursuant to this condition 7.3 shall be entitled to place Bids on any Lot up to the reserve price including by placing Bids in response to other Bidders.
- 7.4. The Auctioneer may at any time before close of the online auction withdraw or divide any Lot or combine any Lots.
- 7.5. With the previous consent of the Seller, the Auctioneer may sell any Lot by private sale before or after the Auction.
- 7.6. No Bid shall be retracted without the consent of the Auctioneer.
- 7.7. The Auctioneer will require any Bidder to give his name and address and to provide satisfactory proof of identity before making any bid. The Bidder must also complete the online registration at the Auctioneer's website.
- 7.8. The Auctioneer may reject any bid at his sole discretion and without being required to give a reason.
- 7.9. The Buyer shall be the person who made the highest bid before the conclusion of the Sale pursuant to condition 7.16 subject to approval and acceptance by the Company, the Auctioneers and the Seller or such other person as the Auctioneer may declare to be the Buyer without being required to give a reason.
- 7.10. The Auctioneer may decide whether there is a dispute between Bidders, may summarily determine the dispute or immediately again offer the Lot for sale, in each case without being required to give a reason.
- 7.11. The Auctioneer shall in every other respect decide how the Auction is to be conducted and without being required to give a reason.
- 7.12. The Auctioneer may in his sole discretion delegate to a person whom he believes to be competent the conduct of the Auction in accordance with these General Conditions.
- 7.13. The Auctioneer may from time to time act jointly with an associated Auctioneer who will be named in the Catalogue and/or in the Special Conditions.
- 7.14. Lot descriptions will be amended as appropriate as and when information becomes available to the Company. Prospective Bidders must read Lot descriptions before making a Bid so that they are fully aware of any amendments to the description appearing in the Special Conditions and/or on the Website or in the Catalogue in relation to a particular Lot.
- 7.15. A Sale is concluded (constituting acceptance of the Bidder's offer, subject to General Condition 7.9 above) when:
 - (a) in the case of a Live Auction, on the fall of the Auctioneer's hammer; and/or,
 - (b) in the case of an Online Auction, at the close of the timed Online Auction Sale as specified on the Website and as defined by General Condition 7.20(c) below or;
 - (c) in the case of a private treaty or tender, when the Bidders Bid is accepted by the Company, such acceptance to be communicated to the Bidder in writing by way of receipt of the Company's invoice.
- 7.16. The Buyer shall be the person who made the highest Bid before the conclusion of the Sale pursuant to General Condition 7.15 above subject to approval and acceptance by the Company, the Auctioneers and the Seller or such other Bidder as the Auctioneer and/ or the Company may declare to be the Buyer without being required to give a reason. The Auctioneer and/ or the Company and/ or the Seller is not bound to accept the highest Bid or any other Bid placed in the course of the Auction.
- 7.17. In the case of an Online Auction the Buyer, as determined under General Condition 7.9 above, shall within a reasonable time after the conclusion of the Sale receive by email an invoice in respect of the monies due for the Lot(s) purchased.
- 7.18. In the event that the reserve price is not met, the Company may consider the Bids received below the reserve price with the Seller who at its sole discretion may accept, reject or place a counteroffer.
 - (a) Your highest bid will be treated as a valid bid even if at the time of placing it the RESERVE is NOT MET. Vendors regularly instruct us to reduce the reserves in the closing hours and put items on sale. Remember when placing a bid you are bidding to buy!
- 7.19. On conclusion of the Sale and acceptance of the Bidders Bid pursuant to General Conditions 7.15 and 7.9 above, the Buyer acknowledges and agrees that he has entered into a contract with the Seller to buy the Lot and the Buyer must complete the transaction to purchase the Lot.

- 7.20. In relation to an Online Auction:
- (a) the Company cannot guarantee that the internet services will operate continuously or without interruptions and this could affect the conduct of the Online Auction and the Bidders ability to Bid online. The Company shall not be liable in any respect in the event of any dispute due to errors, omissions or disruptions to internet services or power failures or any other unforeseen circumstances which may occur during the Online Auction;
 - (b) the Auctioneer may at any time, without notice, postpone or cancel an Online Auction or extend an Online Auction beyond the published closing time (including extension of the timed Online Auction in accordance with General Condition 7.20(c) below);
 - (c) the timed Online Auction Sale is auto bid extension enabled meaning that where a Bid is placed within ten minutes of the original scheduled close of the timed Online Auction the scheduled close of the timed Online Auction will automatically be extended by to ten minutes remaining. This continues with a new scheduled close time each time a Bid is placed until no-one places a Bid before the last scheduled close of the timed Online Auction. Every time a Bid is placed within ten minutes or less left in the Online Auction the time will change to ten minutes Bidding time until there are no more Bids. Such time shall then be deemed to be the close of the timed Online Auction.
- 7.21. Risk of damage to or loss of the Lot(s) shall pass to the Buyer immediately upon the conclusion of the Sale.
- 7.22. Copies of the Auctions (Bidding Agreements) Act 1927 and 1969 are held at the Company's and/or the Auctioneer's principal place of business.

8. After the Sale

- 8.1. Upon the Auctioneer declaring any Lot sold, the Buyer shall immediately:
- (a) identify any person on whose behalf he has bought;
 - (b) pay to the Auctioneer if requested a deposit of up to 25 per cent of the price.
- 8.2. Within the time specified in condition 8.3 below, the Buyer shall pay the following sums to the Auctioneer in full:
- (a) the balance of the price of all Lots purchased together with any VAT due;
 - (b) the value as summarily determined by the Auctioneer, whose determination shall be final and binding, of all or part of any Lot or of the premises where the Auction is held which has been damaged or destroyed by the Buyer or his principal or his agent.
 - (c) any other payment or amount due to the Seller and/or the Company pursuant to these General Conditions or the Special Conditions.
 - (d) Changing of Invoices already raised (i.e. changing the name and address) carries an administration fee of £10 + Vat.
- 8.3. The time for complying with condition 8.2 above shall be the time specified in the Auction catalogue or if no time is specified there, 4pm on the next working day, and in every case time shall be of the essence.
- (a) Bidders who fail to pay or fail to pay within the allotted time will have their account suspended and will be removed from any further bidding process, reinstatement will be subject to a £20 + Vat administration fee at the auctioneers discretion.
- 8.4. The Auctioneer may at any time in his sole discretion grant the Buyer an extension of time for complying with condition 8.2 above, in which case the Buyer shall pay to the Auctioneer in full before moving or removing the Lot interest on any unpaid sums at a rate of 1.5 per cent above Barclays Bank plc base rate in force from time to time.
- 8.5. Until the Buyer has complied with condition 8.2 above:
- (a) title to any Lot bought shall not pass to the Buyer;
 - (b) the lot shall be at the Buyer's risk;
 - (c) the Auctioneer shall have a lien over any Lot bought by the Buyer in the Auction;
 - (d) if the Buyer effects or purports to effect a resale or any other disposition of all or part of the Lot, the Buyer shall hold proceeds of resale or other disposition on trust for the Auctioneer and the Seller.
- 8.6. On written request by the Buyer, the Auctioneer shall provide a VAT invoice in proper form, if appropriate.
- 8.7. In view of Money Laundering Regulations the Company reserves the right to refuse payment in cash.
- 8.8. The Company will only accept payment from the Buyer or its authorised agent.

9. Removal of Lot Bought

- 9.1. The removal of Lots from the Location shall be undertaken by the Buyer entirely at its own risk and without any liability whatsoever to the Company.

- 9.2. Buyers are responsible for any and all costs and expenses incurred in relation to the removal of Lots and any other applicable charges, taxes and insurance costs.
 - 9.3. The Buyer may not remove any Lot he has bought until after the end of the Auction.
 - 9.4. The Buyer may not remove any Lot until the Buyer has paid by cleared funds the sums specified in condition 8.2 above in full for every Lot he has bought.
 - 9.5. After paying the sums specified in condition 8.2 above, the Buyer must remove the Lot(s) bought by the time specified in the Auction Catalogue or if no time is specified, 4.00pm on the next working day and in every case time shall be of the essence. Late collections not authorised will be subject to a £10 + Vat per pallet space storage fee.
 - 9.6. The Auctioneer may at any time at his sole discretion and on terms specified by him grant the Buyer an extension of the time specified in condition 9.5 above.
 - 9.7. If any Lot is not removed by the time specified in condition 9.5 above (or any extension granted under condition 9.6 above), the Buyer must pay to the Auctioneer any costs incurred due to the delayed removal.
 - 9.8. If the Lot bought is or includes a motor vehicle, no warranty is given that the vehicle may safely or lawfully be driven on the road.
 - (a) If the vehicle does not have a V5C document, the purchaser will need to complete form V62 'Application for a vehicle registration certificate' and send it to DVLA with any fees that may be applicable, DVLA have advised that any new V5C documents could take up to 6 weeks to be issued.
 - 9.9. When removing any Lot the Buyer:
 - (a) Is responsible for detaching any Lot fixed to land and must do so safely and lawfully and must not use flame cutters, explosives or any other dangerous equipment or process without previous written permission signed by or on behalf of the Auctioneer.
 - (b) must use safe and lawful means of removing the Lot;
 - (c) shall indemnify the Auctioneer and the Seller against any loss damage legal or other expenses and any claim arising from the detaching of the Lot or its removal;
 - (d) shall have insurance in respect of such indemnity and shall on request produce to the Auctioneer a receipt for the last premium due or other sufficient evidence that such insurance has been effected and remains in force.
 - 9.10. The Company will only permit the removal of Lots purchased by the Buyer or its authorised agents.
 - 9.11. Lots may only be removed during normal working hours or such hours as are specified in the Special Conditions. No clearance on Bank or Public Holidays.
 - 9.12. If required, prior to removing any Lot from any Location, the Buyer must prepare a Risk Assessment and Methods Statement which complies with The Construction (Design and Management) Regulations 2007, COSHH or with any subsequent amendments thereof or such other legislation as may be in force. Any such statement is to be provided to the Company.
 - 9.13. The Buyer undertakes to comply with the provisions of the Data Protection Act 1998 in processing data held by them in connection with any Lot. The Buyer undertakes to delete any data that may inadvertently remain on the subject hardware, save for where such data forms part of a sale of the business.
- 10. Default by the Buyer**
- 10.1. If at any time the Buyer has failed either to pay the sums specified in condition 8.2 above in full by the expiry of the time specified in condition 8.3 above (or any extension granted under condition 8.4 above), or to remove any Lot by the time specified in condition 9.5 above (or any extension granted under condition 9.6 above), the Auctioneer may rescind the sale of that Lot, in which case any deposit shall be forfeit, and that Lot may be resold by auction or privately.
 - 10.2. If the Buyer fails to make any payment on the due date for payment then, without limiting any other right or remedy available to the Seller, the Buyer shall pay to the Company interest (both before and after any judgment) on the amount unpaid at the rate of 1.5% above the bank base rate of Barclays Bank Plc per month or any part thereof until payment in full is made.
 - 10.3. If the Auctioneer has rescinded the sale but the Buyer has removed the Lot bought, the Auctioneer shall be entitled without previous notice to enter upon any premises where he believes the Lot to be and remove it.
 - 10.4. If the Auctioneer has rescinded the sale and the Lot has been resold, the Buyer shall make good any deficiency, namely:
 - (a) the sale price less the resale price;

- (b) the costs of and incidental to resale.
- 10.5. The Auctioneer shall not be liable to account to the Buyer in event of a resale at a higher price than the price contracted to be paid by the Buyer.
- 10.6. If because the Buyer has failed to remove any Lot by the time specified in condition 9.5 above (or any extension granted under condition 9.6 above), the Seller is unable to give vacant possession on disposing of or relinquishing any interest in the premises from which the Lot should have been removed, the Buyer shall compensate the Seller for any loss resulting.
- 10.7. The Buyer shall indemnify the Seller and/or the Company against any loss, damages, expenses, claims or liabilities incurred by the Seller and/or the Company arising from the Buyer's failure to remove the Lot.

11. Liabilities and Indemnities

- 11.1. The Auctioneer warrants that he believes that the Seller of each Lot is able to pass good title, and if the Seller is not able to do so, the Auctioneer shall use his reasonable endeavours to assist the Buyer in obtaining good title and in pursuing any remedies the Buyer may have against the Seller, but the Auctioneer shall not be bound to initiate litigation and shall not be under any other obligation to the Buyer.
- 11.2. Each Lot is sold as seen and where lying.
- 11.3. No Lot is sold as comprising or including any new goods.
- 11.4. The Auctioneer does not represent any Lot as being in a condition which makes it suitable for domestic use. Despite the above, should Buyers intend to supply any Lots for domestic use, they should ensure that the Lots comply with the requirements of the Furniture and Furnishings (Fire Safety) Regulations 1988 or any other similar law.
- 11.5. The Auctioneer neither has nor professes any expert or other knowledge of any Lot sold and there is hereby excluded any liability the Auctioneer might otherwise incur and any right or immunity the Buyer might otherwise possess in respect of any conditions, warranties or representations relating to the condition of any Lot sold or the merchantable quality of any Lot or its fitness for the particular or any purpose for which it is or may be required whether such conditions, warranties or representations are expressed or implied in the Auction Catalogue or are the subject of oral or written statements made by or on behalf of the Auctioneer or any other person before or in the course of the Auction.
- 11.6. No liability shall attach to the Auctioneer either in contract or in tort for loss injury or damage legal or other expenses sustained by the Seller, any Bidder, the Buyer or any other person by reason of:
 - (a) any defect in any Lot sold, whether or not such defect be latent or apparent on examination;
 - (b) any defect or danger of the premises where the Auction is held;
 - (c) any alleged failure of the Auctioneer properly to advertise the Auction or to seek or obtain expert advice with regard to any Lot offered for sale or its reserve price;
 - (d) any act or omission of the Auctioneer in the conduct of the Auction or after the Auction;
 - (e) any act or omission of any person other than the Auctioneer.
- 11.7. The Seller shall indemnify the Auctioneer in respect of any claims made by another or third party for any loss injury damage or legal or other expenses referred to in condition 11.6 above.
- 11.8. The Auctioneer shall not be liable to indemnify the Seller or any Bidder or the Buyer in respect of any claims made by another or third party for any loss injury damage or legal or other expenses referred to in condition 11.6 above.
- 11.9. Conditions 11.3 to 11.1 shall not be valid insofar as prohibited by statute.
- 11.10. In no circumstances shall the Auctioneer be liable for any consequential loss or damage.

12. Waiver

- 12.1. No indulgence by the Auctioneer shall prevent the Auctioneer or the Seller subsequently insisting upon their respective rights and remedies.

13. Health and Safety At Work Act 1974 (HSWA)

- 13.1. Waivers (SHE-42 and 42a)
- 13.2. Section 6 (8) of the Act - In certain instances it may be necessary for the Purchaser to give a written undertaking pursuant to Section 6 (8) of the Health and Safety At Work Act 1974.
- 13.3. Asbestos/Hazardous Substances. It is expressly brought to the purchasers attention that certain types of plant or main service installations could contain Asbestos, dangerous chemicals, etc, which if not handled correctly during their removal from the site could be in breach of the Health and Safety at Work Act 1974, the Control of Asbestos

at Work Regulations 2002, the Asbestos (Licensing) Regulations as amended and the Control of Substances Hazardous to Health Regulations 1988 (COSHH) or any other current legislation covering the use of such substances in a working environment.

- 13.4. All purchasers must comply with all current legislations and regulations, including the Water Industry Act 1994 (as amended) and the Environment Protection Act 1990, as amended; In relation to the removal/disposal of waste/trade effluent including hazardous waste and may be required to satisfy Eddisons in relation to their disposal/removal procedures. Where waste materials are removed all work must be undertaken by an approved and licensed contractor.

14. Acknowledgements and Exclusion of Warranties

- 14.1. The Buyer acknowledges that in agreeing to purchase any Lot he is not relying on any warranties or representations made by the Seller or the Company or any of their employee's agents or representatives. All representations, warranties and conditions, express or implied, statutory or otherwise in respect of all and any of the Lots are expressly excluded and without limitation any warranties and conditions as to title, quiet possession, satisfactory quality, fitness for purpose and description are excluded to the fullest extent as permitted by law.

- 14.2. The Buyer further acknowledges that neither the Sellers nor the Company shall in any circumstances be liable to or to compensate the Buyer nor shall the Buyer be entitled to rescind the Sale or reject any Lot for an error omission or misstatement contained in the Catalogue and/or in the Special Conditions.

- 14.3. The Buyer also acknowledges that:-

- (a) all the Lots are purchased on the basis that risk of good title to all or any of them passing to the Buyer is at the Buyer's risk and without limitation the Lots are sold subject to any claims, liens, distraint and execution and subject to all leasing, hire or hire purchase agreements and reservation of title claims (if any) in respect of them;
- (b) if it shall be found that the Seller does not have title to all or any of the Lots the Buyer shall have no right to rescind, avoid or vary this agreement or to claim damages or a reduction in the price paid or payable;
- (c) anything found in, under, near or in any Lot which is not specifically included in the description of the Lot remains the property of the Seller;
- (d) any intellectual property rights or software subsisting in a Lot may be third party property and as such the Seller and/or the Company may be unable to effect transfer. The Buyer will not be authorised to use intellectual property rights or software and any such use or transfer shall be at the Buyers sole risk.

- 14.4. The Buyer undertakes that it shall ensure that any vehicle comprised in any Lot is in a roadworthy condition in accordance with the Road Vehicle (Construction and Use) Regulations 1986 and any subsequent amendments thereof or such other relevant regulations as shall from time to time be in force before using it on a public road. It is the Buyer's responsibility to remove Company logos and lettering from vehicles. Odometer readings are not warranted.

- 14.5. The Buyer acknowledges that any item of plant, machinery or equipment contained in the Lot(s) may not necessarily comply with any statutory requirements or regulations governing the use of that plant, machinery or equipment in their working environment. Neither the Seller nor the Company shall incur any liability to the Buyer because of any default or defect in all or any of the Lots. Buyers are entirely responsible for ensuring that the use of any item of plant, machinery or equipment does not contravene any health and safety and environmental legislation in existence at the time of the Sale.

- 14.6. The Buyer acknowledges and agrees that the Company is acting only as agent of the Seller and it is expressly agreed and declared that no personal liability in connection with the Sale of any Lot or otherwise shall fall on the Company and the Buyer shall indemnify the Company against all and any liabilities arising under or in connection with the Sale of any Lot. Insolvency Practitioner(s), including but not restricted to Administrative Receiver(s), Administrator(s), Liquidator(s), Trustee(s) and Supervisor(s) act as agent(s) for the Seller without personal liability and shall incur no personal liability whatsoever in relation to a Sale or pursuant to any document relating thereto.

- 14.7. The Buyer agrees that the General Conditions and the exclusions which they contain are fair and reasonable bearing in mind that:-

- (a) the Buyer must rely absolutely on the Buyer's own opinion and/or professional advice concerning the quality, state, condition, performance and functionality of the Lots any right, title or interest which is sold under the terms of these General Conditions, their fitness and suitability for any particular or any purpose, the possibility that some or all of them may have defects not apparent on inspection and examination including, without limitation, the presence of contamination and the possibility that the Buyer may not acquire title and the fact that the Buyer would have no remedy under this Agreement should that happen;
- (b) the Buyer has available to it skilled professional advice and on that basis agrees to purchase a Lot for a consideration calculated to take into account amongst other things the risk to it represented by the fact that the parties believe that all the exclusions and limitations set out in these General Conditions would be recognised as

being fully effective by the Courts and the Seller making it clear that it would not have agreed to sell any Lot on any other basis except for a higher consideration;

(c) the Buyer has been given every opportunity which might reasonably be expected to examine and inspect the Lots.

14.8. Notwithstanding anything else in these General Conditions, the Seller's and the Company's total liability under or in connection with the Sale of any Lot, whether in respect of breach of contract, tort (including negligence), breach of statutory duty or otherwise, including consequential loss, shall be limited in aggregate to the price paid for the Lot or if no price has been paid then the higher of the market value or reserve price for the Lot. This General Condition 8.8 does not apply to liability for death or personal injury.

14.9. The Buyer acknowledges that a Sale by Auction is not a consumer sale for the purposes of the Sale of Goods Act 1979 (as amended by the Sale and Supply of Goods Act 1994) and the Unfair Contract Terms Act 1977 and the Buyer shall not seek to rely upon and conditions or warranties implied thereby or by any other legislation.

15. Entire Agreement

15.1. These General Conditions, the Special Conditions and the Auction Catalogue constitute the entire agreement between the parties and supersede and extinguish all previous agreements, promises, assurances, warranties, representations and understandings between them, whether written or oral, relating to its subject matter.

15.2. Each party agrees that it shall have no remedies in respect of any statement, representation, assurance or warranty (whether made innocently or negligently) that is not set out in this agreement. Each party agrees that it shall have no claim for innocent or negligent misrepresentation or negligent misstatement based on any statement in this agreement.

16. Jurisdiction

16.1. Each party irrevocably agrees that the courts of England and Wales shall have exclusive jurisdiction to settle any dispute or claim arising out of or in connection with this agreement or its subject matter or formation (including non-contractual disputes or claims).

There will be a Buyers Premium of 15% plus VAT

PLEASE SEE SALE NOTES RE PAYMENT AND COLLECTION OF LOTS

CATALOGUE

Bidding Ends: From 1pm Taps and 3pm Consumables Wednesday 28th April

- 1 (100) 2mm x 0.4mm pitch HSS threading taps; Bottoming lead; 6H. (Loose)
- 2 (100) 2mm x 0.4mm pitch HSS threading taps; Bottoming lead; 6H. (Loose)
- 3 (100) 2mm x 0.4mm pitch HSS threading taps; Bottoming lead; 6H. (Loose)
- 4 (100) 2mm x 0.4mm pitch HSS threading taps; Bottoming lead; 6H. (Loose)
- 5 (100) 2mm x 0.4mm pitch HSS threading taps; Bottoming lead; 6H. (Loose)
- 6 (100) 2mm x 0.4mm pitch HSS threading taps; Bottoming lead; 6H. (Loose)
- 7 (100) 2mm x 0.4mm pitch HSS threading taps; Bottoming lead; 6H. (Loose)
- 8 (100) 2mm x 0.4mm pitch HSS threading taps; Bottoming lead; 6H. (Loose)
- 9 (100) 8mm x 1.25mm pitch HSS fluteless taps. (Loose)
- 10 (100) 8mm x 1.25mm pitch HSS fluteless taps. (Loose)
- 11 (100) 8mm x 1.25mm pitch HSS fluteless taps. (Loose)
- 12 (100) Clarkson 16mm x 2mm pitch HSS second lead to DIN 352 6H; (Note: length is 70mm o/all) (Loose)
- 13 (100) Clarkson 16mm x 2mm pitch HSS second lead to DIN 352 6H; (Note: length is 70mm o/all) (Loose)
- 14 (100) Clarkson 16mm x 2mm pitch HSS second lead to DIN 352 6H; (Note: length is 70mm o/all) (Loose)
- 15 (100) Clarkson 16mm x 2mm pitch HSS second lead to DIN 352 6H; (Note: length is 70mm o/all) (Loose)
- 16 (100) Clarkson 16mm x 2mm pitch HSS second lead to DIN 352 6H; (Note: length is 70mm o/all) (Loose)
- 17 (100) 3/16" BSW x 24 TPI HSS fluteless taps ISO type P. (Loose)
- 18 (100) 3/16" BSW x 24 TPI HSS fluteless taps ISO type P. (Loose)
- 19 (50) Goliath 3/32" BSW x 48 TPI HSS taper taps (Loose)
- 20 (50) Goliath 3/32" BSW x 48 TPI HSS taper taps (Loose)

- 21 (50) Goliath 3/32" BSW x 48 TPI HSS taper taps (Loose)
- 22 (70) Goliath 3/32" BSW x 48 TPI HSS second taps (Loose)
- 23 (70) Goliath 3/32" BSW x 48 TPI HSS second taps (Loose)
- 24 (70) Goliath 3/32" BSW x 48 TPI HSS second taps (Loose)
- 25 (60) 3/32" BSW x 48 TPI HSS plug taps (Loose)
- 26 (60) 3/32" BSW x 48 TPI HSS plug taps (Loose)
- 27 (60) 3/32" BSW x 48 TPI HSS plug taps (Loose)
- 28 (100) Osborn 1/8" BSW x 40 TPI HSS spiral point machine taps (Boxed)
- 29 (100) Osborn 1/8" BSW x 40 TPI HSS spiral point machine taps (Boxed)
- 30 (100) Osborn 1/8" BSW x 40 TPI HSS spiral point machine taps (Boxed)
- 31 (100) Osborn 1/8" BSW x 40 TPI HSS spiral point machine taps (Boxed)
- 32 (100) Osborn 1/8" BSW x 40 TPI HSS spiral point machine taps (Boxed)
- 33 (100) Osborn 1/8" BSW x 40 TPI HSS spiral point machine taps (Boxed)
- 34 (100) Osborn 1/8" BSW x 40 TPI HSS spiral point machine taps (Boxed)
- 35 (100) Osborn 1/8" BSW x 40 TPI HSS spiral point machine taps (Boxed)
- 36 (50 sets) Dormer 6515 reference, 5/32" BSW x 32 TPI HSS taps (taper, second & plug leads) Boxed in sets
- 37 (50 sets) Dormer 6515 reference, 5/32" BSW x 32 TPI HSS taps (taper, second & plug leads) Boxed in sets
- 38 (50 sets) Dormer 6515 reference, 5/32" BSW x 32 TPI HSS taps (taper, second & plug leads) Boxed in sets
- 39 (50 sets) Dormer 6515 reference, 5/32" BSW x 32 TPI HSS taps (taper, second & plug leads) Boxed in sets
- 40 (50 sets) Dormer 6515 reference, 5/32" BSW x 32 TPI HSS taps (taper, second & plug leads) Boxed in sets
- 41 (50 sets) Dormer 6515 reference, 5/32" BSW x 32 TPI HSS taps (taper, second & plug leads) Boxed in sets
- 42 (50 sets) Dormer 6515 reference, 5/32" BSW x 32 TPI HSS taps (taper, second & plug leads) Boxed in sets
- 43 (50 sets) Dormer 6515 reference, 5/32" BSW x 32 TPI HSS taps (taper, second & plug leads) Boxed in sets
- 44 (50 sets) Dormer 6515 reference, 5/32" BSW x 32 TPI HSS taps (taper, second & plug leads) Boxed in sets
- 45 (15) 1" BSF x 10 TPI HSS spiral point machine taps. (Loose)
- 46 (15) 1" BSF x 10 TPI HSS spiral point machine taps. (Loose)

- 47 (15) 1" BSF x 10 TPI HSS spiral point machine taps. (Loose)
- 48 (15) 1" BSF x 10 TPI HSS spiral point machine taps. (Loose)
- 49 (50) Dormer Sherwood 3/8" BSF x 20 TPI HSSGT spiral point machine taps. (Boxed)
- 50 (50) Dormer Sherwood 3/8" BSF x 20 TPI HSSGT spiral point machine taps. (Boxed)
- 51 (50) Dormer Sherwood 3/8" BSF x 20 TPI HSSGT spiral point machine taps. (Boxed)
- 52 (50) Dormer Sherwood 3/8" BSF x 20 TPI HSSGT spiral point machine taps. (Boxed)
- 53 (50) Dormer Sherwood 3/8" BSF x 20 TPI HSSGT spiral point machine taps. (Boxed)
- 54 (30) Swiss Tech 7/16 UNC x 14 TPI ZEN-P, HSS-PM coating spiral point machine taps (Individually boxed)
- 55 (30) Swiss Tech 7/16 UNC x 14 TPI ZEN-P, HSS-PM coating spiral point machine taps (Individually boxed)
- 56 (30) Swiss Tech 7/16 UNC x 14 TPI ZEN-P, HSS-PM coating spiral point machine taps (Individually boxed)
- 57 (30) Swiss Tech 7/16 UNC x 14 TPI ZEN-P, HSS-PM coating spiral point machine taps (Individually boxed)
- 58 (30) Swiss Tech 7/16 UNC x 14 TPI ZEN-P, HSS-PM coating spiral point machine taps (Individually boxed)
- 59 (30) Swiss Tech 7/16 UNC x 14 TPI ZEN-P, HSS-PM coating spiral point machine taps (Individually boxed)
- 60 (30) Swiss Tech 7/16 UNC x 14 TPI ZEN-B, HSS-PM coating spiral flute machine taps (Individually boxed)
- 61 (30) Swiss Tech 7/16 UNC x 14 TPI ZEN-B, HSS-PM coating spiral flute machine taps (Individually boxed)
- 62 (30) Swiss Tech 7/16 UNC x 14 TPI ZEN-B, HSS-PM coating spiral flute machine taps (Individually boxed)
- 63 (30) Swiss Tech 7/16 UNC x 14 TPI ZEN-B, HSS-PM coating spiral flute machine taps (Individually boxed)
- 64 (22) Swiss Tech 7/16 UNC x 14 TPI ZEN-B, HSS-PM coating spiral flute machine taps (Individually boxed)
- 65 (30) Swiss Tech No. 12 UNC x 24 TPI ZEN-B, HSS-PM coating spiral flute machine taps (Individually boxed)
- 66 (30) Swiss Tech No. 12 UNC x 24 TPI ZEN-B, HSS-PM coating spiral flute machine taps (Individually boxed)
- 67 (30) Swiss Tech No. 12 UNC x 24 TPI ZEN-B, HSS-PM coating spiral flute machine taps (Individually boxed)
- 68 (30) Swiss Tech No. 12 UNC x 24 TPI ZEN-B, HSS-PM coating spiral flute machine taps (Individually boxed)
- 69 (30) Swiss Tech No. 12 UNC x 24 TPI ZEN-B, HSS-PM coating spiral flute machine taps (Individually boxed)

- 70 (23) Swiss Tech No. 12 UNC x 24 TPI ZEN-B, HSS-PM coating spiral flute machine taps (Individually boxed)
- 71 (50) Swiss Tech No. 12 UNC x 24 TPI ZEN-P, HSS-PM coating spiral point machine taps (Individually boxed)
- 72 (50) Swiss Tech No. 12 UNC x 24 TPI ZEN-P, HSS-PM coating spiral point machine taps (Individually boxed)
- 73 (50) Swiss Tech No. 12 UNC x 24 TPI ZEN-P, HSS-PM coating spiral point machine taps (Individually boxed)
- 74 (50) Swiss Tech No. 12 UNC x 24 TPI ZEN-P, HSS-PM coating spiral point machine taps (Individually boxed)
- 75 (50) Swiss Tech No. 12 UNC x 24 TPI ZEN-P, HSS-PM coating spiral point machine taps (Individually boxed)
- 76 (50) Swiss Tech No. 12 UNC x 24 TPI ZEN-P, HSS-PM coating spiral point machine taps (Individually boxed)
- 77 (100) Mercury 5/16" UNC x 18 TPI HSS Fluteless taps (Loose)
- 78 (100) Mercury 5/16" UNC x 18 TPI HSS Fluteless taps (Loose)
- 79 (100) Mercury 5/16" UNC x 18 TPI HSS Fluteless taps (Loose)
- 80 (100) Mercury 5/16" UNC x 18 TPI HSS Fluteless taps (Loose)
- 81 (55) Yamawa (Japan) and Warrior brand 9/16" UNC x 12 TPI HSS G 6H spiral point machine taps (Loose)
- 82 (55) Yamawa (Japan) and Warrior brand 9/16" UNC x 12 TPI HSS G 6H spiral point machine taps (Loose)
- 83 (55) Yamawa (Japan) and Warrior brand 9/16" UNC x 12 TPI HSS G 6H spiral point machine taps (Loose)
- 84 (55) Yamawa (Japan) and Warrior brand 9/16" UNC x 12 TPI HSS G 6H spiral point machine taps (Loose)
- 85 (50) 7/8" UNC x 9 TPI HSS spiral point machine taps (Loose)
- 86 (50) 7/8" UNC x 9 TPI HSS spiral point machine taps (Loose)
- 87 (50) 7/8" UNC x 9 TPI HSS spiral point machine taps (Loose)
- 88 (50) 7/8" UNC x 9 TPI HSS spiral point machine taps (Loose)
- 89 (100) 1/2" UNC Yamawa (Japan) x 13 TPI HSS spiral point machine taps
- 90 (100) 1/2" UNC Yamawa (Japan) x 13 TPI HSS spiral point machine taps
- 91 (100) 1/2" UNC Yamawa (Japan) x 13 TPI HSS spiral point machine taps
- 92 (100) 1/2" UNC Yamawa (Japan) x 13 TPI HSS spiral point machine taps
- 93 (100) 1/2" UNC Yamawa (Japan) x 13 TPI HSS spiral point machine taps
- 94 (100) 1/2" UNC Yamawa (Japan) x 13 TPI HSS spiral point machine taps

- 95 (100) 1/2" UNC Yamawa (Japan) x 13 TPI HSS spiral point machine taps
- 96 (100) 1/2" UNC Yamawa (Japan) x 13 TPI HSS spiral point machine taps
- 97 (40) Yamawa (Japan) 9/16" UNC x 12 TPI HSS G 6H spiral flute machine taps (Loose)
- 98 (40) Yamawa (Japan) 9/16" UNC x 12 TPI HSS G 6H spiral flute machine taps (Loose)
- 99 (40) Yamawa (Japan) 9/16" UNC x 12 TPI HSS G 6H spiral flute machine taps (Loose)
- 100 (40) Yamawa (Japan) 9/16" UNC x 12 TPI HSS G 6H spiral flute machine taps (Loose)
- 101 (100) No. 10 UNC x 24 TPI HSS type B fluteless taps (Loose)
- 102 (100) No. 10 UNC x 24 TPI HSS type B fluteless taps (Loose)
- 103 (100) No. 10 UNC x 24 TPI HSS type B fluteless taps (Loose)
- 104 (100) No. 10 UNC x 24 TPI HSS type B fluteless taps (Loose)
- 105 (100) No. 10 UNC x 24 TPI HSS type B fluteless taps (Loose)
- 106 (100) No. 10 UNC x 24 TPI HSS type B fluteless taps (Loose)
- 107 (100) No. 10 UNC x 24 TPI HSS type B fluteless taps (Loose)
- 108 (100) No. 10 UNC x 24 TPI HSS type B fluteless taps (Loose)
- 109 (50) Yamawa 3/4" UNC x 10 TPI HSS ISO ground thread spiral point machine taps (Loose)
- 110 (50) Yamawa 3/4" UNC x 10 TPI HSS ISO ground thread spiral point machine taps (Loose)
- 111 (50) Yamawa 3/4" UNC x 10 TPI HSS ISO ground thread spiral point machine taps (Loose)
- 112 (50) Yamawa 3/4" UNC x 10 TPI HSS ISO ground thread spiral point machine taps (Loose)
- 113 (50) Yamawa 3/4" UNC x 10 TPI HSS ISO ground thread spiral point machine taps (Loose)
- 114 (50) Yamawa 3/4" UNC x 10 TPI HSS ISO ground thread spiral point machine taps (Loose)
- 115 (50) Yamawa 3/4" UNC x 10 TPI HSS ISO ground thread spiral point machine taps (Loose)
- 116 (100) 7/16" UNC x 14 TPI HSS spiral point machine taps (Loose)
- 117 (100) 7/16" UNC x 14 TPI HSS spiral point machine taps (Loose)
- 118 (100) 7/16" UNC x 14 TPI HSS spiral point machine taps (Loose)
- 119 (100) 7/16" UNC x 14 TPI HSS spiral point machine taps (Loose)
- 120 (100) 7/16" UNC x 14 TPI HSS spiral point machine taps (Loose)
- 121 (100) 7/16" UNC x 14 TPI HSS spiral point machine taps (Loose)
- 122 (90) Mercury 3/8" UNC x 16 TPI HSS fluteless taps (Loose)
- 123 (90) Mercury 3/8" UNC x 16 TPI HSS fluteless taps (Loose)
- 124 (90) Mercury 3/8" UNC x 16 TPI HSS fluteless taps (Loose)

- 125 (90) Mercury 3/8" UNC x 16 TPI HSS fluteless taps (Loose)
- 126 (90) Mercury 3/8" UNC x 16 TPI HSS fluteless taps (Loose)
- 127 (110) No. 2 UNF x 64 TPI HSS taper taps (Loose)
- 128 (110) No. 2 UNF x 64 TPI HSS taper taps (Loose)
- 129 (110) No. 2 UNF x 64 TPI HSS taper taps (Loose)
- 130 (110) No. 2 UNF x 64 TPI HSS taper taps (Loose)
- 131 (100) No. 2 UNF x 64 TPI HSS second taps (Loose)
- 132 (100) No. 2 UNF x 64 TPI HSS second taps (Loose)
- 133 (100) No. 2 UNF x 64 TPI HSS second taps (Loose)
- 134 (100) No. 2 UNF x 64 TPI HSS second taps (Loose)
- 135 (100) No. 2 UNF x 64 TPI HSS second taps (Loose)
- 136 (100) No. 2 UNF x 64 TPI HSS second taps (Loose)
- 137 (90) No. 2 UNF x 64 TPI HSS plug taps (Loose)
- 138 (90) No. 2 UNF x 64 TPI HSS plug taps (Loose)
- 139 (90) No. 2 UNF x 64 TPI HSS plug taps (Loose)
- 140 (100) Cleveland No. 8 UNF x 36 TPI HSS fluteless taps (Loose)
- 141 (100) Cleveland No. 8 UNF x 36 TPI HSS fluteless taps (Loose)
- 142 (100) Cleveland No. 8 UNF x 36 TPI HSS fluteless taps (Loose)
- 143 (100) Cleveland No. 8 UNF x 36 TPI HSS fluteless taps (Loose)
- 144 (100) Cleveland No. 8 UNF x 36 TPI HSS fluteless taps (Loose)
- 145 (100) Cleveland No. 8 UNF x 36 TPI HSS fluteless taps (Loose)
- 146 (100) Cleveland No. 4 UNF x 48 TPI HSS fluteless taps (Loose)
- 147 (100) Cleveland No. 4 UNF x 48 TPI HSS fluteless taps (Loose)
- 148 (100) Cleveland No. 4 UNF x 48 TPI HSS fluteless taps (Loose)
- 149 (100) Cleveland No. 4 UNF x 48 TPI HSS fluteless taps (Loose)
- 150 (100) Cleveland No. 4 UNF x 48 TPI HSS fluteless taps (Loose)
- 151 (100) Cleveland No. 4 UNF x 48 TPI HSS fluteless taps (Loose)
- 152 (100) Warrior No. 6 UNF x 40 TPI HSS spiral flute machine taps (boxed)
- 153 (100) Warrior No. 6 UNF x 40 TPI HSS spiral flute machine taps (boxed)
- 154 (100) Warrior No. 6 UNF x 40 TPI HSS spiral flute machine taps (boxed)

155	(100) Warrior No. 6 UNF x 40 TPI HSS spiral flute machine taps (Loose)
156	(100) Warrior No. 6 UNF x 40 TPI HSS spiral flute machine taps (Loose)
157	(100) Warrior No. 6 UNF x 40 TPI HSS spiral flute machine taps (Loose)
158	(90) L.A.L. manufacturer, No. 3 UNF x 56 TPI HSS taper taps (Loose)
159	(90) L.A.L. manufacturer, No. 3 UNF x 56 TPI HSS taper taps (Loose)
160	(90) L.A.L. manufacturer, No. 3 UNF x 56 TPI HSS taper taps (Loose)
161	(100) Warrior No. 3 UNF x 56 TPI HSS second taps (Loose)
162	(100) Warrior No. 3 UNF x 56 TPI HSS second taps (Loose)
163	(100) Warrior No. 3 UNF x 56 TPI HSS second taps (Loose)
164	(100) Warrior No. 3 UNF x 56 TPI HSS second taps (Loose)
165	(100) Warrior No. 3 UNF x 56 TPI HSS second taps (Loose)
166	(100) Warrior No.5 UNF x 44 TPI HSS spiral point machine taps (Loose)
167	(100) Warrior No.5 UNF x 44 TPI HSS spiral point machine taps (Loose)
168	(100) Warrior No.5 UNF x 44 TPI HSS spiral point machine taps (Loose)
169	(100) Cleveland No. 6 UNF x 40 TPI HSS spiral point machine taps blue finish. (Boxed)
170	(100) Cleveland No. 6 UNF x 40 TPI HSS spiral point machine taps blue finish. (Boxed)
171	(100) Cleveland No. 6 UNF x 40 TPI HSS spiral point machine taps blue finish. (Boxed)
172	(100) Cleveland No. 6 UNF x 40 TPI HSS spiral point machine taps blue finish. (Boxed)
173	(100) Cleveland No. 6 UNF x 40 TPI HSS spiral point machine taps blue finish. (Boxed)
174	(100) Warrior No. 4 UNF x 48 TPI HSS taper taps (Loose)
175	(100) Warrior No. 4 UNF x 48 TPI HSS taper taps (Loose)
176	(100) Warrior No. 4 UNF x 48 TPI HSS taper taps (Loose)
177	(100) Warrior No. 4 UNF x 48 TPI HSS taper taps (Loose)
178	(100) Warrior No. 4 UNF x 48 TPI HSS taper taps (Loose)
179	(20) Swiss Tech 5/8" UNF x 18 TPI; Zen B ISO 2BX; HSS-PM spiral flute machine taps (Boxed individually)
180	(20) Swiss Tech 5/8" UNF x 18 TPI; Zen B ISO 2BX; HSS-PM spiral flute machine taps (Boxed individually)
181	(20) Swiss Tech 5/8" UNF x 18 TPI; Zen B ISO 2BX; HSS-PM spiral flute machine taps (Boxed individually)
182	(20) Swiss Tech 5/8" UNF x 18 TPI; Zen B ISO 2BX; HSS-PM spiral flute machine taps (Boxed individually)

- 183 (19) Swiss Tech 5/8" UNF x 18 TPI; Zen B ISO 2BX; HSS-PM spiral flute machine taps (Boxed individually)
- 184 Mitutoyo 293-232-30; 50-75mm capacity, digital external micrometer; Unused; IP65; Oil resistant.
- 185 Mitutoyo 103-193 outside micrometer; 16"-17" capacity; Unused with setting rod & key in wooden case;
- 186 (3) Oxford 0-6" steel verniers unused in pouch; Offering 4 readings - Inside, outside, internal and step; Metric/imperial reading.
- 187 Edison OJM826 open jaw digital multimeter. 750V; 200A max. AC current; Max volt 1000V;
- 188 Edison OJM826 open jaw digital multimeter. 750V; 200A max. AC current; Max volt 1000V;
- 189 Edison OJM826 open jaw digital multimeter. 750V; 200A max. AC current; Max volt 1000V;
- 190 (15) Assorted Kennedy tools including: Spring calipers; Solid nut calipers; External/internal, various lengths
- 191 Assorted Kennedy tools including: (11) assorted feeler gauges, screw pitch gauges, radius gauges, drill gauge etc., PLUS Kennedy assorted steel rules; (3) Rabone Chesterman 6" steel rules; Inspection mirrors, tweezers, loops etc.,
- 192 Assorted precision tools including: Molex Woodhead RB4, 0.9-1.8KG (2-4 lb) balancer with 2 metre travel; (3) tins micrometer blue; (1) 4.68mm/5.35mm go/no go double ended tungsten carbide ball gauge; (3) Kennedy clock stylus; (1) Mitutoyo 983507 100mm/129 measuring rod; Feeler strip etc.,
- 193 Fenn FMM 350Q; 240 volt Multimaster Multi-Tool kit with accessories and carrying case; Unused
- 194 (1) Hitachi 14.4V -18V power tool cordless charger PLUS (1) 5.0AH battery in carrying case
- 195 (180) 13/64" HSS stub drills
- 196 (150) 11/64" HSS stub drills
- 197 (150) 11/64" HSS stub drills
- 198 (150) 11/64" HSS stub drills
- 199 (Approx 50) long series and extra long Sherwood straight shank drills
- 200 (Approx 100) Guhring 205 HSS jobber drills (range 4.4mm - 10.4mm)
- 201 (Approx 100) Guhring 205 HSS jobber drills (range 2mm - 12.3mm)
- 202 (Approx 200) Sherwood HSS jobber drills
- 203 (Approx 200) Sherwood HSS jobber drills
- 204 Assorted HSS drills: (1) 21/32" HSS jobber drill; (2) 1/4" x 250mm long HSS MTS drills; (1) 3mm Dormer A940 PFX HSSE drill; (1 of each) 7mm & 5/16" Long series drills; (2) 10mm TiN coated jobbers; (1) Guhring 2460, 2mm cobalt Fire Coat stub drill; (1) 8.2mm heavy duty cobalt jobber drill; (37) 1mm drill blanks; (9) 3mm drill blanks

205	(7) solid carbide drills comprising: (1) 12mm Merlin 118 degree solid carbide drill; (4) Swiss Tech 7.5mm Q-Coat solid carbide 5 XD drills; (1) 4.4mm solid carbide jobber drill; (1) 3mm solid carbide drill
206	(6) Assorted HSS cobalt end mills; (1) Dormer 1/4" HSS hand reamer; (2) 5/32" HSS MTS machine reamers; (2) 2.1/2" x 1/16" x 1" bore 62 teeth HSS slitting saws; (1) DIXI 7016, 4mm solid carbide engraving tip
207	(29) 6mm diameter double ended extra long HSS centre drills; 100mm long, Futura coated; PLUS (2) 5/64" x 3/16" x 90 degree HSS centre drills; (1) 8mm x 3.15mm HSS TiN coated centre drill; (1) KEO No.2 x 90 degree centre drill
208	(8) Sherwood 28mm HSCO cobalt Weldon flat shank, fine pitch, centre cutting ripper cutters; 53mm flute, 120mm o/all; 6 flute
209	(8) Sherwood 28mm HSCO cobalt Weldon flat shank, fine pitch, centre cutting ripper cutters; 53mm flute, 120mm o/all; 6 flute
210	(8) Sherwood 28mm HSCO cobalt Weldon flat shank, fine pitch, centre cutting ripper cutters; 53mm flute, 120mm o/all; 6 flute
211	(8) Sherwood 28mm HSCO cobalt Weldon flat shank, fine pitch, centre cutting ripper cutters; 53mm flute, 120mm o/all; 6 flute
212	(8) Sherwood 28mm HSCO cobalt Weldon flat shank, fine pitch, centre cutting ripper cutters; 53mm flute, 120mm o/all; 6 flute
213	(8) Sherwood 28mm HSCO cobalt Weldon flat shank, fine pitch, centre cutting ripper cutters; 53mm flute, 120mm o/all; 6 flute
214	(8) Sherwood 28mm HSCO cobalt Weldon flat shank, fine pitch, centre cutting ripper cutters; 53mm flute, 120mm o/all; 6 flute
215	(8) Sherwood 28mm HSCO cobalt Weldon flat shank, fine pitch, centre cutting ripper cutters; 53mm flute, 120mm o/all; 6 flute
216	(8) Sherwood 1.1/4" x 1.1/4" screwed shank long series HSCO cobalt knuckle form ripper cutters
217	(8) Sherwood 1.1/4" x 1.1/4" screwed shank long series HSCO cobalt knuckle form ripper cutters
218	(8) Sherwood 1.1/4" x 1.1/4" screwed shank long series HSCO cobalt knuckle form ripper cutters
219	(8) Sherwood 1.1/4" x 1.1/4" screwed shank long series HSCO cobalt knuckle form ripper cutters
220	(11) Sherwood 32mm HSCO cobalt Weldon shank slot drills, 32mm shank
221	(11) Sherwood 32mm HSCO cobalt Weldon shank slot drills, 32mm shank
222	(11) Sherwood 32mm HSCO cobalt Weldon shank slot drills, 32mm shank
223	(11) Sherwood 32mm HSCO cobalt Weldon shank slot drills, 32mm shank
224	(11) Sherwood 32mm HSCO cobalt Weldon shank slot drills, 32mm shank
225	(11) Sherwood 32mm HSCO cobalt Weldon shank slot drills, 32mm shank
226	(11) Sherwood 32mm HSCO cobalt Weldon shank slot drills, 32mm shank
227	(11) Sherwood 32mm HSCO cobalt Weldon shank slot drills, 32mm shank

228	(25) Guhring 496 - 2.8mm HSS-E cobalt intermediate machine straight shank chucking reamers
229	(33) Allied Tooling solid carbide 6.337mm x 46mm long; - 0.00 + 0.006 straight flute R/H spiral reamers
230	(20) Allied Tooling solid carbide 4.985mm straight shank chucking reamers; Futura coating;
231	(20) Allied Tooling solid carbide 4.985mm straight shank chucking reamers; Futura coating;
232	(18) Menlo (USA) 3.98mm dia., 0.0006/0.000; 4 flute R900 solid carbide straight flute reamers; Futura coating
233	(10) MMC Hitachi 3mm dia., Epoch solid carbide EPBT 2030, R1.5, 2 flute ball coated end mills; 70mm o/all; TH coating
234	(10) MMC Hitachi 3mm dia., Epoch solid carbide EPBT 2030, R1.5, 2 flute ball coated end mills; 70mm o/all; TH coating
235	(10) MMC Hitachi 3mm dia., Epoch solid carbide EPBT 2030, R1.5, 2 flute ball coated end mills; 70mm o/all; TH coating
236	(10) MMC Hitachi 3mm dia., Epoch solid carbide EPBT 2030, R1.5, 2 flute ball coated end mills; 70mm o/all; TH coating
237	(10) MMC Hitachi 3mm dia., Epoch solid carbide EPBT 2030, R1.5, 2 flute ball coated end mills; 70mm o/all; TH coating
238	(15) MMC Hitachi 1mm dia., Epoch solid carbide EPBT 2010 R1.5, 2 flute ball coated end mills; TH coating
239	(14) MMC Hitachi 2mm dia., Epoch solid carbide EPBT 2020 R1.5, 2 flute ball coated end mills; TH coating
240	(10) MMC Hitachi 4mm dia., Epoch solid carbide EPBT 2040 R1.5, 2 flute ball coated end mills; TH coating
241	(10) MMC Hitachi 4mm dia., Epoch solid carbide EPBT 2040 R1.5, 2 flute ball coated end mills; TH coating
242	(10) MMC Hitachi 4mm dia., Epoch solid carbide EPBT 2040 R1.5, 2 flute ball coated end mills; TH coating
243	(7) 10mm dia., DIXI Polytool 7213 solid carbide TiALN coated ripper cutters; 3 flute; 22mm cutting length x 10mm dia shank x 72mm long; (Swiss manufactured)
244	(7) 10mm dia., DIXI Polytool 7213 solid carbide TiALN coated ripper cutters; 3 flute; 22mm cutting length x 10mm dia shank x 72mm long; (Swiss manufactured)
245	(7) 10mm dia., DIXI Polytool 7213 solid carbide TiALN coated ripper cutters; 3 flute; 22mm cutting length x 10mm dia shank x 72mm long; (Swiss manufactured)
246	(10) 8mm dia., DIXI Polytool 7213 solid carbide TiALN coated 3 flute ripper cutters 16mm cutting length x 10mm dia shank x 72mm long; (Swiss manufactured)
247	(10) 8mm dia., DIXI Polytool 7213 solid carbide TiALN coated 3 flute ripper cutters 16mm cutting length x 10mm dia shank x 72mm long; (Swiss manufactured)

- 248 (10) 8mm dia., DIXI Polytool 7213 solid carbide TiALN coated 3 flute ripper cutters 16mm cutting length x 10mm dia shank x 72mm long; (Swiss manufactured)
- 249 (10) 8mm dia., DIXI Polytool 7213 solid carbide TiALN coated 3 flute ripper cutters 16mm cutting length x 10mm dia shank x 72mm long; (Swiss manufactured)
- 250 (10) 6mm dia., DIXI Polytool 7213 solid carbide TiALN coated 3 flute ripper cutters; 13mm cutting length x 10mm dia shank x 63mm long; 3 flute ripper cutters; (Swiss manufactured)
- 251 (4) Seco 980ML080-MEGA; 8 x 6 x 80mm 2 flute solid carbide cutters
- 252 (4) 5mm Mitsubishi M Star solid carbide end mills MS4SC, 4 flute; PLUS (2) SGS 6mm dia., solid carbide end mills SER47MES, 3 flute
- 253 (11) Assorted solid carbide cutters: (4) EPBT 2030 Epoch 3mm ball end cutters; (3) EPBT 2040 Epoch 4mm ball end cutters; (2) EPBT 2010 Epoch 1mm cutters; (1) Kennedy 4mm 2 flute solid carbide cutter; (1) T2004 JM Tool solid carbide 4mm 2 flute cutter
- 254 (16) Assorted solid carbide cutters: (7) Kyocera 36507, 3/16" 4 flute cutters; (2) Kyocera 44570, 3mm 2 flute cutters; (2) K2 cutters G9425010, 1mm dia., (4) K2 cutters 2.5mm dia solid carbide cutters; (1) 0.8mm 2 flute Menlo 2 flute cutter
- 255 (4) T-Tech 26803; HTM-5818UN - 18UN cobalt TiCN coated threadmills
- 256 (3) T-Tech 26803; HTM-5818UN - 18UN cobalt TiCN coated threadmills
- 257 (100) Yamaloy OFCN 070408-SN coated milling inserts grade QK25C (K15/K30); 8 sided octagon inserts, 25 degree clearance angle, 4.76mm thick, 0.8mm corner radius. (Fits Indexa Seiki 8T profile face mill amongst others)
- 258 (100) Yamaloy OFCN 070408-SN coated milling inserts grade QK25C (K15/K30); 8 sided octagon inserts, 25 degree clearance angle, 4.76mm thick, 0.8mm corner radius. (Fits Indexa Seiki 8T profile face mill amongst others)
- 259 (100) Yamaloy OFCN 070408-SN coated milling inserts grade QK25C (K15/K30); 8 sided octagon inserts, 25 degree clearance angle, 4.76mm thick, 0.8mm corner radius. (Fits Indexa Seiki 8T profile face mill amongst others)
- 260 (100) Yamaloy OFCN 070408-SN coated milling inserts grade QK25C (K15/K30); 8 sided octagon inserts, 25 degree clearance angle, 4.76mm thick, 0.8mm corner radius. (Fits Indexa Seiki 8T profile face mill amongst others)
- 261 (100) Yamaloy OFCN 070408-SN coated milling inserts grade QK25C (K15/K30); 8 sided octagon inserts, 25 degree clearance angle, 4.76mm thick, 0.8mm corner radius. (Fits Indexa Seiki 8T profile face mill amongst others)
- 262 (100) Yamaloy OFCN 070408-SN coated milling inserts grade QK25C (K15/K30); 8 sided octagon inserts, 25 degree clearance angle, 4.76mm thick, 0.8mm corner radius. (Fits Indexa Seiki 8T profile face mill amongst others)
- 263 (100) Yamaloy OFCN 070408-SN coated milling inserts grade QK25C (K15/K30); 8 sided octagon inserts, 25 degree clearance angle, 4.76mm thick, 0.8mm corner radius. (Fits Indexa Seiki 8T profile face mill amongst others)

264	(90) Yamaloy OFCN 070408-SN coated milling inserts grade QK25C (K15/K30); 8 sided octagon inserts, 25 degree clearance angle, 4.76mm thick, 0.8mm corner radius. (Fits Indexa Seiki 8T profile face mill amongst others)
265	(3) Guhring 4111-16.5 indexable drill insert PLUS (2) Allied Maxcut 151T-0027, 27/32" Tin coated drill inserts
266	(8) Walter P6001-D14.00R grade WXP45 carbide drill inserts
267	(20) Sandvik CCGX 09T304 - AL grade H10 indexable turning inserts
268	(30) Sandvik TCMT 16T308-KM grade 3215 turning inserts
269	(30) Safety/Pramet ZP5000 (ZP50ER-R grade M8345) ER71 grade 5050 indexable carbide inserts
270	(30) Safety/Pramet ZP5000 (ZP50ER-R grade M8345) ER71 grade 5050 indexable carbide inserts
271	(40) Walter P2808-1 indexable carbide milling inserts grade WTA51
272	(50) Walter Tiger-Tec SPJW 1204EDR indexable carbide milling inserts grade WAK15
273	(20) Walter P26325R25 indexable carbide inserts grade WSM45
274	(58) Walter APMT 15T3 PDR-F56 indexable carbide milling inserts grade WQM45
275	Assorted ISCAR carbide comprising: (1) SGFHR 32T22-3 blade; (7) 08IR 20UN threading inserts grade IC228; (7) 08IR 28W threading inserts grade IC228; (5) 08IR 20UN threading inserts grade IC228; (5) APKT 100310 PDR-RM grade IC328 inserts; (2) CNMG 120408-TF grade IC20 inserts
276	(30) Assorted Iscar inserts comprising: (20) Iscar HM390 TCCT 0703 PCR indexable inserts grade IC830; PLUS (10) H490 ANKX 170608 PNTR indexable inserts grade IC810
277	(17) Simtek Simturn grooving inserts comprising: (5) E12.0010.20V grade GT45 grooving inserts; PLUS (12) E12.0100.00H grade HT45 grooving inserts
278	(6) Simtek A06.MT10.01.15.62 MR grade GN39 solid carbide 6mm pitch internal threading cutters
279	(13) Simtek SimMill V28.0400.02G grade GN35 disc milling inserts
280	(13) Simtek SimMill V28.0400.02G grade GN35 disc milling inserts
281	Assorted Mitsubishi inserts comprising: (1) 20mm dia., EP 7020 Smart Miracle Index solid carbide end mill; 20mm, threaded shank; 1MX20C4HV200R10021 ref. (10) SOGT 12T308 PEFr-JP grade HTT10; (10) TCGT 060104 L-F grade NX2525; (30) WNMG 080412-RP grade MC6015 inserts
282	(50) Stellram RPHT 10T3MOT-X4 grade X500 indexable carbide inserts
283	(50) Stellram RPHT 10T3MOT-X4 grade X500 indexable carbide inserts
284	(5) PreciTool 652R 0.8TiN coated Precit L solid carbide blades (Swiss manufacture)
285	(90) Stellram/Kennametal SDHT 120412 EN423 indexable inserts grade X500

286	(90) Stellram/Kennametal SDHT 120412 EN423 indexable inserts grade X500.
287	(90) Stellram/Kennametal SDHT 120412 EN423 indexable inserts grade X500.
288	(90) Stellram/Kennametal SDHT 120412 EN423 indexable inserts grade X500.
289	(90) Stellram/Kennametal SDHT 120412 EN423 indexable inserts grade X500.
290	(90) Stellram/Kennametal SDHT 120412 EN423 indexable inserts grade X500.
291	(90) Stellram/Kennametal SDHT 120412 EN423 indexable inserts grade X500.
292	Assorted indexable carbide inserts: (8) Horn CPGT 060202-FX grade UT150 inserts; (20) Stellram/Kennametal SDHT 120412 EN423 indexable inserts grade X500; (10) EPGT 040204E-62 grade SP4036 Stellram inserts; (5) Kennametal CNMG 120412LF grade KCP25B inserts; (10) TT Rebate Ceratizit carbide scraper blades for rebate plane, size 50x12x1.5mm;
293	Indexable Plansee inserts comprising: (10) DCGT 11T304EN-SF grade TCM10 Ceratizit inserts; (10) XCNT 09T304EN grade CM40 inserts; (10) SPMT 090308SN grade GM43+ inserts; (16) XDLX 09T308ER-F40 grade CTC 5235 inserts; (2) part off inserts
294	(1) CTCPN 1010 E11 toolholder with (10) Kennametal TPMP 110304 grade KC850 inserts to suit PLUS 1 lot assorted Indexa Seiki toolholder spares
295	(1) PTGNL 2020 K16 indexable toolholder with (10) TNMG 160408FN grade KC9315 inserts to suit
296	(1) Indexa Seiki BT50 - FM27 - 065 Shell/Face mill adaptor/holder; 65mm length, 48mm dia., Spigot FM27;
297	(1) Indexa Seiki BT50 - FM27 - 065 Shell/Face mill adaptor/holder; 65mm length, 48mm dia., Spigot FM27;
298	(2) Ceratizit indexable Ecocut Classic drill, bore and turn tool. ECC 25R-1.5D 13
299	(2) Ceratizit indexable Ecocut Classic drill, bore and turn tool. ECC 25R-1.5D 13
300	(2) Ceratizit indexable Ecocut Classic drill, bore and turn tool. ECC 25L-1.5D 13
301	(2) Ceratizit indexable Ecocut Classic drill, bore and turn tool. EC 25L-1.5D 13
302	(2) Ceratizit Ecocut Classic drill, bore and turn tools comprising: (1) EC 25R-1.5D 13; PLUS (1) ECC25R-1.5D 13 toolholder
303	(22) Assorted lathe and milling collets including ER8; ER20; ER25; ER32; PLUS (2) Schunk 0203199, 20mm G2B-S collets
304	(3) Rapid Grinding Ltd., M18 x 1mm radius solid carbide boring tools, 65mm o/all., 1LR 003 reference
305	(10) Walter Prototyp M4 Tin coated HSS-E-PM spiral flute machine taps EP2051305
306	(4) Guhring taps comprising: (2) 05726 Goldring Power Tap 3/4" x 10 UNC HSS-E spiral flute taps; (1) 05725 Goldring Power Tap 5/8" x 11 UNC HSS-E spiral point tap; (1) 05728 Goldring Power Tap 5/8" UNF x 18 2B HSS-E spiral flute tap

- 307 Assorted taps comprising: (8) 4.5mm Sherwood HSS taper taps; (1 set) M8 HSS taps; (2) 8mm HSS second taps; (1) 3.5mm HSS taper tap; (3) No. 8 UNF HSS taper tap; (1) 6mm HSS spiral flute tap; (5) 8mm x 1.25mm Spirallock spiral point tap 57270D ref., (1) 6mm x 1mm HSS Spirallock tap 57150D ref., (1) 10mm L/H 2nd tap HSS; (1) 5/32" BSW HSS 2nd tap
- 308 1 lot assorted hexagon keys including: (20) T handled hexagon wrenches; (30) Ball ended hex keys; (13) Bondhus ball end hexagon wrenches; (35) Long arm hexagon wrenches; Large quantity std length hexagon wrenches - imperial and metric
- 309 Assorted door furniture including: (75) 75mm long brass projecting doorstops; (230) Silca YA5 key blanks; (100) Assorted brass and steel key blanks; (100 pairs) 50mm x 20mm open width butt hinges; (20) Lockable toggle latches; (90) Plastic meter box keys; Rim cylinders; Bathroom locks etc.,
- 310 1 lot assorted paint brushes including: (Approx 60) 3" paint brushes; (36) 4" paint brushes; (80) No. 8 round fitch brushes; (30) 2" paint brushes PLUS assorted professional paint brushes 1/2" to 4" etc.,
- 311 (90) 66'/30 metre x 10mm wide polyester coated white steel measuring tape refills; EAN 20DW4X56KND reference (boxed separately)
- 312 (90) 66'/30 metre x 10mm wide polyester coated white steel measuring tape refills; EAN 20DW4X56KND reference (boxed separately)
- 313 (13) PS15 adhesive/stick on Velcro Hook tape; 25mm wide, self adhesive. 330 Negro black, 25 metres long;
- 314 (7) Raaco PSB 4-15 Assorter boxes; 15 compartments, polypropylene service box; 330mm x 230mm
- 315 (7) Raaco PSB 4-15 Assorter boxes; 15 compartments, polypropylene service box; 330mm x 230mm
- 316 (108) Salmon Hygiene NA4B blue nail brushes 122mm long (Made in UK)
- 317 (400) Sait Saitac-Vel AW-D; 127mm dia., 80 grit Hook & Loop paper discs
- 318 (400) Sait Saitac-Vel AW-D; 127mm dia., 80 grit Hook & Loop paper discs
- 319 (400) Sait Saitac-Vel AW-D; 127mm dia., 80 grit Hook & Loop paper discs
- 320 (400) Sait Saitac-Vel AW-D; 127mm dia., 80 grit Hook & Loop paper discs
- 321 (400) Sait Saitac-Vel AW-D; 127mm dia., 40 grit Hook & Loop paper discs
- 322 (400) Sait Saitac-Vel AW-D; 127mm dia., 40 grit Hook & Loop paper discs
- 323 (400) Sait Saitac-Vel AW-D; 127mm dia., 40 grit Hook & Loop paper discs
- 324 (400) Sait Saitac-Vel AW-D; 127mm dia., 40 grit Hook & Loop paper discs
- 325 (400) Sait Saitac-Vel AW-D; 127mm dia., 40 grit Hook & Loop paper discs
- 326 (400) Sait Saitac-Vel AW-D; 127mm dia., 40 grit Hook & Loop paper discs

- 327 3M assorted PPE consumables consisting of: (1) 6800 medium full face mask; (16 x 2) 6035 particle filters; (8 packs of 2) 167520 Speedglas sweatbands; (2) Peltor Optima PTL ear muffs; (1) 4279 Gas/Vapour respirator; (2 packs of 2) Jupiter filters
- 328 (8) Centurion Aegean SNR 30DB Helmet mounted ear defenders PLUS (1) Howard Leight Thunder T3 Dielectric headband ear muffs 1010970
- 329 (9) 3M Optime 111 H540A Peltor hearing protectors
- 330 (8 sets) assorted Kennedy fasteners comprising: (2 sets) O rings; (1 set) Nitrile Quad rings; (2 sets) woodscrew kits; (1 set) self tappers; (1 set) Kennedy clevis pins kit; (1 set) Assorted fasteners
- 331 Ideal B22160 600mm propane heating torch kit with regulator
- 332 (50) Assorted safety specs including: (20 pairs) 3M 2845 specs; (5) Bolle Square 11 specs; (25 pairs) SiteSafe Luna/Operon/Zenith safety specs;
- 333 1 lot assorted first aid consumables including: (2) Tuffsafe TFF9961950K emergency eyewash kits; (1) Burns kit; (1) First Aid kit; (120) Elite MED9962960K resuscitade shields; (12) Eesiban elasticated support bandages 10 metre x 75mm wide, 70372100; (2) Religrip B, 62mm x 10 metre elasticated tubular bandage; (50) Leukomed wound dressings 2" x 3"; etc.,
- 334 (4) Rothenberger 7.0030 Automatic tube cutters, 6mm - 67mm capacity
- 335 1 lot Kennedy hand tools including: (3 pairs) 6" fibre vice grips; (1 pair) 6" aluminium faced magnetic vice grips; (2 pairs) 125mm aluminium faced magnetic vice grips; (1) G clamp adaptor; (1) 4" medium G cramps; (3) 3" Medium G cramps; (2) 2" Medium G cramps; (1 of each) 1", 3" & 4" welded pressed clamps
- 336 1 lot Kennedy hand tools including: (1) 24" Quick clamp/spreader; (2) 6" Quick clamp/spreader; (1) 32" Proview professional level; (2) Senator 5 metre tapes; (1) 3 metre tape; (1) Kennedy 6 piece hexagon screwdriver bit set; (1) Kennedy NS22 nut splitter; (1) 60mm - 140mm strap wrench; (1) 5 piece bi material grip scissor set; (1) 900mm pick up tool
- 337 (5) Draper 81642, 280mm self grip clamps PLUS (1) Senator 280mm self grip clamp
- 338 1 lot Kennedy assorted tools including: (1) 8 piece imperial ball driver set; (1) 20 piece imp/metric hex key set; (1) 64 piece 1/4" hex screwdriver bit set; (1) 9 piece ball wrench set; (1) 9 piece metric and 10 piece imperial key set; (1) 9 piece L wrench ball driver set; (1) 9 piece std metric hex key set
- 339 (1) REMS Curvo 581400 bending & back former; 10mm dia. OD x 40mm radius high strength reinforced polyamide material for Curvo bender
- 340 Assorted Kennedy tools including: (12) 12.5mm assorted number/letter steel stamps; (18) 3mm & 4mm letter/number stamps; (2) Tungsten carbide tipped etching pens; (1) 8" 3 square engineers scraper; (1) Kennedy 5 blade pipe crimper; (1) 36mm Kennedy open jaw slogging wrench; (1) 36mm Kennedy slogging ring spanner
- 341 (1) Sealey VSE3155 Master diesel/petrol compression test kit in storage case

- 342 1 lot (17) Assorted hammers including: panel beater, ball pein, claw, Thor rawhide, welding; PLUS spare faces, file handles etc.,
- 343 (6 sets) Kennedy 4 piece Pro-Torq pliers (combination, diagonal, groove joint, snipe nose) Dual material handle grip
- 344 (5 sets) Teng 9121 impact socket sets 10 piece metric 1/2" square drive, 10-24mm range on steel clips
- 345 (10) Draper 09253; 300mm combination squares; DIY series
- 346 1 lot Large quantity of assorted staples including: (20 x 5000) Arrow T50 staples 3/8"/10mm (made in USA); (20 x 1000) CK 496004 staples 10.5 x 12mm heavy duty; (2 x 5000) Tacwise 140/8mm staples; (5000) Rapid 140/6mm staples etc.,
- 347 (Approx 150) Assorted power bits including: (25) No. 2 x 70mm pozidrive bits 1/4" drive; (20) No. 2 x 90mm pozidrive bits 1/4" drive; Hexagon bit adaptors, No. 1, 2 Pozibits etc.,
- 348 (Approx 50) Assorted deburring blades PLUS (3) Universal handles, stems, holders etc.,
- 349 1 lot load straps including: (4) Matlock 2.5 metre industrial load straps plain end 300kg capacity; (4) Matlock 4.5 metre plain end single load straps 800kg capacity; (2) 1 metre x 45mm endless round slings 1000kg capacity; (1) Jumbo 100cm medium duty elasticated strap; (5) Wire ropes with loop on one end and toggles, 9" long
- 350 Assorted branded hand tools comprising: (6) Facom 64.17x19 ratchet spanners; (9) Walter/Wera FS229 - T15x80 Torx screwdrivers; (2) Wera TX8 1367 Torx screwdrivers; (1) Facom 467.11, 11mm ratchet combination spanner; (1) Wera 395 SW4.0 nut spinner; (1) Facom AN6.5x35 screwdriver; (1) Facom 6.5mm x 1.2mm stubby screwdriver; (1) Facom 1" AF, 440-1 combination spanner; (6) Wira 28595, Torx T9 screwdrivers; (1) Gedore 33T hexagon T handle
- 351 Assorted branded hand tools comprising: (2) Knipex Cobra self locking adjustable water pump pliers 87 02 300; (1) Bahco 2101S-140 insulated nippers; (1) Stahlwille 65296 200 snipe nose pliers; (1) IPS PH165 soft touch pliers; (1) Stanley 99E knife; (1) Stanley 62-508 10 way flexible screwdriver; (30) 1992 Stanley blades; (100) 5901 Stanley blades; (2) Malco MC12NRB curve cut replacement blades
- 352 (20) Assorted Kennedy/Senator/Yamoto pliers: circlip pliers, slip joint, combination pliers etc.,
- 353 (50) Kennedy 601-104, 2mm ball ended screwdrivers
- 354 (50) Kennedy 601-104, 2mm ball ended screwdrivers
- 355 (7 pairs) Snap-on SRP2A ring pliers, 90 degree angle; 8.7/8" long; 3/32" wide end with 1/8" dia., Natural steel finish
- 356 (7 pairs) Snap-on SRP2A ring pliers, 90 degree angle; 8.7/8" long; 3/32" wide end with 1/8" dia., Natural steel finish
- 357 Assorted Snap-on items comprising: (3) SWM191, 19mm sockets 1/2" sq drive; (3) FLE100A, E10 3/8" Torque sockets; (1) FA6LE2 Allen key socket extra long; (1) FA6LE, 3/16" socket driver
- 358 Assorted batteries including: (300) Edison AAA batteries; (50) Type D alkaline batteries

- 359 Assorted hand tools comprising: (6) Senator/Kennedy long jaw/curved jaw grip wrenches; (1 of each) 200mm & 250mm adjustable wrenches; (3) Assorted pipe wrenches; (1) 14" aluminium HD pipe wrench; (1 of each) Kennedy 13/16", 1", 2" die stocks; (4) assorted Kennedy chuck type tap wrenches; 1 set of 3 diestocks etc.,
- 360 1 lot assorted DC (Swiss manufactured) HSS-E thread repair machine taps and inserts including: (1) 5/16 UNJF N420-4 spiral point tap; (2) 1/2 UNF EG N460-3 3B spiral flute taps; (1) 1/2 UNF EG 420-4 spiral point; (5) 1/4 UNJF N360-3 spiral flute taps; (4) 1/4 UNJF N320-4 spiral point taps; (1) 4 x 40 UNC EG N360-3 spiral flute tap; (4) 4 x 40 UNC N320-4 spiral point taps; (4) 10 x 32 UNJF N360-3 spiral flute taps; (1) 10 x 32 UNJF N320-4 spiral point tap; (4) 6 x 32 UNC EG N320-4 spiral point taps; (1) 3/8" UNC spiral flute tap Bollhoff; (10) 3/8" BSF x 1.1/2D thread repair inserts; (100) 1/4 BSW x 2D inserts
- 361 1 lot assorted DC (Swiss manufactured) HSS-E METRIC thread repair machine taps including: (2) M10, N460-3 EG GH spiral flute; (2) M8, N320-4 EG 6H spiral point; (3) M12, N420-4 EG 6H spiral point; (2) M16, N460-3 EG 6H spiral flute; (2) M12, N460-3 EG spiral flute thread repair machine taps
- 362 1 lot assorted DC (Swiss manufactured) HSS-E METRIC thread repair machine taps including: (1) M6, x 1mm helicoil spiral point tap; (4) M2.5 N360-3 ENG 6H spiral flute taps; (3) M2 N360-3 EG 6H spiral flute; (5) M8 HSS bottoming taps; (2) M4 N360-3 ENG 6H spiral flute; (10) M6 thread repair bottoming taps; (7) M4 thread repair bottoming taps
- 363 (279) M12 x 1.75 x 2D free running stainless steel thread repair inserts (UK made)
- 364 (Approx 350) Assorted METRIC thread repair inserts
- 365 (Approx 70) Assorted Kennedy screwdrivers - Engineers, pozidrive, insulated, nut spinners, Torx, various lengths etc.,
- 366 Assorted Kennedy hand tools including: (1) Long reach magnetic pick up tool; (11) Mini hose cutters; (1) Nut splitter; (1) Stud extractor; Retractable knives, scalpel blades; (200) Heavy duty trimming knife blades; Tube cutter pliers, assorted blades etc.,
- 367 (9) Klauke KL120PZ3IS; VDE PZ3X150; 150mm long Pozi 3 insulated screwdrivers (German)
- 368 (9) Klauke KL120PZ3IS; VDE PZ3X150; 150mm long Pozi 3 insulated screwdrivers (German)
- 369 (11) Klauke screwdrivers comprising: (8) Klauke KL110PH3IS; VDE PH3X150; 150mm long Pozi 3 insulated screwdrivers (German) PLUS (3) KL10010040IS (4mm x 0.8mm x 100mm)
- 370 (18) Klauke KL120PZ2IS VDE cross slotted insulated screwdrivers (PZ2 x 100 long blade)
- 371 (19) Klauke KL110PH1IS VDE insulated screwdrivers (PH1 x 80mm blade)
- 372 (8) Wilkinson 3600K-8 Kevlar shears (Made in Sheffield)
- 373 1 lot Kennedy chrome vanadium 1/4" square drive accessories including: (5) 1/4" reversible ratchets; (3) Various extensions; (1) Flexible extension; (20) Various sockets; (2) Hexagon bit sockets etc.,

- 374 1 lot Kennedy chrome vanadium 3/8" sq drive accessories including: (30) Various sockets; (10) Various hexagon socket bits; (1) 250mm extension; (3) 24mm crowfoot wrenches 3/8" sq drive; (3) 1/4-1/2" adaptors; etc
- 375 1 lot Kennedy chrome vanadium 1/2" sq drive accessories including: (35) Various sockets; (15) Assorted hexagon bit sockets and slotted bit sockets etc
- 376 1 lot Kennedy chrome vanadium 1/2" sq drive accessories including: (1) Swivel head bar; (2) Swivel bars; (2) 250mm extensions; (2) 120mm extensions; (2) 65mm extensions; (1) Cranked bar 1/2" sq drive; (1) Swivel bar socket, 1/2" sq drive.
- 377 1 lot Kennedy chrome vanadium spanners/sockets including: (1) 19mm Professional 582-2249 swivel ratchet spanner; (1) 19mm ratchet spanner 5826819; (1) 22mm ratchet spanner; (1) 13mm ratchet spanner; (1) 12mm x 13mm swivel socket spanner; (4) 6 x 7mm straight ratchet ring spanners; (1) 41mm socket 3/4" sq drive; (1) 1.1/8"AF socket 3/4" sq drive; (3) Ratchet repair kits; (1) 41mm socket 1" sq drive; (1) 1.5/8"AF socket 3/4" sq drive
- 378 (4) 50mm Kennedy metric chrome vanadium combination spanners
- 379 (42) Kennedy metric assorted chrome vanadium spanners - open ended, combination, ring.
- 380 1 lot Kennedy assorted impact sockets including: (13) 3/8" & 1/2" sockets; (10) 1/2" sq drive hex bit sockets; (2) 1" sq drive sockets; (1) 1" - 3/4" reducing socket; (2) 1/2" deep sockets; (4) 3/8"-1/4" female reducers; (2) 38mm open ended black spanners; (2) 27mm open ended podger spanners
- 381 (13 pairs) Kennedy assorted pliers comprising: (3 pairs) 558-490 electrical stripping pliers; (3) 558-692 snips; (1) 558-508 electrical snips; (1) 558-502 electrical long nose pliers; (1) 558-492 long nose pliers; (1) 558-4920 long flat nose pliers; (1) 558-518 1000V engineer pliers; (2) 558-682 engineer pliers
- 382 Assorted tools comprising: (9) Rawlplug 89-040 laminate cutters; (9) Kennedy 3mm marketry punches; (1 set of 6) flat wood bits; (3) Trend router cutters; (1) Wood handle saw; (5) X-ACTO X75300 razor saw sets; (1) Kennedy tenon saw etc.,
- 383 (1) Jacobs 14N ball bearing heavy duty super chuck; 1-12.7mm capacity (1) Kennedy KC1320 F keyless chuck; (1) Jacobs No.3 wedge set; (9) Assorted chuck keys
- 384 (7) Assorted Kennedy drill sleeves etc comprising: (1) 4MT inside - 3MT extension socket; (1) 3MT int -5MT outside drill sleeve; (1) 1MT int - 3MT out drill sleeve; (1) 2MT int - 3MT out drill sleeve; (1) 4MT lathe centre with spanner flats; (1) 3MT lathe centre with spanner flats; (1) 1MT lathe centre with spanner flats
- 385 (10) Kennedy drill arbors comprising: (1) 3MT 3JT arbor; (1) R8 taper 3JT arbor; (2) 2MT 3JT arbor; (1) 2MT 6JT arbor; (1) 1MT 6JT arbor; (1) B16 4MT arbor; (1) B16 3MT arbor; (2) R8 taper 2JT arbor

- 386 1 lot Loctite adhesives including: (1) PC Cox pneumatic applicator 10 bar max. 145PSI; (2) 7061 cleaner sprays; (3) AA330 multibond kits; (16) Krylex KB0624 20g instant adhesives; (8) 3g super glues; (2) 3g glue remover; (4) 300ml flange sealant; reference no. 577 thread sealant, etc., (some items passed sell by date)
- 387 YORK assorted abrasives including: (1) 10" x 1" x 3" bore WA46 grinding wheel; (1) 6" x 1/2" x 1.1/4" bore A60 wheel; (2) 6 x 1/2 x 1.1/4" WA60 wheels; (1) 250mm x 25mm x 50.8mm Norton G46 KVS wheel; (1) 180mm x 13mm x 31.75 BA34 6KV wheel; (6) 180mm x 25mm x 31.75mm BA34 6KVS wheel (recessed one side 105mm x 12.5mm); (1) No. 1 Huntington wheel dresser; (1) 150mm x 20mm x 51mm wire brush wheel; (9) Pferd 70mm x 12mm spindled wire brushes; (2) 75mm x 10mm wire wheels 15mm bore; (10) Pferd RBU 3006 radial mounted steel brushes; (10) Pferd RBU 2004 radial mounted brass brushes
- 388 (2) MAC 6311D-000-PM-610DA single operator solenoid valves; 25-150 PSI; 24 VDC; No base; 630 series; 8.5 watt
- 389 (1) SMC AW40-F04DH-B filter regulator; G1/2"; 10 bar;
- 390 Festo DNC-80-100-PPV-A-KP double acting standard cylinder with clamping units; 80mm Piston, 100mm stroke; Pneumatic cushioning, adj. at both ends;
- 391 (3300) Ettinger 05 05 309 electronic hexagon spacer stand offs; 5mm internal thread x 30mm long; Female - female; A2 stainless steel; SW 8 X30 (M5 X 10)
- 392 (3100) Ettinger 05 05 309 electronic hexagon spacer stand offs; 5mm internal thread x 30mm long; Female - female; A2 stainless steel; SW 8 X30 (M5 X 10); PLUS (7000) Ettinger 03 20 069; 6mm contact washers with teeth, stainless steel
- 393 (500) M6 x 10mm SWG round Hank bushes/anchor rivets, A2 stainless steel; PLUS (800) M6 x 16mm SWG round Hank bushes/anchor rivets, A2 stainless steel
- 394 (2000) M5 x 14 SWG round Hank bushes/anchor rivets, A2 stainless steel.
- 395 (2000) M5 x 14 SWG round Hank bushes/anchor rivets, A2 stainless steel.
- 396 (1000) M5 x 16 SWG round Hank bushes/anchor rivets, A2 stainless steel. PLUS (400) M5 x 14 SWG round Hank bushes/anchor rivets, A2 stainless steel
- 397 (600) M8 x 10 SWG Hexagon rivet bushes A2 stainless steel; PLUS (90) SSL-5/32 Blue, Skinpins/screw type sheet metal temporary fasteners; Grip range 0-1/2"
- 398 (2470) 6mm x 16mm weld studs A2 stainless steel threaded type PT.
- 399 Assorted soldering consumables including (5) Killstat CCJ1012, 12mm blue coil cord, 10mm stud to croc; (6) 62A, 1.6mm Adcola Adiron screwdriver tips; (30) 62R, 1.6mm Adiron screwdriver tips; (13) 62BB, 2.4mm Adiron screwdriver tips; (1) 75W 45 degree double flat nickel tip; (1 reel) 1.2mm Grosvenor 60EN MC006B wire type 362.

- 400 1 lot welding consumables including: (2) 5kg packs Kennedy 2.6mm x 350mm long mild steel electrodes; (29) Starparts C1901SP nozzle caps; Assorted brass contact tips; (Approx 60) C1403 Starparts long electrode hafniums; (2) spanners; Ceramic lenses; (2) 7302 Super 6 Mig wire 1mm x 0.7kg; Gas lens bodies; (1 reel) Mig wire 0.6mm x 0.7kg; (2 packs) Murex Fastex 5 electrodes 6mm x 8kg (partly spoiled); (1 pack) Murex Vodex 6mm x 8kg electrodes; Tungsten electrodes etc.,

- 401 Assorted household consumables including: (8) 2 row steel wire brushes; (8) 2 row brass wire brushes; Ice scrapers; Paint rollers and applicators; Nail brushes; Measuring jugs; Lead light with wire cage; Raaco small parts tray; (30) Supercup mixing cups; Paint tin; Sweeping brush head; Gutter plugs; (4) Kennedy 100mm long handle scrapers; (15) 400mm x 300mm rigid warning signs 'Fire escape keep clear'.

- 402 (24) GRP Tool Ltd., 100mm x 21mm aluminium consolidating paddle rollers;

- 403 (96) 4" wide wooden handle paint brushes
- 404 (96) 4" wide wooden handle paint brushes
- 405 (96) 4" wide wooden handle paint brushes
- 406 (96) 4" wide wooden handle paint brushes
- 407 (96) 4" wide wooden handle paint brushes
- 408 (96) 4" wide wooden handle paint brushes
- 409 (96) 4" wide wooden handle paint brushes
- 410 (96) 4" wide wooden handle paint brushes
- 411 (96) 4" wide wooden handle paint brushes
- 412 (96) 3" wide wooden handle paint brushes
- 413 (96) 3" wide wooden handle paint brushes
- 414 (96) 3" wide wooden handle paint brushes
- 415 (96) 3" wide wooden handle paint brushes
- 416 (96) 3" wide wooden handle paint brushes
- 417 (96) 3" wide wooden handle paint brushes
- 418 (96) 3" wide wooden handle paint brushes
- 419 (96) 3" wide wooden handle paint brushes

- 420 Assorted ear plugs comprising: (3 x 300) Uvex COM4-FIT disposable ear plugs; (200 pairs) Howard Leight MAX disposable ear plugs; (50 pairs) Moldex 6400 R30 rocket ear plugs

- 421 (13 packets of 200 = 2600 total) Howard Leight Bilsom 303L disposable ear plugs
- 422 (4 boxes of 50 per box) 3M EAR UF-01-000 Ultrafit corded REUSEABLE ear plugs
- 423 (2 boxes of 50 per box) 3M EAR UF-01-012 Ultrafit 20 corded REUSEABLE ear plugs

- 424 (2 boxes of 50 per box) 3M EAR UF-01-012 Ultrafit 20 corded REUSEABLE ear plugs
- 425 (2 boxes of 50 per box) 3M EAR UF-01-015 Ultrafit 14 corder REUSEABLE ear plugs
- 426 (2 boxes of 40 per box) 3M EARcaps ear plug protection ear caps REUSEABLE EC-01-000
- 427 (2 boxes of 40 per box) 3M EARcaps ear plug protection ear caps REUSEABLE EC-01-001
- 428 (7) Optibelt 3020 35 taper bushes PLUS (1) Dunlop SPA125-01 taper bore 1-groove pulley 1610 ; PLUS (1) Dunlop F60T DUNFLEX coupling tyre
- 429 Assorted bearings including: Deep groove thrust ball bearings single direction - loose comprising: (4) 014; (1) 011; (38) 08; (12) 010; (1) 012; (4) CES 6203ZZ bearings; Assorted SNR bearings comprising: (4) 6262-C3 bearings; (1) 6006; (2) 6004; (5) 6000; (2) 6003; (2) 6002; (2) 6005; (4) 6203; (2) KT 202820 needle roller cages; (3) W203-2RS JAF bearings; (2) NTN 608ZZ T11603 bearings; (1) NTN 7205 BG bearing; (1) SNR 14C19 bearing PLUS (Approximately 50 pieces) assorted Dunlop timing belts, V belts etc.,
- 430 1 lot assorted tapes including: (3 rolls) Ribbons manufacture, C30-38 PWHSB050100 polyester seat belt webbing, 48mm wide x 100 metres per roll in grey; (8) 1.5mm x 1mm x 1mm neoprene foam, self adhesive one side; (20) GS213, 1/2" x 1/8" x 25' roll double sided adhesive tapes; 50mm x 50 metre waterproof cloth tape; (20 rolls) insulation tape; Warning tape; Sellotape etc.,
- 431 Assorted Erodex grade IG11 graphite comprising: (125 pieces) DT0160/01 grade IG11 assemblies; (17 pieces) DT0158/01 grade IG11 graphite assemblies; (140 pieces) DT0157/01 Issue 1 grade IG11 graphite rectangular blocks
- 432 Assorted engineering consumables including: (45) various steel balls grades G100/20; (15) 12mm square tool post keys; Milling machine studs, nuts etc., (8) Red 20 x 25mm heavy load springs; (4) 40 x 89mm heavy load springs; (40) Expander sets 30mm round; (2) C spanners; Drill bushes; Industrial roller chain C2050SSCL with connecting link; 50 metre Violet global protective sleeving 25mm - 60mm; HM51 wire mesh pads; (2) Toggle clamps
- 433 Assorted consumables including: (3) KELM reels NTM 04/025 air hoses; (1) 6mm x 4mm polyurethane tubing; (1) Pressure gauge; (2) Blow guns; Assorted hydraulic nipples, couplings etc; Assorted TV electrical connectors; NE-MA Mignon fluid control; Triclover gaskets and connectors; Power tool motor, cylinders; (12) Packer PBS 400-9-2 elements; (1) Chlorino 7mm dia., red 4/4 endless belt etc.,
- 434 (6 sets) Fortus T12 computer aided TIP sets (2 piece) 007" (.178mm) slice, for Fortus 3D PC printers (used for FDM Thermoplastic 3D production printer used for prototyping, tooling and digital manufacturing). PLUS (2) RENISHAW ceramic extensions A5000-7755, M4 x 50mm long; (1) Di-soric DCR 40K 02 PSK-TSL sensor control; (7) Record Power A4 & A5 engraving points; (1) Alpha AR047, 3" drying tube; (2) 6322 3 noses for VP2X engraver; (12) Cole Parmer instrument measurement recorder, flat bed 08498-55 long nib pens blue (USA); (12) Cole Parmer instrument measurement recorder 08498-54 short nibs red (USA); (2) 21mm WM26 - 26mm table probe stylus.

- 435 Assorted Devilbiss spares including: (1) PRO-100-12-K Transtech spray gun air cap; (2) GTI-413-K fluid needles; (2) DDV 9451705 microfilters; (1) DDV9451711AC filter element; (2) DDV9451711 filter elements; (2) Woma 340-0419 type 4 water blast nozzles
- 436 Engis & Kemet diamond bore tools comprising: (1) Engis BF 14183 (6.34 x 76mm) 100/120 DBFT .2496" finishing tool; (3) BF 14175 (10.5 x 127mm) 325/400 DBFT .4134" finishing tools; (1) BF14179 (10.48 x 127mm) 40/45 DBFT .4126" finishing tool; (1) BF14176 (10.5 x 127) 200/230 DBFT .4134" finishing tool; (1) BF 14186 (6.31 x 76) 40/45 DBFT .2484" finishing tool; (1) Kemet internal helilap (5/8" dia. x 3.1/4") 303129 ref., (3) Kemet LAC0006 DETS 3 & 4 lap holder-insert only; (3) Kemet HGT 2595-16 external laps.
- 437 Assorted York abrasives including: (1) 500g valve grinding compound; (2) 200g valve grinding compound; (20 approx) assorted carbide burrs; (8) assorted flap wheels; (1) 7 piece felt mop set; (3) rubber abrasive blocks; (8) 50mm x 13mm x 6mm bore A80 GFX grinding wheels; (20) 24mm brass crimped wire pointed end decarbonising brushes 30SWG; (20) Assorted mounted points
- 438 1 lot assorted tools including: (2) 30" Draper wrecking bars; (3) Assorted pry bars; Cold chisels; Kennedy swaging punch; (3) Bosch 5.5mm SDS drills; (32) Assorted steel wad punches; (1) 6 piece hollow steel punch set; (13) Assorted pin punches; (1) set of 4 centre punches; (2) Kennedy auto centre punches;
- 439 (6) Sykes Pickavant 15282800 200mm hydraulic puller legs
- 440 (5) Tensabarrier 897 MIDI magnetic wall mounted retractable stretch barriers in yellow webbing; 46mm wide; 4.75 metre long;
- 441 (5) Tensabarrier 897 MIDI magnetic wall mounted retractable stretch barriers in yellow webbing; 46mm wide; 4.75 metre long;
- 442 (600) SIA 1950 SIASPEED 150mm dia x 12mm bore 180 grit BlueLine abrasive fibre discs
- 443 Assorted abrasives including: (400) Indasa Rhynawet/Rhynalox wet and dry sheets; (50) Various linisher belts; Wire wool; (4 rolls) 25mm x 50 metre emery abrasive rolls; (70) Assorted depressed centre discs & cut off discs for metal; Assorted sanding discs etc.,
- 444 Assorted abrasives including: (150) Sait Saitac-Vel 127mm dia. AW-D 40 grit Hook N Loop discs; (150) Sair Saitac-Vel 127mm dia. AW-D 80 grit Hook N Loop sanding discs; (40) 100mm wide x 3450mm abrasive linisher belts Sait SX-N1-32 grit 60
- 445 Assorted 3M abrasives including: (100) 987C slotted fibre discs 100mm dia. 80 grit; (20) Double coated tape 12mm x 50 metre 9088-200; (30) 3M 777F abrasive belts 50mm x 1520mm 80 grit; (20 sheets) Wet and dry paper 737 grade P150; (3) 03802, 95mm x 66mm x 25mm medium abrasive sponges; (100) 30367, 260L purple 76mm finishing discs P1500 grit; (3) Temflex 1500 electrical tape.
- 446 (4 sets of 3) Schunk UVB 200 soft monoblock 200mm chuck jaws

- 447 (2 sets of 3) Schunk UVB 200 soft monoblock 200mm chuck jaws PLUS (2 sets) DT08P Thame pointed jaws, extra height 70mm; Plus (1 only) B018 Kitagawa jaw PLUS (1 only) B015 Kitagawa jaw
- 448 (1 set of 4) 100mm dia wheel, swivel castors with brakes; PLUS (3) Assorted castors; PLUS (1) 160mm dia., solid tyre wheel; PLUS (1) 200mm dia solid rubber wheel with polypropylene centre; (1) Atlas ATL9452915K swivel castor 160mm dia wheel with top plate; PLUS (1 set of 4) 50mm dia. x 17mm wide wheel swivel castors.
- 449 (16 pieces) 6"/3lb timber wedge splitting heads; Drop forged
- 450 (16 pieces) 6"/3lb timber wedge splitting heads; Drop forged
- 451 (16 pieces) 6"/3lb timber wedge splitting heads; Drop forged
- 452 (16 pieces) 6"/3lb timber wedge splitting heads; Drop forged
- 453 (16 pieces) 6"/3lb timber wedge splitting heads; Drop forged
- 454 (2) Eiremed secure outdoor AED emergency steel alarmed cabinets (no heating) with remote control Fob and digital control; With defibrillator; Wall mountings; Adjustable shelf; Clear perspex door.
- 455 (1) PVA40125, 25 pocket A4 portrait document control panel in black; 1145mm x 305mm wall mounted
- 456 1 lot assorted office consumables including: envelopes, paper clips, adhesive labels, white chalk, board magnets; (1) Matlock 20 key steel cabinet; Inks, pencils, markers, grip clips, folders etc.,
- 457 1 lot assorted office consumables including: tape dispensers, folders; (2) Fellowes CPU stands; Envelopes; (7) Brother 7000/8000 P touch tape cassettes; Large quantity of markers, paintsticks; Elastic bands etc.,
- 458 1 lot assorted key steel, silver steel, (1) 6mm x 250mm x 500mm ground flat stock; (Approx 15 pieces) Assorted ground flat stock
- 459 (17 sets) Dual 1000mm long light boxes with (2) flourescent lamps each set; Complete with slat wall brackets to suit showroom display cases/cabinets
- 460 (490) Polyester flat pocket tool rolls, 13 pockets (no tools included) with logo;
- 461 (490) Polyester flat pocket tool rolls, 13 pockets (no tools included) with logo;
- 462 (490) Polyester flat pocket tool rolls, 13 pockets (no tools included) with logo;
- 463 (490) Polyester flat pocket tool rolls, 13 pockets (no tools included) with logo;
- 464 Assorted protective caps including: (7000) HP48 EPDM black plugs, chemical resistant; (Approx 2,000) Tapered red LDPE cap/plugs, 3308 (T12/08) reference; (300) 128mm caps/plugs tapered 128mm dia., 134mm flange
- 465 (16 pairs) Warrior TR10 navy work trousers size 32 waist, standard length
- 466 (11 pairs) Warrior TR10 navy work trousers size 36 waist, standard length
- 467 (11 pairs) Warrior TR10 navy work trousers size 36 waist, standard length

- 468 (12 pairs) Warrior TR10 navy work trousers size 34 waist, standard length
- 469 (12 pairs) Warrior TR10 navy work trousers size 34 waist, standard length
- 470 (14 pairs) Various Warrior TR10 navy work trousers comprising: (6 pairs) size 40 waist, standard length; PLUS (8 pairs) Warrior TR10 navy work trousers size 38 waist, standard length
- 471 (29) Portwest FR70, XXL/XXXL Hi-viz yellow flame retardant vests
- 472 (15) Absolute Apparel navy blue small sweatshirts
- 473 (47) RK2 green T shirts, 100% cotton comprising: 9-large; 13 medium; 15-XL; 10-XXL
- 474 (25) Awdis JH030 Large size green sweat shirts with logo
- 475 (29) Green polo shirts comprising: 10-XL; 10-XXXL; 5-XXL; 4-Large with logo PLUS 2-Medium T shirts
- 476 (8 pairs) HH workwear 76447-990 black Ashford C58 service trousers, waist 41, leg 34
- 477 (12) Assorted navy fleeces comprising: 4-large; 2-medium; 5-XXL; 1-Small
- 478 Assorted Hi-Viz clothing comprising: (1) Large P347 Yellow body warmer; (1) 30"/32L Mascot Horta red trousers 82C46; (1) Pulsar P346 Yellow work trousers 30" regular; (1) Mascot 36" waist 3/4 red trousers Orada; (3) Orange 5in1 small body warmers with logo; (1) 46" PR336, 46" orange work trousers; (9) Yellow large vests; (6) XXXL yellow vests
- 479 (11) Mascot Hi-Viz T shirts and Polo shirts comprising: (2) Anadia polo shirts XL; (5) Sines polo shirts XL; (4) T shirts Euora XL
- 480 (11) Bizweld BZ30 flame retardant trousers, bottle green; Comprising: (8) Small, leg 32"; (1) Medium, leg 31"; (2) BIZ 3 trousers 42" waist
- 481 Assorted workwear comprising: (1) Bizweld XL flame retardant coverall black; (4) Alexandra W101RO-108R Royal blue boiler suits 42.1/2"; (1) Portwest Spruce S802 boiler suit 40" regular; (1) Mascot Utah Hi-Viz orange 82C62, 49"/32 leg boiler suit
- 482 Assorted workwear comprising: (1) Mascot Horta 14979 C46 Hi-Viz trousers 30"/32 leg; (1) Mascot Espinho 82C52 trousers, 36"/32 leg; (2) Toscana XL waterproof trousers, navy; (1) Hydrapas HPGCJ, XXXL, navy waterproof coat; (1) B-DRI outdoor trousers XL, Navy
- 483 Assorted workwear comprising: (13) Red XXL polo shirts; (2) Large black sweat shirts; (1) Medium black sweatshirt; (1) Size 14.1/2 white short sleeve shirt; (4) Black Fruit of the Loom T shirts, large and XXL; (1) XL thermal long johns; (3) Black large polo shirts; (1) Black medium polo shirt; (4) Small full zip navy fleece; (2) Large navy T shirts
- 484 (10 pairs) Assorted work trousers sizes 32", 34", 38" and 48"; PLUS (2) Small pocket tabbards; PLUS (1) XL sweatshirt
- 485 (4,000) Tenzapac grip seal bags 250mm x 250mm 45MU polythene standard duty
- 486 (800) Galileo MDPE Black refuse sacks, 20" x 34" x 39"

- 487 (1200) Recycled white refuse sacks 18" x 29" x 38"
- 488 (1200) Refuse sacks 18" x 29" x 38"
- 489 Assorted mixing nozzles comprising: (170) MCX08-24 Static mixer nozzles; (50) Microset NP50 nozzles for 50ml systems; (550) Huntsman Araldite mixer nozzles 1:1 MMA, 50ml; (2) MIXPAC DMA50 dispensers; (16) Semco 232702, 2" roller nozzle sub assemblies
- 490 Assorted disposable PPE comprising: (60) 3M 4545S coverall disposable suits (past sell by date); (300) Assorted latex gloves; (32) Silverline fold flat face masks; (300) Sitesafe blue disposable overshoes; (200) Sitesafe green disposable over sleeves; (10) Olympus moulded dust masks; (200) Green mob caps; (20) Moldex 2470 FFPZ pocket masks; (10) Various disposable coveralls; (1) White safety helmet etc.,
- 491 (120 pair) Size 10 Rigger gloves; Red leather palm, protected fingers, thumb and knuckles; Yellow cotton back and cuffs
- 492 (120 pair) Size 10 Rigger gloves; Red leather palm, protected fingers, thumb and knuckles; Yellow cotton back and cuffs
- 493 (120 pair) Size 10 Rigger gloves; Red leather palm, protected fingers, thumb and knuckles; Yellow cotton back and cuffs
- 494 (120 pair) Size 10 Rigger gloves; Red leather palm, protected fingers, thumb and knuckles; Yellow cotton back and cuffs
- 495 (120 pair) Size 10 Rigger gloves; Red leather palm, protected fingers, thumb and knuckles; Yellow cotton back and cuffs
- 496 (120 pair) Size 10 Rigger gloves; Red leather palm, protected fingers, thumb and knuckles; Yellow cotton back and cuffs
- 497 (120 pair) Size 10 Rigger gloves; Red leather palm, protected fingers, thumb and knuckles; Yellow cotton back and cuffs
- 498 (120 pair) Size 10 Rigger gloves; Red leather palm, protected fingers, thumb and knuckles; Yellow cotton back and cuffs
- 499 (120 pair) Size 10 Rigger gloves; Red leather palm, protected fingers, thumb and knuckles; Yellow cotton back and cuffs
- 500 (120 pair) Size 10 Rigger gloves; Red leather palm, protected fingers, thumb and knuckles; Yellow cotton back and cuffs
- 501 (120 pair) Size 10 Rigger gloves; Red leather palm, protected fingers, thumb and knuckles; Yellow cotton back and cuffs
- 502 (120 pair) Size 10 Rigger gloves; Red leather palm, protected fingers, thumb and knuckles; Yellow cotton back and cuffs
- 503 (90 pairs) Ansell Hyflex 11/927 size 11 cut resistant gloves
- 504 (90 pairs) Ansell Hyflex 11/927 size 11 cut resistant gloves
- 505 (90 pairs) Ansell Hyflex 11/927 size 11 cut resistant gloves
- 506 (90 pairs) Ansell Hyflex 11/927 size 11 cut resistant gloves

- 507 (72 pairs) Tuffsafte TFF-961-6510K size 10 chrome leather safety cuff type rigger gloves, level 3 abrasion resistant. Protection over fingers, thumb and knuckles; Leather cuff
- 508 Assorted industrial work gloves comprising: (40 pairs) Size 10 minimum risk rigger gloves; (12 pairs) MAPA Ultrane 548 high dexterity gloves size 9; (20 pairs) Polyco CK41 gloves; (9 pairs) Marigold Colo-Text Plus size 9; (6 pairs) Ansell 11/927 Hyflex size 11 cut resistant gloves; (1 pair) Maxiflex 34-8743 size 10 gloves; (2 pairs) SKYTEC Lite size 10 gloves; (1 pair) MaxiFlex 34-874 size 8 gloves; (20 pairs) Black nylon lined PU coated gloves
- 509 8 pairs Himalayan safety shoes/boots comprising: (1 pair each) 9710BK sizes 9 & 12; (2 pairs) 310 size 5 & (1 pair) 311 size 12; (2 pairs) 1002 size 11; (1 pair) 1002 size 7.
- 510 5 pairs safety boots comprising: (1 pair) Dr Martens style 7A52 size 11 black; (2 pairs) DeltaPlus nubuck padded boots size 10; (1 pair each) JCB Protector B black boots sizes 9 & 10
- 511 6 pairs Goliath safety boots comprising: (2 pairs) EL200S leather trainers black size 8 & 10; (1 pair) HDST3W safety boots size 9; (1 pair) CL69/10 size 10 safety boots; (1 pair) ATST 1047 style safety boots size 11; (1 pair) size 7 safety boots
- 512 8 pairs Himalayan safety shoes/boots comprising: (1 pair) 5055 size 9; (1 pair) 5118 safety boots size 4; (1 pair) Amblers FS46 safety boots size 11; (1 pair) Eurotec 710 safety boots size 10; (1 pair) Toesavers safety boots size 8; (1 pair) Cofra Orcadi S3 safety boots SRC size 11; (1 pair) PSF Terrain trainers size 3; (1 pair) Tuffsafte trainers size 7
- 513 (5 pairs) JCB Agmaster JF00035 black leather dealer safety boots sizes 6, 7, 8, 10 and 11
- 514 (5 pairs) JCB Agmaster JF00035 black leather dealer safety boots sizes 7, 8, 9, 12 and 12.
- 515 (6 pairs) PSF Unisex contractor black shoes style 160, sizes 5, 5, 6, 6, 7 and 7
- 516 (19 pairs) Nailers NA610XL; X-large (size 10-14) ice & snow Getagrip adjustable shoe covers
- 517 (18 pairs) Nailers NA610L; Large (size 7.1/2 - 10.1/2) ice & snow Getagrip adjustable shoe covers
- 518 (10 pairs) Nailers NA610M; Medium (size 4.1/2 - 7.1/2) ice & snow Getagrip adjustable shoe covers
- 519 (20 pairs) Snow Trax winter ice grippers, large - X large
- 520 (20 pairs) Snow Trax winter ice grippers, large - X large
- 521 (5 pairs) Sievi Alfa White ESD S2 slip on hygiene standard safety shoes with toe cap -sizes: (3 pairs) size 9; (1 pair) size 12; (1 pair) size 13. (Made in Finland)
- 522 (5 pairs) Sievi Alfa White ESD S2 slip on hygiene standard safety shoes with toe cap -sizes: (2 pairs) size 8; (2 pairs) size 10; (1 pair) size 5. (Made in Finland)
- 523 (5 pairs) Sievi Alfa White ESD S2 slip on hygiene standard safety shoes with toe cap -sizes: (3 pairs) size 6; (2 pairs) size 5; (Made in Finland)

- 524 (9 pairs) White safety slip on shoes, hygiene standard comprising: (1 pair) size 2 Portwest; (2 pairs) size 7 Himalayan 9950; (1 pair) Steelite FW81 white size 9; (3 pairs) Steelite FW81 white size 12; (2 pairs) Steelite FW81 size 11
- 525 Foot supports comprising: (3 pairs) Sorbothane Cush N Stop size 8; (5 pairs) size 11; (7 pairs) size 5/6; (1 pair) Cofra anti shock supports size 7/8 and (1 pair) size 9; (2 pairs) XL Crew Guard 12-14 slip resistant overshoes; (3) Suede Bentley shoe brushes
- 526 (9) Jafco CB601T/ST/H/G/O insulated pinch bars/crow bars with fibre glass shaft; Heel & grip; 35mm dia x 1.5 metre long, chisel end;
- 527 (8) Jafco CB601T/ST/H/G/O insulated pinch bars/crow bars with fibre glass shaft; Heel & grip; 35mm dia x 1.5 metre long, chisel end;
- 528 1 x 25 litre Deb Janitol Original degreaser
- 529 1 x 25 litre Deb Jizer rinseable parts degreaser
- 530 1 x 25 litre Deb Jizer rinseable parts degreaser
- 531 (2 x 12.5kg) Castrol Spheerol EPL2 tubs of bearing grease
- 532 (2 x 12.5kg) Castrol Spheerol EPL2 tubs of bearing grease
- 533 1 x 20 litre Shell Tellus S2 MX industrial hydraulic fluid
- 534 Assorted lubricants including: (12) 369g ACF50 Anti corrosion sprays; (6) 500ml MP90 Anti rust coating sprays; (5) Assorted tins maintenance/rust sprays; (12) 500ml Silicone MD sprays; (15) 1 litre Karcher RM 110 ASF Advance 1 machine protector
- 535 Assorted lubricants including: (12) EAD Electrolube 400ml air duster aerosols; (11) Perma Star 60 SF01 Multi purpose grease cartridges 2.03 fl/oz; (1) Perma Star Classic 120 Extreme pressure grease cartridge 4.06 fl/oz; (3) CS-90 Copper anti seize grease spray; (1) Rocol 500g anti seize compound; (1) 500g CS90 anti seize paste; (1) Sherwood 500g cutting compound; (1) 5 litre anti spatter fluid; (3) 100g Molycote 33 light grease; (2) Hylomar jointing compound; (1) 350g RTD Cleancut liquid; (5) Ambersil Galva colour primer; (6) Amberklene FE10 solvent; (10) Assorted contact cleaner sprays etc.,
- 536 (47 packs with 60 each pack) Kimberley Clark U38668 heavy duty low lint cloths, 12" x 12"; PLUS (18) TORK MATIC 29 00 59 Extra long hand towel rolls 210mm x 280 metre 1 ply;
- 537 (13) Black polypropylene storage cases with 2 pieces foam in lid and base; 280mm x 220mm x 80mm
- 538 (8 rolls) Ragno Antigelo 10mm x 16mm x 30 metre soft PVC, food quality, hose/tubing, polyester yarn reinforcement. (Italian)
- 539 (8 rolls) Ragno Antigelo 3/4" ID (19mm) x 26mm x 30 metre soft PVC, food quality, hose/tubing, polyester yarn reinforcement. (Italian)
- 540 (2 rolls) Ragno Antigelo 25mm ID x 33mm x 30 metre soft PVC, food quality, hose/tubing, polyester yarn reinforcement. (Italian)

- 541 (Approx 120) Assorted floor maintenance pads consisting of: (30) Fibratesco range 6, F17WH, 17" white floor pads; (20) F17BK, 17" black floor pads; (5) F17RD, 17" red floor pads; (40) F06BK, 6" black floor pads; (25) F06RD, 6" red floor pads (USA made)
- 542 (21 tins) Leyland Trade 1 litre tins Magnolia vinyl matt emulsion paint
- 543 1 pallet (Approx 1,000 sheets) Cardboard single wall layer pad sheets, 520mm x 747mm
- 544 (8 boxes of 20 per box = 160 total) 3M Scotch masking tape, 48mm wide x 50 metre; Reference 101E
- 545 (5 boxes of 24 per box, Plus 1 box of 20 rolls = 140 rolls) 3M Scotch masking tape, 48mm x 50 metre; 101E reference
- 546 (9) Autotex 7 heavy duty general workshop 3 ply wipes 230mm wide in cardboard dispensers
- 547 (14) Starrett 3400mm x 27mm wide x 4/6TPI Intenss Pro M42 bimetal bandsaw blades; PLUS (1) 4140mm x 27mm x 3/4TPI M42 Gladiator Starrett bandsaw blade
- 548 Daewoo KOR-6L6 BDBK Duoplate digital 20 litre/800 watt microwave oven in black (Boxed, unused, unwrapped but not tested)
- 549 Hoover HFLE 6085 WE white under counter larder fridge; Freestanding, 850mm x 600mm wide x 600mm deep. (Boxed, unused, unwrapped but not tested)
- 550 (Approximately 4,000) Disposable Mocha cups 10oz with lids; (6 x 200 sachets) Nescafe ONE MUG stick sachets Decaf coffee (Best before May 2020); (1800 approx) RPC Corby C-101-440 plastic pots 100mm dia x 80mm deep.
- 551 (72 rolls) 220mm wide heavy duty hygiene rolls in white
- 552 1 pallet assorted hygiene liquids including: (9) 5 litre Impact zesty lemon cleaning gel; (2) 5 litre bleach; (3) 5 litre floor cleaner; Furniture liquid spray, Window sprays, (2) Solvent lime 3 litre dispenser sets; Air fresh sprays; (1) SP/S 205, 205 litre plastic system pump etc.,
- 553 1 pallet assorted adhesives including (Approx 15) adhesive cartridges; (Approx 12) Castrol/Shell grease cartridges; (7) 1 litre Videojet V901-Q cleaning solvents; (7) Nitromors 750ml paint remover; Paints, primers in sprays and liquids; (4) 5 litre black Etch primer etc.,
- 554 Assorted packaging including: (200) 240 litre black wheelie bin liners 300 x 500 x 540mm; (1000) 3" x 3.1/2" grip seal bags; (1000) 3.1/2" x 4.1/2" grip seal bags; (28 rolls) 7.1/4" x 9" polypropylene clear food bags; (1700) 6" x 9" grip seal bags; (2 boxes) Assorted size grip seal bags
- 555 (100) PXS 16JR, No.16 PY socket mop heads; Unthreaded red socket.
- 556 (112) No.16 PY socket mop heads; Unthreaded blue and yellow
- 557 Assorted rivets including: (Approx 2,000) Qualfast aluminium rivets; (8,000) 4mm x 10mm aluminium dome head rivets; (Approx 4,000) Rivet Holdings Ltd., AK8475UG Ultragrip structural countersunk aluminium blind rivets with locking stem; (Approx 2,500) Avdel monobolt 3/16 protruding head zinc and clear passivated aluminium STR3/16PRST rivets; etc.,

- 558 (15 boxes of 50 each box) Timberfix hex drive structural timber screws 6.5mm x 150mm long; Natural brown finish, complete with (1) magnetic hexagon drive socket per box

- 559 1 pallet large quantity stainless and plated assorted metric hexagon steel and stainless steel nuts, spiral pins, dowel and cotter pins (stainless and steel); Dome nuts, insert nuts, lock nuts, half nuts; Nylon washers, steel washers, stainless washers, serrated washers, spring washers, coil spring washers; Circlips, etc.,

- 560 1 pallet large quantity stainless and plated assorted metric hexagon steel and stainless steel nuts, spiral pins, dowel and cotter pins (stainless and steel); Dome nuts, insert nuts, lock nut half nuts; Nylon washers, steel washers, stainless washers, serrated washers, spring washers, coil spring washers; Circlips, etc.,

- 561 1 pallet large quantity stainless and plated metric machine screws, hexagon set screws, slotted pan head screws, socket cap screws, hexagon headed bolts etc

- 562 1 pallet large quantity stainless and plated metric machine screws, hexagon set screws, slotted pan head screws, socket cap screws, hexagon headed bolts etc

- 563 (Approx 200 boxes of 200 = 40,000) Matlock No.6 x 1" Silver TT pozi countersunk twin thread BZP woodscrews

- 564 Assorted woodscrews including: (3200) Matlock assorted woodscrews; SPAX screws; (1000) HDPE brown Rawlplugs; (50) R-SPO-06060 Rawlplug spring toggles; Nails etc.,

- 565 1 pallet Large quantity self colour metric cap screws, hex headed bolts, pan head screws etc.,

- 566 (Approx 50,000) Metric Plasfast/Pozipan/Taptite A2 stainless steel/BZP tapping screws including M4 x 6mm; M4 x 10mm; M5 x 20mm; M5 x 10mm; M6 etc., (PLUS damaged boxed fasteners not counted)

- 567 (Approx 50,000) Metric Plasfast/Pozipan/Taptite A2 stainless steel/BZP tapping screws including M4 x 6mm; M4 x 10mm; M5 x 20mm; M5 x 10mm; M6 etc., (PLUS damaged boxed fasteners not counted)

- 568 1 Pallet assorted stainless steel self tappers; Spring cotter safepens; Machine screws; PoziPan screws; (33 boxes of 200) stainless steel Fabory M3 x 35mm machine screws etc.,

- 569 (225) Hexagon headed metric self colour set screws comprising: (75) M24 x 80mm; (100) M12 x 50mm; (50) M24 x 100mm long

- 570 (Approx 300) Cup square hexagon bolts and nuts, Zinc plated and clear, fully threaded comprising: (184) M12 x 130mm; (100) M10 x 60mm; (20) M20 x 130mm long

- 571 (Approx 800) M12 x 50mm galvanised hexagon headed bolts

- 572 Assorted fasteners comprising: (1,000) M6 x 20 countersunk head pozi A2 stainless machine screws; (600) M6 x 12 A2 stainless hex button head socket screws; (1000) Nord-Lock NL4SS (Number 8) stainless steel lock washers

- 573 (1000) Assorted metric Qualfast self colour hexagon socket cap screws PLUS (300) 20mm x 50mm hexagon headed set screws

- 574 (400) M12 x 45mm Hi tensile hexagon bolts, zinc and clear
- 575 Assorted Absorbent spill control comprising: (32) Lubetech 11-1008 maintenance pillows 230mm x 230mm; (1) 11-1134, XR90, 100% recycle cellulose absorbent 30 litre; (2) 12-1085 heavy weight 500mm x 40 metre absorbent rolls
- 576 (5000) PB12, 12mm heavy duty plastic buckles (natural colour); (1 roll) 50mm wide x 330 metre lay flat polythene tubing; (4 rolls) 3/4" wide white nylon webbing
- 577 1 pallet assorted household consumables including: (9) CHSA standard cotton mop heads 16oz; (3) Cotswold 16oz mop heads blue socket; Loose white cotton rags; (1) 30 metre x 3/8" nylon braided hose; (5) 5 litre car screen wash; (1) 5 litre Tetrosol wax rustproofing; Car wax protector spray; (2) buckets; CoCo hand brushes, car wash brush; Polyester wipes; (4) Nilfisk Alto fleece filler bags; (4) Buddy filter bags; (8) Makita P-70297 vacuum bags; (10) Karcher 9.533.880-0 filter bags; (1) Karcher 360mm Parquet nozzle; etc.,
- 578 Assorted washroom consumables including: (1) Industrial floor mounted metal paper wipe dispenser; (7) 5 litre Cleenol emulsion polish; (13) Locus 800ml foam soap dispensers; (6) 2 litre Deb refresh soap; (2) Deb 2 litre florafree hand wash; (1) 2.5kg barrier cream; (54) Sealed Air No. 80 Instapak Quick RT foam packaging bags
- 579 (16) Pleated inlet air filters; 485mmx 485mm x 50mm heavy duty cardboard frame
- 580 (1) Yellow hazardous substance storage chest with hasp and staple, 610mm x 1170mm x 460mm;
- 581 (8 boxes of 1000 = 8000 total) Avon 10" x 14" plain grip seal bags
- 582 (8 boxes of 1000 = 8000 total) Avon 10" x 14" plain grip seal bags
- 583 (8 boxes of 1000 = 8000 total) Avon 10" x 14" plain grip seal bags
- 584 1 lot (approx 250) Assorted zinc plated hose clips; Range from 000 to 5 size; Jubilee and Matlock

END OF SALE