

By Instructions of retained clients

# HUGE SALE OF NEW HIGH QUALITY LED LIGHT FITTINGS, OVER £650K RRP!!

# **BIDDING ENDS**

From 1pm Wednesday 2nd August

# **VIEW**

Tuesday 25th July – By appointment with the auctioneers by calling 01724 334411

# AT

Manby Storage Services Ltd The Old Grainstores Manby Middlegate Manby Lincolnshire LN11 8EB

# **COLLECTION DAYS**

By appointment with the auctioneer's w/c 7th August

# **BUYERS PREMIUM**

15% plus VAT

# **NOTICE**

This is a full PPE Site - visitors must wear adequate PPE at all times

At the close of the timed Online Auction Sale final bid figures will be submitted to the seller for its approval and any Bid shall be subject to approval and acceptance by the Company/Seller.

No bid may be withdrawn and the Company/Seller does not bind himself to accept the highest Bid or any other Bid placed in the course of the online Auction Sale.

Reacting to the latest government announcements, we have to plan on this situation being the new normal and we will do all that we can to make Viewing and Collections as risk free as possible. You are reminded that All lots are available to view via our Online auction platforms.

In order to protect both you and our staff we are taking immediate steps to help limit the spread of Coronavirus (COVID-19). This involves limiting physical contact on site.

To ensure we are doing everything possible to reduce the risk of infection for both our customers and colleagues, we will be introducing some distancing measures for View days and collections.

Please limit attendance on site to only one member of firm or family for viewing, and as small number as possible to deal with collection of your lots. All Viewing and Collections will now require an appointment.

For details of forthcoming sales and to be placed on our email mailing list please visit



#### 1 SPECIAL CONDITIONS

These Special Conditions of Sale should be read in conjunction with the General Conditions of Sale for Online Auctions posted at www.eddisons.com and contained within this catalogue.

# 2 VIEW

The lots will be on view on Tuesday 25th July – By appointment with the auctioneers by calling 01724 334411

NB The Auctioneers hereby specifically exclude liability for any accident or injury howsoever arising, sustained by any person or persons who may attend at the premises for the purpose of the auction, inspection, purchaser, collection or any other business. Children under the age of 16 are strictly not allowed on the auction premises

#### 3 SALE

**Bidding Ends:** From 1pm Wednesday 2nd August – please note that should any bid be received during the last 10 minutes of the sale, the chance to bid on that particular lot will be extended to 10 minutes. Important – when bidding do not forget to refresh your screen to ensure you are aware of all current bids.

#### 4 REGISTRATION

To register for this sale visit www.eddisons.com and click on the appropriate sale.

# **5 BUYERS PREMIUM**

A Buyers Premium of 15% plus VAT will be charged on all lots in addition to the hammer price.

# **6 VALUE ADDED TAX (VAT)**

VAT at the applicable rate will be added to all purchasers' invoices by way of a bond which equals the value of the VAT.

For all EU & International purchasers you will have to pay the VAT in the first instance and once we receive copies of bills of lading and delivery notes confirming the delivery of goods to the final destination, which is to our satisfaction we will refund the VAT. VAT is not refundable on the buyer's premium. The bills of lading will need to quote the Invoice Number and Eddisons Auction number, in order for us to match up your bills of lading with the correct invoice. We require these documents within two months of the invoice date.

The Purchaser is entirely responsible for all customs and excise duties including all paperwork requirements

# 7 DECLARATION

All invoices will be emailed on Wednesday 2nd August

#### 8 PAYMENT TERMS

Full payment is required within 24 hours of the sale closing (A) GENERAL

#### ALL LOTS MUST BE PAID FOR BEFORE COLLECTION.

No purchaser shall be entitled to remove any lot, or part thereof, until full payment has been made to the Auctioneers for every lot purchased.



(b) PATMENT

# **ACCEPTED METHODS OF PAYMENT ARE:**

# Online Payments:

# Debit Cards (Visa, Maestro/Switch, and Solo) - UK based only

For the payments to be processed correctly please make sure you use the correct registered card address. Any other address will cause the transaction to fail. Please make sure you have sufficient funds before payment.

# Bank Transfer Payments:

**Faster Payments Service or CHAPS –** Please quote invoice number or buyer number as reference

# We DO NOT accept cash or cheques as payment please use the methods above.

For bank transfers:
Barclays Bank PLC
Barclays Business Centre
PO Box B72
17 Market Place
Huddersfield
HD1 2AB

Eddisons Commercial Limited Plant & Machinery Clients Account

Account No: 40860484 Bank Sort Code: 20 48 46 Swift Code: BARCGB22

IBAN Code: GB97BARC20484640860484

# 9 ANTI-MONEY LAUNDERING PROCEDURES

The Law now requires that proof of identity must be presented to register at the sale. This can be provided either with a current signed passport, current full UK driving licence or utility bill. Cash deposits will NOT be accepted as an alternative proof of identification. Cash payments will not be accepted.

# 10 BUYING INSTRUCTIONS

Bidding is conducting online direct through the link on our website. All bids will be subject to client approval.

# 11 TRANSFERS

Eddisons will not recognise the sale of accounts (or parts of accounts) to third parties and we will only accept payment from and allow removal of items by the successful bidders themselves of their appointed agent.

# 12 PURCHASE OF GOODS THROUGH A FINANCE COMPANY

Please notify us well in advance of the sale if you are intending to purchase through a finance company. This is to ensure the finance company is able to make payment in accordance with the General & Special Conditions of Sale



# 13 REMOVAL OF LOTS

By appointment with the auctioneer's w/c 7th August during the hours of 9am and 4.00pm.

The goods are at risk of the Buyer immediately upon receipt of invoice from the Auctioneers and should be removed as soon as possible for security reasons. Eddisons reserve the right to charge £5 + VAT per day for lots not collected within the removal deadline

#### 14 INSURANCE

Goods become the responsibility of the purchaser at the fall of the hammer and we would recommend purchasers insure against all risks. (See Conditions of Sale).

# 15 COLLECTION NOTES

Purchasers must produce a Collection Note at the time of taking delivery of their Lots and Collection Notes will be issued by the Auctioneers only when they are satisfied that payment has been received

# 16 COLLECTION SERVICE PROVIDERS

Transnet is a courier company who are able to collect items on your behalf. To enquire about prices and to arrange collection and delivery of your items, please contact Transnet Couriers directly on **0844 543 4433** or email <a href="mailto:info@transnetservices.co.uk">info@transnetservices.co.uk</a> ensuring that you quote Eddisons.

Mail Boxes, 38 Sunbridge Rd, Bradford, BD1 2DZ

Tel 01274726272 M:- 07976254758

Email:- admin@mbebradford.co.uk www.mbebradford.co.uk

These Couriers are not endorsed by Eddisons, other courier companies and transport services are available

Please note Eddisons does not provide a packing and boxing service.



# 1. Interpretation

In these General Conditions the following definitions apply:

"Auction" any auction (whether a Live Auction or an Online Auction and whether conducted independently or simultaneously) conducted pursuant to these General Conditions and the Special Conditions;

"Auctioneer" the person conducting the Auction or to whom the conduct of the Auction is delegated under General Condition 7.12 below;

"Bidder" any person who offers to purchase any Lot whether by bidding at Auction or offering to purchase by private treaty or tender;

"Bid" an offer to purchase any Lot whether by bidding at Auction or offering to purchase by private treaty or tender, and "Bids" and "Bidding" shall be construed accordingly;

"Buyer" any person who agrees to purchase any Lot whether at Auction or by private treaty or tender and as determined under General condition 7.9 below;

"Buyer's Premium" a commission payable by the Buyer on the completion of a Sale the amount of which is set out in the Special Conditions; The Auctioneer, when acting as Agent for the Seller, may also receive commission from the Seller.

"Catalogue" the catalogue incorporating these General Conditions and the Special Conditions;

"Clearance Date and Time" the date and time on which all Lots must be removed by the Buyer from the Location as specified in the Special Conditions;

"Company" Eddisons Commercial Limited;

"Deposit" the sum payable by the Buyer to the Company as set out in the Special Conditions;

"Live Auction" any auction conducted at the Location or at such other location(s) as shall be notified by the Company in the Special Conditions or in the Catalogue;

"Location" the premises at which the Lots are located, as detailed on the website and in the auction catalogue;

"Lot" any Lot described in the Catalogue, on the Website or on the Company's invoice;

"Online Auction" any auction conducted over the internet via the Website pursuant to these General Conditions and the Special Conditions;

"Sale" the sale of any Lot by Auction, private treaty or tender and as determined under General Condition 7.17 below:

"Seller" the person upon whose instructions the Company is conducting the Sale;

"Special Conditions" any additions to these General Conditions set out or referred to in the Catalogue, announced at Auction or otherwise specified by the Company;

"Website" the website at: www.eddisons.com;

"VAT" Value Added Tax chargeable under English Law for the time being and any similar additional tax.

#### 2. Application of these General Conditions

- 2.1. These General Conditions apply to every Auction of any or all assets, whether tangible or intangible, conducted by the Auctioneer and to any Lot offered for sale in the Auction whether that Lot includes property fixed to land or not fixed to land or any other personal property.
- 2.2. If these General Conditions have not previously been accepted by a person bidding at the Auction, bidding for any Lot in the Auction shall be deemed to be an acceptance by the Bidder of these General Conditions.
- 2.3. These General Conditions, the Special Conditions and any terms set out in the Catalogue shall together comprise "Conditions of Sale".
- 2.4. To the extent that these General Conditions are inconsistent with any special conditions set out or referred to in the Auction Catalogue or announced at the Auction, the Auctioneer may adopt the condition deemed most appropriate in the circumstances, decided at his sole discretion.
- 2.5. These General Conditions shall be governed, construed and enforced in accordance with the law of England but:
- (a) if the Auction is held in Scotland, in accordance with the law of Scotland;
- (b) if the Auction is held in Northern Ireland, in accordance with the law of Northern Ireland.
- 2.6. Any reference to writing or written shall include email.



2.7. Any word or phrase having a meaning defined in these General Conditions shall have the same meaning when used in the Special Conditions.

#### 3. Identities of the Parties

- 3.1. Every Bidder is required to give his name and address and provide satisfactory proof of identity and such other information and documentation as is required to the Company before making any Bid and in the case of:
- (a) a Live Auction by the completion of a registration form;
- (b) an Online Auction by online registration at the Website; and
- (c) a private treaty or tender by prior registration or notification of details, as and when requested by the Company.
- 3.2. The Company reserves the right at any time to reject the registration of any persons and refuse access to the Auction at its sole discretion.
- 3.3. On registration in accordance with General condition 3.1 the Bidder acknowledges that only adults aged 18 years and over are entitled to enter into a legally binding contract and as a result they are the only people entitled to register for the Auction. By registering the Bidder warrants that he is aged 18 years or older and is capable of forming a legally binding contract.

#### 4. The Seller's Instructions and Warranties

- 4.1. The Seller warrants that:-
- (a) to any Lot offered for sale he will be able to pass good and unencumbered title free from third party claims;
- (b) any Lot offered for sale may lawfully be sold;
- (c) the premises where the Auction is to be held (if not the Auctioneers premises) will be safe for that purpose and that it will be lawful to hold the Auction there;
- (d) **Errors & omissions.** Details are provided in good faith. They should not be relied upon as fact and buyers must make their own investigations where measurements, mileage, hours, condition or authenticity are critical. Buyers should make themselves satisfied they are happy with the lot before they bid as viewing is available on all lots by prior appointment, all bids are non-retractable.

We strictly enforce our terms and conditions. Potential purchasers, who do not inspect lots prior to bidding, do so at their own risk.

The condition and function of an item should be confirmed by the bidder, prior to bidding, there will be NO refunds or allowance given after the closure of the bidding process. Your bid is your commitment to purchase, not to view or negotiate after the sale. Transgression of these rules will result in the bidder being blocked from taking part in future auctions.

No warranty is offered or implied; each lot is bought and sold as seen. Viewing is welcome and recommended.

- 4.2. If the Seller's instructions are given by the Seller's agent, the Seller's agent warrants that he has the Seller's authority:
- (a) to instruct the Auctioneer;
- (b) to give the warranties set out in condition 4.1 above;
- (c) to instruct the Auctioneer to act in accordance with these General Conditions and any special conditions.

#### 5. The Auctioneer's Remuneration

- 5.1. The Auctioneer's remuneration shall be such as has been agreed between the Seller and the Auctioneer.
- 5.2. The Auctioneer may deduct his remuneration from monies received from Buyers before accounting to the Seller for the balance.

#### 6. Bidding on behalf of Another

- 6.1. Unless the Auctioneer has previously acknowledged in writing that the Bidder bids as agent on behalf of a named principal, every Bidder shall be taken to bid on his own behalf as principal.
- 6.2. If the Auctioneer has earlier acknowledged in writing that the Bidder bids as agent on behalf of a named principal, the Bidder warrants that he has the authority of his principal to make each bid he makes.
- 6.3. Any Bidder acting as agent on behalf of a named principal shall remain liable to the Seller and the Company for all obligations and liabilities of his principal jointly and severally with the principal. The Bidder warrants that he has the authority of his principal to make each Bid made.

For details of forthcoming sales and to be placed on our email mailing list please visit



#### 7. Conduct of the Auction

- 7.1. The Auctioneer offers each lot as agent of the Seller and not as principal unless otherwise indicated In the Auction Catalogue.
- 7.2. Any Lot may be subject to a reserve price unless otherwise indicated in the Auction Catalogue.
- 7.3. The Seller or his representative or the Auctioneer on his behalf may bid for any Lot unless otherwise indicated in the Auction Catalogue. Persons entitled to Bid pursuant to this condition 7.3 shall be entitled to place Bids on any Lot up to the reserve price including by placing Bids in response to other Bidders.
- 7.4. The Auctioneer may at any time before close of the online auction withdraw or divide any Lot or combine any Lots.
- 7.5. With the previous consent of the Seller, the Auctioneer may sell any Lot by private sale before or after the Auction.
- 7.6. No Bid shall be retracted without the consent of the Auctioneer.
- 7.7. The Auctioneer will require any Bidder to give his name and address and to provide satisfactory proof of identity before making any bid. The Bidder must also complete the online registration at the Auctioneer's website.
- 7.8. The Auctioneer may reject any bid at his sole discretion and without being required to give a reason.
- 7.9. The Buyer shall be the person who made the highest bid before the conclusion of the Sale pursuant to condition 7.16 subject to approval and acceptance by the Company, the Auctioneers and the Seller or such other person as the Auctioneer may declare to be the Buyer without being required to give a reason.
- 7.10. The Auctioneer may decide whether there is a dispute between Bidders, may summarily determine the dispute or immediately again offer the Lot for sale, in each case without being required to give a reason.
- 7.11. The Auctioneer shall in every other respect decide how the Auction is to be conducted and without being required to give a reason.
- 7.12. The Auctioneer may in his sole discretion delegate to a person whom he believes to be competent the conduct of the Auction in accordance with these General Conditions.
- 7.13. The Auctioneer may from time to time act jointly with an associated Auctioneer who will be named in the Catalogue and/or in the Special Conditions.
- 7.14. Lot descriptions will be amended as appropriate as and when information becomes available to the Company. Prospective Bidders must read Lot descriptions before making a Bid so that they are fully aware of any amendments to the description appearing in the Special Conditions and/or on the Website or in the Catalogue in relation to a particular Lot.
- 7.15. A Sale is concluded (constituting acceptance of the Bidder's offer, subject to General Condition 7.9 above) when:
- (a) in the case of a Live Auction, on the fall of the Auctioneer's hammer; and/or,
- (b) in the case of an Online Auction, at the close of the timed Online Auction Sale as specified on the Website and as defined by General Condition 7.20(c) below or;
- (c) in the case of a private treaty or tender, when the Bidders Bid is accepted by the Company, such acceptance to be communicated to the Bidder in writing by way of receipt of the Company's invoice.
- 7.16. The Buyer shall be the person who made the highest Bid before the conclusion of the Sale pursuant to General Condition 7.15 above subject to approval and acceptance by the Company, the Auctioneers and the Seller or such other Bidder as the Auctioneer and/ or the Company may declare to be the Buyer without being required to give a reason. The Auctioneer and/ or the Company and/ or the Seller is not bound to accept the highest Bid or any other Bid placed in the course of the Auction.
- 7.17. In the case of an Online Auction the Buyer, as determined under General Condition 7.9 above, shall within a reasonable time after the conclusion of the Sale receive by email an invoice in respect of the monies due for the Lot(s) purchased.
- 7.18. In the event that the reserve price is not met, the Company may consider the Bids received below the reserve price with the Seller who at its sole discretion may accept, reject or place a counteroffer.
- (a) Your highest bid will be treated as a valid bid even if at the time of placing it the RESERVE is NOT MET. Vendors regularly instruct us to reduce the reserves in the closing hours and put items on sale. Remember when placing a bid you are bidding to buy!
- 7.19. On conclusion of the Sale and acceptance of the Bidders Bid pursuant to General Conditions 7.15 and 7.9 above, the Buyer acknowledges and agrees that he has entered into a contract with the Seller to buy the Lot and the Buyer must complete the transaction to purchase the Lot.

For details of forthcoming sales and to be placed on our email mailing list please visit



- 7.20. In relation to an Online Auction:
- (a) the Company cannot guarantee that the internet services will operate continuously or without interruptions and this could affect the conduct of the Online Auction and the Bidders ability to Bid online. The Company shall not be liable in any respect in the event of any dispute due to errors, omissions or disruptions to internet services or power failures or any other unforeseen circumstances which may occur during the Online Auction;
- (b) the Auctioneer may at any time, without notice, postpone or cancel an Online Auction or extend an Online Auction beyond the published closing time (including extension of the timed Online Auction in accordance with General Condition 7.20(c) below);
- (c) the timed Online Auction Sale is auto bid extension enabled meaning that where a Bid is placed within ten minutes of the original scheduled close of the timed Online Auction the scheduled close of the timed Online Auction will automatically be extended by to ten minutes remaining. This continues with a new scheduled close time each time a Bid is placed until no-one places a Bid before the last scheduled close of the timed Online Auction. Every time a Bid is placed within ten minutes or less left in the Online Auction the time will change to ten minutes Bidding time until there are no more Bids. Such time shall then be deemed to be the close of the timed Online Auction.
- 7.21. Risk of damage to or loss of the Lot(s) shall pass to the Buyer immediately upon the conclusion of the Sale.
- 7.22. Copies of the Auctions (Bidding Agreements) Act 1927 and 1969 are held at the Company's and/or the Auctioneer's principal place of business.

#### 8. After the Sale

- 8.1. Upon the Auctioneer declaring any Lot sold, the Buyer shall immediately:
- (a) identify any person on whose behalf he has bought;
- (b) pay to the Auctioneer if requested a deposit of up to 25 per cent of the price.
- 8.2. Within the time specified in condition 8.3 below, the Buyer shall pay the following sums to the Auctioneer in full:
- (a) the balance of the price of all Lots purchased together with any VAT due;
- (b) the value as summarily determined by the Auctioneer, whose determination shall be final and binding, of all or part of any Lot or of the premises where the Auction is held which has been damaged or destroyed by the Buyer or his principal or his agent.
- (c) any other payment or amount due to the Seller and/or the Company pursuant to these General Conditions or the Special Conditions.
- (d) Changing of Invoices already raised (i.e. changing the name and address) carries an administration fee of £10 + Vat.
- 8.3. The time for complying with condition 8.2 above shall be the time specified in the Auction catalogue or if no time is specified there, 4pm on the next working day, and in every case time shall be of the essence.
- (a) Bidders who fail to pay or fail to pay within the allotted time will have their account suspended and will be removed from any further bidding process, reinstatement will be subject to a £20 + Vat administration fee at the auctioneers discretion.
- 8.4. The Auctioneer may at any time in his sole discretion grant the Buyer an extension of time for complying with condition 8.2 above, in which case the Buyer shall pay to the Auctioneer in full before moving or removing the Lot interest on any unpaid sums at a rate of 1.5 per cent above Barclays Bank plc base rate in force from time to time.
- 8.5. Until the Buyer has complied with condition 8.2 above:
- (a) title to any Lot bought shall not pass to the Buyer;
- (b) the lot shall be at the Buyer's risk;
- (c) the Auctioneer shall have a lien over any Lot bought by the Buyer in the Auction;
- (d) if the Buyer effects or purports to effect a resale or any other disposition of all or part of the Lot, the Buyer shall hold proceeds of resale or other disposition on trust for the Auctioneer and the Seller.
- 8.6. On written request by the Buyer, the Auctioneer shall provide a VAT invoice in proper form, if appropriate.
- 8.7. In view of Money Laundering Regulations the Company reserves the right to refuse payment in cash.
- 8.8. The Company will only accept payment from the Buyer or its authorised agent.

#### 9. Removal of Lot Bought

9.1. The removal of Lots from the Location shall be undertaken by the Buyer entirely at its own risk and without any liability whatsoever to the Company.

For details of forthcoming sales and to be placed on our email mailing list please visit



- 9.2. Buyers are responsible for any and all costs and expenses incurred in relation to the removal of Lots and any other applicable charges, taxes and insurance costs.
- 9.3. The Buyer may not remove any Lot he has bought until after the end of the Auction.
- 9.4. The Buyer may not remove any Lot until the Buyer has paid by cleared funds the sums specified in condition 8.2 above in full for every Lot he has bought.
- 9.5. After paying the sums specified in condition 8.2 above, the Buyer must remove the Lot(s) bought by the time specified in the Auction Catalogue or if no time is specified, 4.00pm on the next working day and in every case time shall be of the essence. Late collections not authorised will be subject to a £10 + Vat per pallet space storage fee.
- 9.6. The Auctioneer may at any time at his sole discretion and on terms specified by him grant the Buyer an extension of the time specified in condition 9.5 above.
- 9.7. If any Lot is not removed by the time specified in condition 9.5 above (or any extension granted under condition 9.6 above), the Buyer must pay to the Auctioneer any costs incurred due to the delayed removal.
- 9.8. If the Lot bought is or includes a motor vehicle, no warranty is given that the vehicle may safely or lawfully be driven on the road.
- (a) If the vehicle does not have a V5C document, the purchaser will need to complete form V62 'Application for a vehicle registration certificate' and send it to DVLA with any fees that may be applicable, DVLA have advised that any new V5C documents could take up to 6 weeks to be issued.
- 9.9. When removing any Lot the Buyer:
- (a) Is responsible for detaching any Lot fixed to land and must do so safely and lawfully and must not use flame cutters, explosives or any other dangerous equipment or process without previous written permission signed by or on behalf of the Auctioneer.
- (b) must use safe and lawful means of removing the Lot;
- (c) shall indemnify the Auctioneer and the Seller against any loss damage legal or other expenses and any claim arising from the detaching of the Lot or its removal;
- (d) shall have insurance in respect of such indemnity and shall on request produce to the Auctioneer a receipt for the last premium due or other sufficient evidence that such insurance has been effected and remains in force.
- 9.10. The Company will only permit the removal of Lots purchased by the Buyer or its authorised agents.
- 9.11. Lots may only be removed during normal working hours or such hours as are specified in the Special Conditions. No clearance on Bank or Public Holidays.
- 9.12. If required, prior to removing any Lot from any Location, the Buyer must prepare a Risk Assessment and Methods Statement which complies with The Construction (Design and Management) Regulations 2007, COSHH or with any subsequent amendments thereof or such other legislation as may be in force. Any such statement is to be provided to the Company.
- 9.13. The Buyer undertakes to comply with the provisions of the Data Protection Act 1998 in processing data held by them in connection with any Lot. The Buyer undertakes to delete any data that may inadvertently remain on the subject hardware, save for where such data forms part of a sale of the business.

# 10. Default by the Buyer

- 10.1. If at any time the Buyer has failed either to pay the sums specified in condition 8.2 above in full by the expiry of the time specified in condition 8.3 above (or any extension granted under condition 8.4 above), or to remove any Lot by the time specified in condition 9.5 above (or any extension granted under condition 9.6 above), the Auctioneer may rescind the sale of that Lot, in which case any deposit shall be forfeit, and that Lot may be resold by auction or privately.
- 10.2. If the Buyer fails to make any payment on the due date for payment then, without limiting any other right or remedy available to the Seller, the Buyer shall pay to the Company interest (both before and after any judgment) on the amount unpaid at the rate of 1.5% above the bank base rate of Barclays Bank Plc per month or any part thereof until payment in full is made.
- 10.3. If the Auctioneer has rescinded the sale but the Buyer has removed the Lot bought, the Auctioneer shall be entitled without previous notice to enter upon any premises where he believes the Lot to be and remove it.
- 10.4. If the Auctioneer has rescinded the sale and the Lot has been resold, the Buyer shall make good any deficiency, namely:
- (a) the sale price less the resale price;

For details of forthcoming sales and to be placed on our email mailing list please visit



- (b) the costs of and incidental to resale.
- 10.5. The Auctioneer shall not be liable to account to the Buyer in event of a resale at a higher price than the price contracted to be paid by the Buyer.
- 10.6. If because the Buyer has failed to remove any Lot by the time specified in condition 9.5 above (or any extension granted under condition 9.6 above), the Seller is unable to give vacant possession on disposing of or relinquishing any interest in the premises from which the Lot should have been removed, the Buyer shall compensate the Seller for any loss resulting.
- 10.7. The Buyer shall indemnify the Seller and/or the Company against any loss, damages, expenses, claims or liabilities incurred by the Seller and/or the Company arising from the Buyer's failure to remove the Lot.

#### 11. Liabilities and Indemnities

- 11.1. The Auctioneer warrants that he believes that the Seller of each Lot is able to pass good title, and if the Seller is not able to do so, the Auctioneer shall use his reasonable endeavours to assist the Buyer in obtaining good title and in pursuing any remedies the Buyer may have against the Seller, but the Auctioneer shall not be bound to initiate litigation and shall not be under any other obligation to the Buyer.
- 11.2. Each Lot is sold as seen and where lying.
- 11.3. No Lot is sold as comprising or including any new goods.
- 11.4. The Auctioneer does not represent any Lot as being in a condition which makes it suitable for domestic use. Despite the above, should Buyers intend to supply any Lots for domestic use, they should ensure that the Lots comply with the requirements of the Furniture and Furnishings (Fire Safety) Regulations 1988 or any other similar law.
- 11.5. The Auctioneer neither has nor professes any expert or other knowledge of any Lot sold and there is hereby excluded any liability the Auctioneer might otherwise incur and any right or immunity the Buyer might otherwise possess In respect of any conditions, warranties or representations relating to the condition of any Lot sold or the merchantable quality of any Lot or its fitness for the particular or any purpose for which it is or may be required whether such conditions, warranties or representations are expressed or implied in the Auction Catalogue or are the subject of oral or written statements made by or on behalf of the Auctioneer or any other person before or in the course of the Auction.
- 11.6. No liability shall attach to the Auctioneer either in contract or in tort for loss injury or damage legal or other expenses sustained by the Seller, any Bidder, the Buyer or any other person by reason of:
- (a) any defect in any Lot sold, whether or not such defect be latent or apparent on examination;
- (b) any defect or danger of the premises where the Auction is held;
- (c) any alleged failure of the Auctioneer properly to advertise the Auction or to seek or obtain expert advice with regard to any Lot offered for sale or its reserve price;
- (d) any act or omission of the Auctioneer in the conduct of the Auction or after the Auction;
- (e) any act or omission of any person other than the Auctioneer.
- 11.7. The Seller shall indemnify the Auctioneer in respect of any claims made by another or third party for any loss injury damage or legal or other expenses referred to in condition 11.6 above.
- 11.8. The Auctioneer shall not be liable to indemnify the Seller or any Bidder or the Buyer in respect of any claims made by another or third party for any loss injury damage or legal or other expenses referred to in condition 11.6 above.
- 11.9. Conditions 11.3 to 11.1 shall not be valid insofar as prohibited by statute.
- 11.10. In no circumstances shall the Auctioneer be liable for any consequential loss or damage.

#### 12. Waiver

- 12.1. No indulgence by the Auctioneer shall prevent the Auctioneer or the Seller subsequently insisting upon their respective rights and remedies.
- 13. Health and Safety At Work Act 1974 (HSWA)
- 13.1. Waivers (SHE-42 and 42a)
- 13.2. Section 6 (8) of the Act In certain instances it may be necessary for the Purchaser to give a written undertaking pursuant to Section 6 (8) of the Health and Safety At Work Act 1974.
- 13.3. Asbestos/Hazardous Substances. It is expressly brought to the purchasers attention that certain types of plant or main service installations could contain Asbestos, dangerous chemicals, etc, which if not handled correctly during their removal from the site could be in breach of the Health and Safety at Work Act 1974, the Control of Asbestos

For details of forthcoming sales and to be placed on our email mailing list please visit



- at Work Regulations 2002, the Asbestos (Licensing) Regulations as amended and the Control of Substances Hazardous to Health Regulations 1988 (COSHH) or any other current legislation covering the use of such substances in a working environment.
- 13.4. All purchasers must comply with all current legislations and regulations, including the Water Industry Act 1994 (as amended) and the Environment Protection Act 1990, as amended; In relation to the removal/disposal of waste/trade effluent including hazardous waste and may be required to satisfy Eddisons in relation to their disposal/removal procedures. Where waste materials are removed all work must be undertaken by an approved and licensed contractor.

#### 14. Acknowledgements and Exclusion of Warranties

- 14.1. The Buyer acknowledges that in agreeing to purchase any Lot he is not relying on any warranties or representations made by the Seller or the Company or any of their employee's agents or representatives. All representations, warranties and conditions, express or implied, statutory or otherwise in respect of all and any of the Lots are expressly excluded and without limitation any warranties and conditions as to title, quiet possession, satisfactory quality, fitness for purpose and description are excluded to the fullest extent as permitted by law.
- 14.2. The Buyer further acknowledges that neither the Sellers nor the Company shall in any circumstances be liable to or to compensate the Buyer nor shall the Buyer be entitled to rescind the Sale or reject any Lot for an error omission or misstatement contained in the Catalogue and/or in the Special Conditions.
- 14.3. The Buyer also acknowledges that:-
- (a) all the Lots are purchased on the basis that risk of good title to all or any of them passing to the Buyer is at the Buyer's risk and without limitation the Lots are sold subject to any claims, liens, distraint and execution and subject to all leasing, hire or hire purchase agreements and reservation of title claims (if any) in respect of them;
- (b) if it shall be found that the Seller does not have title to all or any of the Lots the Buyer shall have no right to rescind, avoid or vary this agreement or to claim damages or a reduction in the price paid or payable;
- (c) anything found in, under, near or in any Lot which is not specifically included in the description of the Lot remains the property of the Seller;
- (d) any intellectual property rights or software subsisting in a Lot may be third party property and as such the Seller and/or the Company may be unable to effect transfer. The Buyer will not be authorised to use intellectual property rights or software and any such use or transfer shall be at the Buyers sole risk.
- 14.4. The Buyer undertakes that it shall ensure that any vehicle comprised in any Lot is in a roadworthy condition in accordance with the Road Vehicle (Construction and Use) Regulations 1986 and any subsequent amendments thereof or such other relevant regulations as shall from time to time be in force before using it on a public road. It is the Buyer's responsibility to remove Company logos and lettering from vehicles. Odometer readings are not warranted.
- 14.5. The Buyer acknowledges that any item of plant, machinery or equipment contained in the Lot(s) may not necessarily comply with any statutory requirements or regulations governing the use of that plant, machinery or equipment in their working environment. Neither the Seller nor the Company shall incur any liability to the Buyer because of any default or defect in all or any of the Lots. Buyers are entirely responsible for ensuring that the use of any item of plant, machinery or equipment does not contravene any health and safety and environmental legislation in existence at the time of the Sale.
- 14.6. The Buyer acknowledges and agrees that the Company is acting only as agent of the Seller and it is expressly agreed and declared that no personal liability in connection with the Sale of any Lot or otherwise shall fall on the Company and the Buyer shall indemnify the Company against all and any liabilities arising under or in connection with the Sale of any Lot. Insolvency Practitioner(s), including but not restricted to Administrative Receiver(s), Administrator(s), Liquidator(s), Trustee(s) and Supervisor(s) act as agent(s) for the Seller without personal liability and shall incur no personal liability whatsoever in relation to a Sale or pursuant to any document relating thereto.
- 14.7. The Buyer agrees that the General Conditions and the exclusions which they contain are fair and reasonable bearing in mind that:-
- (a) the Buyer must rely absolutely on the Buyer's own opinion and/or professional advice concerning the quality, state, condition, performance and functionality of the Lots any right, title or interest which is sold under the terms of these General Conditions, their fitness and suitability for any particular or any purpose, the possibility that some or all of them may have defects not apparent on inspection and examination including, without limitation, the presence of contamination and the possibility that the Buyer may not acquire title and the fact that the Buyer would have no remedy under this Agreement should that happen;
- (b) the Buyer has available to it skilled professional advice and on that basis agrees to purchase a Lot for a consideration calculated to take into account amongst other things the risk to it represented by the fact that the parties believe that all the exclusions and limitations set out in these General Conditions would be recognised as

For details of forthcoming sales and to be placed on our email mailing list please visit



- being fully effective by the Courts and the Seller making it clear that it would not have agreed to sell any Lot on any other basis except for a higher consideration;
- (c) the Buyer has been given every opportunity which might reasonably be expected to examine and inspect the Lots.
- 14.8. Notwithstanding anything else in these General Conditions, the Seller's and the Company's total liability under or in connection with the Sale of any Lot, whether in respect of breach of contract, tort (including negligence), breach of statutory duty or otherwise, including consequential loss, shall be limited in aggregate to the price paid for the Lot or if no price has been paid then the higher of the market value or reserve price for the Lot. This General Condition 8.8 does not apply to liability for death or personal injury.
- 14.9. The Buyer acknowledges that a Sale by Auction is not a consumer sale for the purposes of the Sale of Goods Act 1979 (as amended by the Sale and Supply of Goods Act 1994) and the Unfair Contract Terms Act 1977 and the Buyer shall not seek to rely upon and conditions or warranties implied thereby or by any other legislation.

# 15. Entire Agreement

- 15.1. These General Conditions, the Special Conditions and the Auction Catalogue constitute the entire agreement between the parties and supersede and extinguish all previous agreements, promises, assurances, warranties, representations and understandings between them, whether written or oral, relating to its subject matter.
- 15.2. Each party agrees that it shall have no remedies in respect of any statement, representation, assurance or warranty (whether made innocently or negligently) that is not set out in this agreement. Each party agrees that it shall have no claim for innocent or negligent misrepresentation or negligent misstatement based on any statement in this agreement.

#### 16. Jurisdiction

16.1. Each party irrevocably agrees that the courts of England and Wales shall have exclusive jurisdiction to settle any dispute or claim arising out of or in connection with this agreement or its subject matter or formation (including non-contractual disputes or claims).



There will be a Buyers Premium of 15% plus VAT

# PLEASE SEE SALE NOTES RE PAYMENT AND COLLECTION OF LOTS

# **CATALOGUE**

Bidding Ends: From 1pm Wednesday 2nd August

Lot Number	Lot Title	Lot Description	Reserve	Starting Bid
		SPECIAL		
		NOTICE 1.		
		Please note, all		
		stock is sold		
		subject to		
		availability 2.		
		Please Refer to		
		our Terms and		
		Conditions of Sale		
		and if you are		
		unable to meet		
		the criteria,		
		please do not bid		
		3. It is the		
		responsibility of		
		the purchaser to		
		decommission /		
		remove / load lots		
		purchased within		
		the timescale		
		specified 4.		
		Method		
		Statements &		
		Risk		
		Assessments will		
		be required where		
		specified 5.		
		Appropriate PPE		
		should be worn		
0	Special Notice	on site		
		5 X Lumineux LED Post		
		Top 100W 3000K Black		
		205 Optic Brand New		
		In Box Stock,		
		Aluminum Alloy, IP66,		
	5 X Lumineux LED Post	120 lm/W, 100-240v		
	Top 100W 3000K Black	Input Voltage, 205		
	205 Optic Brand New	Optic, IK08 Rating; RRP	_	
1	In Box Stock	£1,277.78	380	130



İ	I	LEVI	<b>j</b>	 
		5 X Lumineux LED Post		
		Top 100W 3000K Black		
		205 OpticBrand New In		
	5 X Lumineux LED Post	Box Stock, Aluminum		
	Top 100W 3000K Black	Alloy, IP66, 120 lm/W, 100-240v Input		
	205 OpticBrand New In	Voltage, 205 Optic,		
2	Box Stock	RRP £1,277.78	380	130
	DOX STOCK	5 X Lumineux LED Post	300	130
		Top 100W 3000K Black		
		205 OpticBrand New In		
		Box Stock, Aluminum		
	5 X Lumineux LED Post	Alloy, IP66, 120 lm/W,		
	Top 100W 3000K Black	100-240v Input		
	205 OpticBrand New In	Voltage, 205 Optic,		
3	Box Stock	RRP £1,277.78	380	130
	DOX STOCK	5 X Lumineux LED Post	300	100
		Top 100W 3000K Black		
		205 OpticBrand New In		
		Box Stock, Aluminum		
	5 X Lumineux LED Post	Alloy, IP66, 120		
	Top 100W 3000K Black	lm/W,100-240v Input		
	205 OpticBrand New In	Voltage, 205 Optic,		
4	Box Stock	RRP £1,277.78	380	130
	BOX Stock	10 X Lumineux Linacre		
		LED High Bay 150W		
		5000K Black 180lm/W		
		Brand New In Box		
		Stock, Aluminum Alloy,		
		IP65, 180 lm/W,		
		27,000 Lumens, 100-		
	10 X Lumineux Linacre	240v Input Voltage,		
	LED High Bay 150W	Sosen LED Driver ,		
	5000K Black 180lm/W	Black, 5.3kg, Ø360		
	Brand New In Box	x241mm, RRP		
5	Stock	£2,611.11	680	230
		10 X Lumineux Linacre		
		LED High Bay 150W		
		5000K Black 180lm/W		
		Brand New In Box		
		Stock, Aluminum Alloy,		
		IP65, 180 lm/W,		
		27,000 Lumens, 100-		
	10 X Lumineux Linacre	240v Input Voltage,		
	LED High Bay 150W	Sosen LED Driver ,		
	5000K Black 180lm/W	Black, 5.3kg, Ø360		
	Brand New In Box	x241mm, RRP		
6	Stock	£2,611.11	680	230
		10 X Lumineux Linacre		
		LED High Bay 150W		
		5000K Black 180lm/W		
		Brand New In Box		
		Stock, Aluminum Alloy,		
		IP65, 180 lm/W,		
		27,000 Lumens, 100-		
	10 X Lumineux Linacre	240v Input Voltage,		
	LED High Bay 150W	Sosen LED Driver ,		
	5000K Black 180lm/W	Black, 5.3kg, Ø360		
_	Brand New In Box	x241mm, RRP	600	333
7	Stock	£2,611.11	680	230



		10 X Lumineux Linacre LED High Bay 150W 5000K Black 180lm/W Brand New In Box Stock, Aluminum Alloy, IP65, 180 lm/W, 27,000 Lumens, 100-		
8	10 X Lumineux Linacre LED High Bay 150W 5000K Black 180lm/W Brand New In Box Stock	240v Input Voltage, Sosen LED Driver, Black, 5.3kg, Ø360 x241mm, RRP £2,611.11	680	230
	10 X Lumineux Linacre LED High Bay 150W	10 X Lumineux Linacre LED High Bay 150W 5000K Black 180lm/W Brand New In Box Stock, Aluminum Alloy, IP65, 180 lm/W, 27,000 Lumens, 100- 240v Input Voltage, Sosen LED Driver,	330	230
9	5000K Black 180lm/W Brand New In Box Stock	Black, 5.3kg, Ø360 x241mm, RRP £2,611.11	680	230
	10 X Lumineux Linacre LED High Bay 150W 5000K Black 180lm/W Brand New In Box	10 X Lumineux Linacre LED High Bay 150W 5000K Black 180Im/W Brand New In Box Stock, Aluminum Alloy, IP65, 180 Im/W, 27,000 Lumens, 100- 240v Input Voltage, Sosen LED Driver, Black, 5.3kg, Ø360 x241mm, RRP		
10	Stock	£2,611.11  10 X Lumineux Linacre	680	230
	10 X Lumineux Linacre LED High Bay 150W 5000K Black 180lm/W Brand New In Box	LED High Bay 150W 5000K Black 180lm/W Brand New In Box Stock, Aluminum Alloy, IP65, 180 lm/W, 27,000 Lumens, 100- 240v Input Voltage, Sosen LED Driver, Black, 5.3kg, Ø360 x241mm, RRP	600	222
11	10 X Lumineux Linacre LED High Bay 150W 5000K Black 180lm/W	£2,611.11  10 X Lumineux Linacre LED High Bay 150W 5000K Black 180lm/W Brand New In Box Stock, Aluminum Alloy, IP65, 180 lm/W, 27,000 Lumens, 100- 240v Input Voltage, Sosen LED Driver , Black, 5.3kg, Ø360	680	230
12	Brand New In Box Stock	x241mm, RRP £2,611.11	680	230



		10 X Lumineux Linacre LED High Bay 150W		
		5000K Black 180lm/W Brand New In Box		
		Stock, Aluminum Alloy,		
		IP65, 180 lm/W, 27,000 Lumens, 100-		
	10 X Lumineux Linacre	240v Input Voltage,		
	LED High Bay 150W 5000K Black 180lm/W	Sosen LED Driver , Black, 5.3kg, Ø360		
	Brand New In Box	x241mm, RRP		
13	Stock	£2,611.11	680	230
		10 X Lumineux Linacre LED High Bay 150W		
		5000K Black 180lm/W		
		Brand New In Box		
		Stock, Aluminum Alloy, IP65, 180 lm/W,		
		27,000 Lumens, 100-		
	10 X Lumineux Linacre	240v Input Voltage,		
	LED High Bay 150W 5000K Black 180lm/W	Sosen LED Driver, Black, 5.3kg, Ø360		
	Brand New In Box	x241mm, RRP		
14	Stock	£2,611.11	680	230
		10 X Lumineux Linacre LED High Bay 150W		
		5000K Black 180lm/W		
		Brand New In Box		
		Stock, Aluminum Alloy, IP65, 180 lm/W,		
		27,000 Lumens, 100-		
	10 X Lumineux Linacre LED High Bay 150W	240v Input Voltage, Sosen LED Driver ,		
	5000K Black 180lm/W	Black, 5.3kg, Ø360		
4.5	Brand New In Box	x241mm, RRP	600	220
15	Stock	£2,611.11 10 X Lumineux Linacre	680	230
		LED High Bay 150W		
		5000K Black 180lm/W		
		Brand New In Box Stock, Aluminum Alloy,		
		IP65, 180 lm/W,		
	40 // 1	27,000 Lumens, 100-		
	10 X Lumineux Linacre LED High Bay 150W	240v Input Voltage, Sosen LED Driver ,		
	5000K Black 180lm/W	Black, 5.3kg, Ø360		
16	Brand New In Box Stock	x241mm, RRP	680	230
10	SLUCK	£2,611.11 10 X Lumineux Linacre	080	230
		LED High Bay 150W		
		5000K Black 180lm/W Brand New In Box		
		Stock, Aluminum Alloy,		
		IP65, 180 lm/W,		
	10 X Lumineux Linacre	27,000 Lumens, 100- 240v Input Voltage,		
	LED High Bay 150W	Sosen LED Driver ,		
	5000K Black 180lm/W Brand New In Box	Black, 5.3kg, Ø360		
17	Stock	x241mm, RRP £2,611.11	680	230



	10 X Lumineux Linacre LED High Bay 150W 5000K Black 180lm/W	10 X Lumineux Linacre LED High Bay 150W 5000K Black 180Im/W Brand New In Box Stock, Aluminum Alloy, IP65, 180 Im/W, 27,000 Lumens, 100- 240v Input Voltage, Sosen LED Driver, Black, 5.3kg, Ø360		
	Brand New In Box	x241mm, RRP		
18	Stock	£2,611.11	680	230
	10 X Lumineux Linacre LED High Bay 150W 5000K Black 180lm/W	10 X Lumineux Linacre LED High Bay 150W 5000K Black 180Im/W Brand New In Box Stock, Aluminum Alloy, IP65, 180 Im/W, 27,000 Lumens, 100- 240v Input Voltage, Sosen LED Driver, Black, 5.3kg, Ø360		
	Brand New In Box	x241mm, RRP		
19	Stock	£2,611.11 10 X Lumineux Linacre	680	230
	10 X Lumineux Linacre LED High Bay 150W 5000K Black 180lm/W Brand New In Box	LED High Bay 150W 5000K Black 180lm/W Brand New In Box Stock, Aluminum Alloy, IP65, 180 lm/W, 27,000 Lumens, 100- 240v Input Voltage, Sosen LED Driver , Black, 5.3kg, Ø360 x241mm, RRP		
20	Stock	£2,611.11	680	230
	10 X Lumineux Linacre LED High Bay 150W 5000K Black 180lm/W Brand New In Box	10 X Lumineux Linacre LED High Bay 150W 5000K Black 180lm/W Brand New In Box Stock, Aluminum Alloy, IP65, 180 lm/W, 27,000 Lumens, 100- 240v Input Voltage, Sosen LED Driver , Black, 5.3kg, Ø360 x241mm, RRP		
21	Stock	£2,611.11	680	230
22	10 X Lumineux Linacre LED High Bay 150W 5000K Black 180lm/W Brand New In Box Stock	10 X Lumineux Linacre LED High Bay 150W 5000K Black 180Im/W Brand New In Box Stock, Aluminum Alloy, IP65, 180 Im/W, 27,000 Lumens, 100- 240v Input Voltage, Sosen LED Driver, Black, 5.3kg, Ø360 x241mm, RRP £2,611.11	680	230
		,	1 200	=55



j i	j i		Ī	 
		10 X Lumineux Linacre		
		LED High Bay 150W		
		5000K Black 180lm/W		
		Brand New In Box		
		Stock, Aluminum Alloy,		
		IP65, 180 lm/W,		
	10 V I Lineaus	27,000 Lumens, 100-		
	10 X Lumineux Linacre	240v Input Voltage,		
	LED High Bay 150W 5000K Black 180lm/W	Sosen LED Driver, Black, 5.3kg, Ø360		
	Brand New In Box	x241mm, RRP		
23	Stock	£2,611.11	680	230
25	Stock	9 X Lumineux Linacre	000	250
		LED High Bay 150W		
		5000K Black 180lm/W		
		Brand New In Box		
		Stock, Aluminum Alloy,		
		IP65, 180 lm/W,		
		27,000 Lumens, 100-		
	9 X Lumineux Linacre	240v Input Voltage,		
	LED High Bay 150W	Sosen LED Driver ,		
	5000K Black 180lm/W	Black, 5.3kg, Ø360		
	Brand New In Box	x241mm, RRP		
24	Stock	£2,350.00	610	200
		2 X Lumineux LED		
		Floodlight 100W 4000K		
		BlackBrand New In Box		
		Stock, Aluminium		
		Housing, IP65, 80		
		lm/W, 8000 Lumens,		
		Wide Beam Angle,		
	2 X Lumineux LED	220-240v Input		
	Floodlight 100W 4000K	Voltage, Meanwell		
	BlackBrand New In Box	Driver, 335x250x294,		
25	Stock	RRP £258.11	40	10
		2 X Lumineux LED		
		Floodlight 100W 4000K		
		BlackBrand New In Box		
		Stock, Aluminium		
		Housing, IP65, 80		
	2 V Lumin 2 LED	lm/W, 8000 Lumens,		
	2 X Lumineux LED	Wide Beam Angle,		
	Floodlight 100W 4000K	220-240v Input		
26	BlackBrand New In Box	Voltage, Meanwell	40	10
20	Stock	Driver, RRP £258.11 2 X Lumineux LED	40	10
		Floodlight 100W 4000K		
		BlackBrand New In Box		
		Stock, Aluminium		
		Housing, IP65, 80		
		lm/W, 8000 Lumens,		
	2 X Lumineux LED	Wide Beam Angle,		
	Floodlight 100W 4000K	220-240v Input		
	BlackBrand New In Box	Voltage, Meanwell		
27	Stock	Driver, RRP £258.11	40	10
	-	- , ======	<u> </u>	



30	10 X Lumineux FL100 LED Floodlight 70W 4000K BlackBrand New In Box Stock	50/60Hz, Lumineux Driver, 110° Beam Angle, 287x10x375, Epistar chips , RRP £927.68  10 X Lumineux FL100 LED Floodlight 70W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 5600 Lumens,	200	70
29	In Box Stock	£927.68  10 X Lumineux FL100 LED Floodlight 70W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 5600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC	200	70
20	10 X Lumineux FL100 LED Floodlight 70W 4000K BlackBrand New	10 X Lumineux FL100 LED Floodlight 70W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 5600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, 287x10x375, Epistar chips , RRP	200	70
28	2 X Lumineux FL100 LED Floodlight 50W 4000K BlackBrand New In Box Stock	2 X Lumineux FL100 LED Floodlight 50W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 4000 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 287 x 237 x 140, Epistar chips , RRP £86.35	20	10



10   10   10   10   10   10   10   10		10 X Lumineux FL100 LED Floodlight 70W	10 X Lumineux FL100 LED Floodlight 70W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 5600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, 287x10x375,		
10 X Lumineux FL100 LED Floodlight 70W 4000K BlackBrand New In Box Stock, Robust Alminium housing with durable powder coated finish, IP65, 80 Im/W, 5600 Lumens, 1m H05RNF 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, 287x10x375, Epistar chips , RRP E927.68 200 70  10 X Lumineux FL100 LED Floodlight 70W 4000K BlackBrand New In Box Stock 10 X Lumineux FL100 LED Floodlight 70W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 5600 Lumens, 1m H05RNF 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, 287x10x375, Epistar chips , RRP 200 70  8 X Lumineux FL100 LED Floodlight 70W 4000K BlackBrand New In Box Stock 8 X Lumineux FL100 LED Floodlight 70W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 5600 Lumens, 1m H05RNF 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, 287x10x375, Epistar chips , RRP 200 70  8 X Lumineux FL100 LED Floodlight 70W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 5600 Lumens, 1m H05RNF 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, 287x10x375, Epistar chips , RRP	27	4000K BlackBrand New	Epistar chips , RRP	200	70
LED Floodlight 70W	52	In Box Stock		200	70
### 33 ### 33 ### 34 ### 34 ### 34 ### 34 ### 34 ### 34 ### 34 ### 34 ### 34 ### 34 ### 34 ### 34 ### 34 ### 34 ### 34 ### 34 ### 35 ### 35 ### 35 ### 36 ##			LED Floodlight 70W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 5600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam		
10 X Lumineux FL100		_	_		
10 X Lumineux FL100 LED Floodlight 70W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 5600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, 287x10x375, Epistar chips , RRP £927.68 8 X Lumineux FL100 LED Floodlight 70W 4000K BlackBrand New In Box Stock 8 X Lumineux FL100 LED Floodlight 70W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 5600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Aluminium housing	33			300	70
LED Floodlight 70W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 5600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, 287x10x375, Epistar chips , RRP £927.68 200 70 8 X Lumineux FL100 LED Floodlight 70W 4000K BlackBrand New In Box Stock 8 X Lumineux FL100 LED Floodlight 70W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 5600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, 287x10x375, Epistar chips , RRP 200 70 8 X Lumineux FL100 LED Floodlight 70W 4000K BlackBrand New Un Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 5600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, 287x10x375, Epistar chips , RRP	33	In Box Stock		200	70
8 X Lumineux FL100 LED Floodlight 70W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 5600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux B X Lumineux FL100 LED Floodlight 70W Angle, 287x10x375, 4000K BlackBrand New Epistar chips , RRP	3/1	LED Floodlight 70W 4000K BlackBrand New	LED Floodlight 70W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 5600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, 287x10x375, Epistar chips, RRP	200	70
LED Floodlight 70W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 5600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux 8 X Lumineux FL100 LED Floodlight 70W 4000K BlackBrand New LED Flood Stock Epistar chips , RRP	34	In Box Stock		200	70
		LED Floodlight 70W	LED Floodlight 70W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 5600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, 287x10x375,		
	35			160	50



LED Floodlight 80W 300K BlackBrand New In Box Stock, Robust Aluminium Housing with durable powder coated finish, IP65, 80 In/W, 6400 Lumens, 1m HOSRNE* 3 core cable, 220-240V AC 50/60Hz, turnineux Driver, 110° Beam Angle, Wide Beam Angle, Wide Beam Angle, 375 x 287 x 110, Epistar chips, RRP 480.14 100 30 SX Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock Robust Aluminium housing with durable powder coated finish, IP65, 80 In/W, 6400 Lumens, 1m HOSRNE* 3 core cable, 220-240V AC 50/60Hz, turnineux Driver, 110° Beam Angle, Wide Ream Angle, Wide Ream Angle, Wide Beam Angle, Wide Beam Angle, Wide Beam Angle, 375 x 287 x 110, Epistar chips, RRP 480.14 100 30 SX Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock Robust Aluminium housing with durable powder coated finish, IP65, 80 In/W, 6400 Lumens, 1m HOSRNE* 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 In/W, 6400 Lumens, 1m HOSRNE* 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 80W 300K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 In/W, 6400 Lumens, 1m HOSRNE* 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 80W 300K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 In/W, 6400 Lumens, 1m HOSRNE* 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 80W 300K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 In/W, 6400 Lumens, 1m HOSRNE* 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam 50Hz, Lumineux Bruton Cable 200 AC 50/60Hz, Lumineux Bruton Cable	1		5 X Lumineux FL100		l I
SALumineux FLI00   LED Floodlight 80W   3000K Blackbrand New   18 Dex Stock, Robust   Aluminium housing with durable powder coated finish, IP65, 80   Im/W, 6400 Lumens, 1 m H05RNE-3 core coated, 202-240 V A C 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, 2 m and 1 m 100° M					
In Box Stock, Robust Aluminium Housing with durable powder coated finish, IP65, 80 In/W, 6400 Lumens, 1m HoSRNF 3 core cable, 220-240 V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, 2000K BlackBrand New In Box Stock Robust Aluminium housing with durable powder coated finish, IP65, 80 In/W, 6400 Lumens, 1m HoSRNF 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, 2000K BlackBrand New In Box Stock Robust Aluminium housing with durable powder coated finish, IP65, 80 In/W, 6400 Lumens, 1m HoSRNF 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, 2000K BlackBrand New In Box Stock Robust Aluminium housing with durable powder coated finish, IP65, 80 In/W, 6400 Lumens, 1m HoSRNF 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, 2000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 In/W, 6400 Lumens, 1m HoSRNF 3 core cable, 220-240V AC 50/60Hz, Lumineux FLI00 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 In/W, 6400 Lumens, 1m HoSRNF 3 core cable, 220-240V AC 50/60Hz, Lumineux FLI00 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 In/W, 6400 Lumens, 1m HoSRNF 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, 100 Individual powder coated finish, IP65, 80 In/W, 6400 Lumens, 1m HoSRNF 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, 100 Individual powder coated finish, IP65, 80 In/W, 6400 Lumens, 1m HoSRNF 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, 100 Individual			-		
Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1 m H05RN-T 3 core cable, 220-240 V AC 50/60Hz, Lumineux Driver, 110° Beam angle, 375 x 287 x 110, 2000 KB BackBrand New In Box Stock 5 x Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1 m H05RN-T 3 core cable, 220-240 V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, 375 x 287 x 110, 2000 KB BackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1 m H05RN-T 3 core cable, 220-240 V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide					
with durable powder coated finish, P65, 80 Im/W, 6400 Lumens, 1 m H058N+1 3 Core cable, 220-240V AC 50/60Hz, turnineux Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, Epistar chips, RRP 480.14 100 30 MS BackBrand New In Box Stock					
Coated finish, IP65, 80   Im/W, 5400 Lumens, 1 m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam 10, ED Floodlight 80W 3000 BlackBrand New In Box Stock 5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80   Im/W, 6400 Lumens, 1 m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam Angle, Wide Beam angle, 37s x 287 x 110, Epistar chips, RRP 480.14 100 30			_		
Im/M, 5400 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC SO/69/Hz, Lumineux Driver, 110° Beam Angle, Wide Beam Angle, Angle, Wide Beam Angle,			·		
Im H05RN-F 3 core   cable, 220-240V AC   S0/60Hz, Lumineux   Driver, 110° Beam   Angle, Wide Beam   Angle,					
S X Lumineux FLLOO   LED Floodlight 80W   3000K BlackBrand New   16 Description   100					
S X Lumineux FL100   LED Floodlight 80W   3000K BlackBrand New   In Box Stock   S X Lumineux FL100   LED Floodlight 80W   3000K BlackBrand New   In Box Stock   S X Lumineux FL100   LED Floodlight 80W   3000K BlackBrand New   In Box Stock, Robust   Aduninium housing with durable powder   coated finish, IP65, 80   Im/W, 5400 Lumens, Im HoSRN+F 3 core   cable, 220-240V AC   SO/60Hz, Lumineux PL100   LED Floodlight 80W   3000K BlackBrand New   In Box Stock, Robust   Aduninium housing with durable powder   S X Lumineux FL100   LED Floodlight 80W   3000K BlackBrand New   In Box Stock, Robust   Aduninium housing   with durable powder   Coated finish, IP65, 80   Im/W, 6400 Lumens, Im HoSRN+F 3 core   cable, 220-240V AC   SO/60Hz, Lumineux PL100   LED Floodlight 80W   3000K BlackBrand New   In Box Stock, Robust   Aduninium housing   with durable powder   coated finish, IP65, 80   Im/W, 6400 Lumens, Im HoSRN+F 3 core   cable, 220-240V AC   SO/60Hz, Lumineux   ED Floodlight 80W   Solok BlackBrand New   In Box Stock, Robust   Aduninium housing   with durable powder   Coated finish, IP65, 80   Im/W, 6400 Lumens, Im HoSRN+F 3 core   cable, 220-240V AC   SO/60Hz, Lumineux   ED Floodlight 80W   Solok BlackBrand New   In Box Stock, Robust   Aduninium housing   with durable powder   coated finish, IP65, 80   Im/W, 6400 Lumens, Im HoSRN+F 3 core   cable, 220-240V AC   SO/60Hz, Lumineux   ED Floodlight 80W   Solok BlackBrand New   In Box Stock, Robust   Aduninium housing   with durable powder   cable, 220-240V AC   SO/60Hz, Lumineux   ED Floodlight 80W   Solok BlackBrand New   In Box Stock   Robust   ED Floodlight 80W   Solok BlackBrand New   In Box Stock   Robust   ED Floodlight 80W   Solok BlackBrand New   In Box Stock   Robust   ED Floodlight 80W   Solok BlackBrand New   In Box Stock   Robust   ED Floodlight 80W   Solok BlackBrand New   In Box Stock   Robust   ED Floodlight 80W   Solok BlackBrand New   In Box Stock   Robust   ED Floodlight 80W   Solok BlackBrand New   In Box Stock   Robust   ED Floodlight 80W   Solok BlackBra			cable, 220-240V AC		
Driver, 110° Beam   Angle, Wide Beam   angle, 375 x 287 x 110, Epistar chips, RRP   100   30					
S X Lumineux FL100   LED Floodlight 80W   angle, 375 x 287 x 110, pistar chips, RRP   480.14   100   30					
LED Floodlight 80W   3000K BlackBrand New   180x Stock   5 x Lumineux FL100   LED Floodlight 80W   3000K BlackBrand New   16 x x x x x x x x x x x x x x x x x x		5 X Lumineux FL100	-		
300K BlackBrand New		LED Floodlight 80W	angle, 375 x 287 x 110,		
S X Lumineux FL100   LED Floodlight 80W   3000K BlackBrand New   In Box Stock, Robust   Aluminium housing   with durable powder   coated finish, IP65, 80   Im/W, 6400 Lumens,   Im H05RNF 3 core   cable, 220-240V AC   50/60Hz, Lumineux   Driver, 110° Beam   Angle, Wide Beam   angle, 375 x 287 x 110,   Epistar chips, RRP   2480.14   100   30   30   30   30   30   30   3		_	_		
LED Floodlight 80W   3000K BlackBrand New   In Box Stock, Robust   Aluminium housing   with durable powder   coated finish, IP65, 80   Im/W, 6400 Lumens, Im H05RN-F 3 core   cable, 220-240V AC   S0/60Hz, Lumineux   Driver, 110° Beam   Angle, Wide Beam   angle, 375 x 287 x 110, Epistar chips, RRP   E480.14   100   30	36	In Box Stock		100	30
3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IPS6, 80 Im/W, 6400 Lumens, 1 m H05RNF- 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, 2000K BlackBrand New In Box Stock Robust Aluminium housing with durable powder coated finish, IPS6, 80 Im/W, 6400 Lumens, 1 m H05RNF- 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock Robust Aluminium housing with durable powder coated finish, IPS6, 80 Im/W, 6400 Lumens, 1 m H05RNF- 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock Robust Aluminium housing with durable powder coated finish, IPS6, 80 Im/W, 6400 Lumens, 1 m H05RNF- 3 core cable, 240-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IPS6, 80 Im/W, 6400 Lumens, 1 m H05RNF- 3 core cable, 220-240V AC 50/60Hz, Lumineux FL300 LED Floodlight 80W 3000K BlackBrand New Driver, 110° Beam			5 X Lumineux FL100		
In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, Im H05RN-F 3 core cable, 220-240V AC S0/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, Epistar chips , RRP E480.14 100 30  ED Floodlight 80W 3000K BlackBrand New In Box Stock 5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, Im H05RN-F 3 core cable, 220-240V AC S0/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, Epistar chips , RRP E480.14 100 30  S X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock 5 X Lumineux Driver, 110° Beam Angle, Wide Beam Angle, Wide Beam angle, 375 x 287 x 110, Epistar chips , RRP E480.14 100 30  S X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, Im H05RN-F 3 core cable, 220-240V AC Solfolty, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, Epistar chips , RRP E480.14 100 30  S X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, Im H05RN-F 3 core cable, 220-240V AC Solfolty, Lumineux Driver, 110° Beam			LED Floodlight 80W		
Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RNF-3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, 375 x 287 x 110, Epistar chips, RRP £480.14 100 30  1			3000K BlackBrand New		
with durable powder coated finish, IP65, 80   Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam angle, 375 x 287 x 110, Epistar chips, RRP			In Box Stock, Robust		
Coated finish, IP65, 80			_		
Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, Epistar chips x 200 kBlackBrand New In Box Stock   SX Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, Epistar chips x RP Extra chips x RP Ext			•		
The HosRN-F 3 core   cable, 220-240V AC   SO/60Hz, Lumineux   Driver, 110° Beam   Angle, Wide Beam   angle, 375 x 287 x 110,   Epistar chips , RRP   f480.14   100   30			coated finish, IP65, 80		
Cable, 220-240V AC   S0/60Hz, Lumineux   Driver, 110° Beam   Angle, Wide Beam   Angle, Wide Beam   Angle, Wide Beam   Angle, Wide Beam   Angle, 375 x 287 x 110, Epistar chips , RRP   £480.14   100   30					
5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux 5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux 5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux 50/60H					
Driver, 110° Beam   Angle, Wide Beam   Aluminium housing   With durable powder   Coated finish, IP65, 80   Im/W, 6400 Lumens, 1m H05RN-F 3 core   Cable, 220-240V AC   SO/60Hz, Lumineux Driver, 110° Beam   Angle, Wide Bea					
S X Lumineux FL100   LED Floodlight 80W   3000K BlackBrand New   In Box Stock   S X Lumineux FL100   LED Floodlight 80W   3000K BlackBrand New   In Box Stock   S X Lumineux FL100   LED Floodlight 80W   3000K BlackBrand New   In Box Stock, Robust   Aluminium housing   with durable powder   coated finish, IP65, 80   Im/W, 6400 Lumens, 1 m H05RN-F 3 core   cable, 220-240V AC   50/60Hz, Lumineux   Driver, 110° Beam   Angle, Wide Beam   angle, 375 x 287 x 110, Epistar chips , RRP   480.14   100   30					
LED Floodlight 80W   3000K BlackBrand New   Epistar chips , RRP					
37   10   10   30   30   30   30   30   30			•		
37		-	_		
5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, Epistar chips , RRP 1n Box Stock  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux S0/60Hz, Lumineux Driver, 110° Beam	27			100	20
LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, Epistar chips, RRP £480.14 100 30  S X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock 5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Driver, 110° Beam	37	In Box Stock		100	30
3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, 2000K BlackBrand New In Box Stock 5x Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock 5x Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam 5x Lumineux Driver, 110° Beam 5					
In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, Epistar chips , RRP 480.14  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux 3000K BlackBrand New Jriver, 110° Beam			_		
Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, Epistar chips , RRP £480.14 100 30  S X Lumineux FL100 LED Floodlight 80W angle, 375 x 287 x 110, Epistar chips , RRP £480.14 100 30  S X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam					
with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, Epistar chips , RRP f480.14 100 30  S X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock 5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam			·		
coated finish, IP65, 80 Im/W, 6400 Lumens, 1 m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam  5 X Lumineux FL100 Angle, Wide Beam angle, 375 x 287 x 110, Epistar chips , RRP f480.14 100 30  5 X Lumineux FL100 Epistar chips , RRP f480.14 100 30  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1 m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam			_		
Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam Angle, Wide Beam Angle, Wide Beam Angle, 375 x 287 x 110, Epistar chips , RRP f480.14  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam			=		
1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, Epistar chips , RRP In Box Stock  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New Epistar chips , RRP 480.14  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC LED Floodlight 80W 3000K BlackBrand New Driver, 110° Beam					
cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, Epistar chips , RRP f480.14  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux 50/60Hz, Lumineux Driver, 110° Beam					
50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, Epistar chips , RRP f480.14  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam					
Driver, 110° Beam Angle, Wide Beam angle, 375 x 287 x 110, Epistar chips , RRP £480.14  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam			*		
5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core 5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New Driver, 110° Beam					
LED Floodlight 80W 3000K BlackBrand New In Box Stock  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux 3000K BlackBrand New Driver, 110° Beam		5 X Lumineux FL100	-		
3000K BlackBrand New In Box Stock £480.14 100 30  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam					
38 In Box Stock £480.14 100 30  5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC LED Floodlight 80W 3000K BlackBrand New Driver, 110° Beam		_	_		
LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC LED Floodlight 80W 3000K BlackBrand New Driver, 110° Beam	38	In Box Stock		100	30
LED Floodlight 80W 3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC LED Floodlight 80W 3000K BlackBrand New Driver, 110° Beam					
3000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC LED Floodlight 80W 3000K BlackBrand New Driver, 110° Beam					
In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC LED Floodlight 80W 3000K BlackBrand New Driver, 110° Beam			_		
Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core 5 X Lumineux FL100 LED Floodlight 80W 3000K BlackBrand New Driver, 110° Beam					
coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core 5 X Lumineux FL100 cable, 220-240V AC LED Floodlight 80W 50/60Hz, Lumineux 3000K BlackBrand New Driver, 110° Beam					
coated finish, IP65, 80 Im/W, 6400 Lumens, 1m H05RN-F 3 core 5 X Lumineux FL100 cable, 220-240V AC LED Floodlight 80W 50/60Hz, Lumineux 3000K BlackBrand New Driver, 110° Beam			with durable powder		
Im/W, 6400 Lumens,  1m H05RN-F 3 core  5 X Lumineux FL100 cable, 220-240V AC  LED Floodlight 80W 50/60Hz, Lumineux  3000K BlackBrand New Driver, 110° Beam					
5 X Lumineux FL100 cable, 220-240V AC LED Floodlight 80W 50/60Hz, Lumineux 3000K BlackBrand New Driver, 110° Beam					
LED Floodlight 80W 50/60Hz, Lumineux 3000K BlackBrand New Driver, 110° Beam			1m H05RN-F 3 core		
3000K BlackBrand New Driver, 110° Beam		5 X Lumineux FL100	cable, 220-240V AC		
		LED Floodlight 80W			
39   In Box Stock   Angle, Wide Beam   100   30	_				_
	39	In Box Stock	Angle, Wide Beam	100	30



ı		1	anglo 275 v 207 v 110	I	<u> </u>
			angle, 375 x 287 x 110, Epistar chips , RRP		
			£480.14		
		1 X Lumineux	1 X Lumineux		
		Covenham LED	Covenham LED		
		Tubulaire 5ft 50W	Tubulaire 5ft 50W 5000K Frosted		
		5000K Frosted			
	40	CoverBrand New In Box Stock	CoverBrand New In Box Stock,RRP £111.33		10
	70	DON STOCK	5 X Lumineux LED Post		10
			Top 100W 4000K Black		
			205 OpticBrand New In		
			Box Stock, Aluminum		
		5 X Lumineux LED Post	Alloy, IP66, 120 lm/W,		
		Top 100W 4000K Black	100-240v Input		
		205 OpticBrand New In	Voltage,205 Optic, RRP		
	41	Box Stock	£1,277.78	380	130
			5 X Lumineux LED Post		
			Top 100W 4000K Black		
			205 OpticBrand New In		
			Box Stock, Aluminum		
		5 X Lumineux LED Post	Alloy, IP66, 120 lm/W,		
		Top 100W 4000K Black 205 OpticBrand New In	100-240v Input		
	42	Box Stock	Voltage,205 Optic, RRP £1,277.78	380	130
		BOX Stock	5 X Lumineux LED Post	300	150
			Top 100W 4000K Black		
			205 OpticBrand New In		
			Box Stock, Aluminum		
		5 X Lumineux LED Post	Alloy, IP66, 120 lm/W,		
		Top 100W 4000K Black	100-240v Input		
	_	205 OpticBrand New In	Voltage,205 Optic, RRP		
	43	Box Stock	£1,277.78	380	130
			5 X Lumineux LED Post		
			Top 100W 4000K Black		
			205 OpticBrand New In		
		E V Luminouv I ED Doct	Box Stock, Aluminum Alloy, IP66, 120 lm/W,		
		5 X Lumineux LED Post Top 100W 4000K Black	100-240v Input		
		205 OpticBrand New In	Voltage,205 Optic, RRP		
	44	Box Stock	£1,277.78	380	130
			5 X Lumineux LED Post		
			Top 100W 4000K Black		
			205 OpticBrand New In		
			Box Stock, Aluminum		
		5 X Lumineux LED Post	Alloy, IP66, 120 lm/W,		
		Top 100W 4000K Black	100-240v Input		
		205 OpticBrand New In	Voltage,205 Optic, RRP	222	400
	45	Box Stock	£1,277.78	380	130



i		1	•	i	· ·
			5 X Lumineux LED Post		
			Top 100W 4000K Black		
			205 OpticBrand New In		
			Box Stock, Aluminum		
		5 X Lumineux LED Post	Alloy, IP66, 120 lm/W,		
		Top 100W 4000K Black	100-240v Input		
		205 OpticBrand New In	Voltage,205 Optic, RRP		
	46	Box Stock	£1,277.78	380	130
		BOX STOCK	5 X Lumineux LED Post	366	130
			Top 100W 4000K Black		
			205 OpticBrand New In		
			Box Stock, Aluminum		
		5 X Lumineux LED Post	Alloy, IP66, 120 lm/W,		
		Top 100W 4000K Black	100-240v Input		
		205 OpticBrand New In	Voltage,205 Optic, RRP		
	47	Box Stock	£1,277.78	380	130
			5 X Lumineux LED Post		
			Top 100W 4000K Black		
			205 OpticBrand New In		
			'		
		E V Luminou LED Da -t	Box Stock, Aluminum		
		5 X Lumineux LED Post	Alloy, IP66, 120 lm/W,		
		Top 100W 4000K Black	100-240v Input		
		205 OpticBrand New In	Voltage,205 Optic, RRP		
	48	Box Stock	£1,277.78	380	130
			1 X Lumineux		
		1 X Lumineux	Rivington LED HiRack		
		Rivington LED HiRack	120W 4000K Black 402		
		120W 4000K Black 402	Optic DALIBrand New		
		Optic DALIBrand New	In Box Stock, RRP		
	49	In Box Stock	£319.44	0	50
		III BOX STOCK			30
			10 X Lumineux Bartley		
			LED Classic Floodlight		
			80W 4000K Black 12-		
			24V DCBrand New In		
			Box Stock, Diecast		
			aluminium Body, IP65,		
		10 X Lumineux Bartley	89 lm/W, 7220		
		LED Classic Floodlight	Lumens, 1M prewired		
		80W 4000K Black 12-	2 core cable, 12-24v		
		24V DCBrand New In	DC, , Black, 395 x 285 x		
	50	Box Stock	100, RRP £1,154.61	300	100
			10 X Lumineux Bartley	230	
			•		
			LED Classic Floodlight		
			80W 4000K Black 12-		
			24V DCBrand New In		
			Box Stock, DC		
			Floodlight, IP65, 89		
		10 X Lumineux Bartley	lm/W, 7220 Lumens,		
		LED Classic Floodlight	1M prewired 2 core		
		80W 4000K Black 12-	cable, 12-24v DC,		
		24V DCBrand New In	Black, , 395 x 285 x		
	51	Box Stock	100, RRP £1,154.61	300	100
		20% 3000K	10 X Lumineux Bartley	330	100
			LED Classic Floodlight		
l			80W 4000K Black 12-		
1			1 24V/DCD	i	
			24V DCBrand New In		
		10 X Lumineux Bartley	Box Stock, DC		
		10 X Lumineux Bartley LED Classic Floodlight			
		-	Box Stock, DC Floodlight, IP65, 89		
		LED Classic Floodlight	Box Stock, DC		



		Black, , 395 x 285 x 100, RRP £1,154.61		
		10 X Lumineux Bartley		
		LED Classic Floodlight 80W 4000K Black 12-		
		24V DCBrand New In		
		Box Stock, DC		
		Floodlight, IP65, 89		
	10 X Lumineux Bartley	lm/W, 7220 Lumens,		
	LED Classic Floodlight 80W 4000K Black 12-	1M prewired 2 core cable, 12-24v DC,		
	24V DCBrand New In	Black, , 395 x 285 x		
53	Box Stock	100, RRP £1,154.61	300	100
		10 X Lumineux Bartley		
		LED Classic Floodlight		
		80W 4000K Black 12-		
		24V DCBrand New In Box Stock, DC		
		Floodlight, IP65, 89		
	10 X Lumineux Bartley	lm/W, 7220 Lumens,		
	LED Classic Floodlight	1M prewired 2 core		
	80W 4000K Black 12-	cable, 12-24v DC,		
54	24V DCBrand New In	Black, , 395 x 285 x	300	100
34	Box Stock	100, RRP £1,154.61 10 X Lumineux Bartley	300	100
		LED Classic Floodlight		
		80W 4000K Black 12-		
		24V DCBrand New In		
		Box Stock, DC		
	10 V Luminous Bootless	Floodlight, IP65, 89		
	10 X Lumineux Bartley LED Classic Floodlight	lm/W, 7220 Lumens, 1M prewired 2 core		
	80W 4000K Black 12-	cable, 12-24v DC,		
	24V DCBrand New In	Black, , 395 x 285 x		
55	Box Stock	100, RRP £1,154.61	300	100
		10 X Lumineux Bartley		
		LED Classic Floodlight 80W 4000K Black 12-		
		24V DCBrand New In		
		Box Stock, DC		
		Floodlight, IP65, 89		
	10 X Lumineux Bartley	lm/W, 7220 Lumens,		
	LED Classic Floodlight	1M prewired 2 core		
	80W 4000K Black 12- 24V DCBrand New In	cable, 12-24v DC, Black, , 395 x 285 x		
56	Box Stock	100, RRP £1,154.61	300	100



		10 X Lumineux Bartley		
		LED Classic Floodlight		
		80W 4000K Black 12-		
		24V DCBrand New In		
		Box Stock, DC		
		Floodlight, IP65, 89		
	10 X Lumineux Bartley	lm/W, 7220 Lumens,		
	LED Classic Floodlight	1M prewired 2 core		
	80W 4000K Black 12-	cable, 12-24v DC,		
	24V DCBrand New In	Black, , 395 x 285 x		
57	Box Stock	100, RRP £1,154.61	300	100
	20% GCG GK	10 X Lumineux Bartley		
		LED Classic Floodlight		
		80W 4000K Black 12-		
		24V DCBrand New In		
		Box Stock, DC		
		Floodlight, IP65, 89		
	10 X Lumineux Bartley	lm/W, 7220 Lumens,		
	LED Classic Floodlight	1M prewired 2 core		
	80W 4000K Black 12-	cable, 12-24v DC,		
	24V DCBrand New In	Black, , 395 x 285 x		
58	Box Stock	100, RRP £1,154.61	300	100
		9 X Lumineux Bartley		
		LED Classic Floodlight		
		80W 4000K Black 12-		
		24V DCBrand New In		
		Box Stock, DC		
		Floodlight, IP65, 89		
	9 X Lumineux Bartley	lm/W, 7220 Lumens,		
	LED Classic Floodlight	1M prewired 2 core		
	80W 4000K Black 12-	cable, 12-24v DC,		
	24V DCBrand New In	Black, , 395 x 285 x		
59	Box Stock	100, RRP £1,039.15	275	90
		1 X Lumineux LED		
		Harlock 450w LED		
		Floodlight 5000kBrand		
		New In Box Stock,		
		Diecast Aluminium		
		Construction, IP66,		
		141 lm/W, 63,249		
		Lumens, 1.5M H05RN-		
		F 3 core cable, 50,000		
		hours, Inventronics		
	1 X Lumineux LED	LED Driver, IK 10 Rated		
	Harlock 450w LED	Construction, 220-		
	Floodlight 5000kBrand	240V ac Input,RRP		
60	New In Box Stock	£835.23	250	80
		1 X Lumineux LED		
		Harlock 450w LED		
		Floodlight 5000kBrand		
		New In Box Stock,		
		Diecast Aluminium		
		Construction, IP66,		
		141 lm/W, 63,249		
		Lumens, 1.5M H05RN-		
		F 3 core cable, 50,000		
		hours, Inventronics		
	1 X Lumineux LED	LED Driver, IK 10 Rated		
	Harlock 450w LED	Construction, 220-		
	Floodlight 5000kBrand	240V ac Input, RRP		
61	New In Box Stock	£835.23	250	80



64	1 X Lumineux LED Harlock 450w LED Floodlight 5000kBrand New In Box Stock	LED Driver, IK 10 Rated Construction, 220- 240V ac Input, RRP £835.23  1 X Lumineux LED Harlock 450w LED Floodlight 5000kBrand New In Box Stock, Diecast Aluminium Construction, IP66,	250	80
		1 X Lumineux LED Harlock 450w LED Floodlight 5000kBrand New In Box Stock, Diecast Aluminium Construction, IP66, 141 lm/W, 63,249 Lumens, 1.5M H05RN- F 3 core cable, 50,000 hours, Inventronics		
63	1 X Lumineux LED Harlock 450w LED Floodlight 5000kBrand New In Box Stock	1 X Lumineux LED Harlock 450w LED Floodlight 5000kBrand New In Box Stock, Diecast Aluminium Construction, IP66, 141 Im/W, 63,249 Lumens, 1.5M H05RN- F 3 core cable, 50,000 hours, Inventronics LED Driver, IK 10 Rated Construction, 220- 240V ac Input,RRP £835.23	250	80
62	1 X Lumineux LED Harlock 450w LED Floodlight 5000kBrand New In Box Stock	1 X Lumineux LED Harlock 450w LED Floodlight 5000kBrand New In Box Stock, Diecast Aluminium Construction, IP66, 141 Im/W, 63,249 Lumens, 1.5M H05RN- F 3 core cable, 50,000 hours, Inventronics LED Driver, IK 10 Rated Construction, 220- 240V ac Input, RRP £835.23	250	80



1	1	1 V Luncin au LED	I	l I
		1 X Lumineux LED		
		Harlock 450w LED		
		Floodlight 5000kBrand		
		New In Box Stock,		
		Diecast Aluminium		
		Construction, IP66,		
		141 lm/W, 63,249		
		Lumens, 1.5M H05RN-		
		F 3 core cable, 50,000		
		hours, Inventronics		
	1 X Lumineux LED	LED Driver, IK 10 Rated		
	Harlock 450w LED	Construction, 220-		
	Floodlight 5000kBrand	240V ac Input, RRP		
66	New In Box Stock	£835.23	250	80
		2 X Lumineux LED		
		HiCloud 120W 1-10v		
		5000k 90DBrand New		
		In Box Stock, Robust		
		Extruded Aluminium		
		Construction , IP65,		
		145 lm/W, 17,400		
		Lumens, 1.5M H05RN-		
		F 3 core cable, 100-		
		270v Input Voltage,		
		Meanwell Driver,		
	2 X Lumineux LED	Black/Red, 90° Beam		
	HiCloud 120W 1-10v	Angle, 383 x 182,		
	5000k 90DBrand New	=		
67		Nichia Chips, IK10	80	30
07	In Box Stock	rating RRP £550	00	30
		2 X Lumineux LED		
		HiCloud 120W 1-10v		
		5000k 90DBrand New		
		In Box Stock, Robust		
		Extruded Aluminium		
		Construction , IP65,		
		145 lm/W, 17,400		
		Lumens, 1.5M H05RN-		
		F 3 core cable, 100-		
		270v Input Voltage,		
		Meanwell Driver,		
	2 X Lumineux LED	Black/Red, 90° Beam		
	HiCloud 120W 1-10v	Angle, 383 x 182,		
	5000k 90DBrand New	Nichia Chips, IK10		
68	In Box Stock	rating RRP £550	80	30
		1 X Lumineux LED		
		HiCloud 120W 1-10v		
		5000k 90DBrand New		
		In Box Stock, Robust		
		Extruded Aluminium		
		Construction , IP65,		
		145 lm/W, 17,400		
		Lumens, 1.5M H05RN-		
		F 3 core cable, 100-		
		270v Input Voltage,		
		_		
	1 V Luminauv LED	Meanwell Driver,		
	1 X Lumineux LED	Black/Red, 90° Beam		
	HiCloud 120W 1-10v	Angle, 383 x 182,		
-	5000k 90DBrand New	Nichia Chips, IK10	40	10
69	In Box Stock	rating RRP £275	40	10



		7 X Lumineux LED HiCloud Mini 70W 5000k 120DBrand New In Box Stock, Robust Extruded Aluminium Construction , IP65, 125 lm/W, 8250 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver,		
70	7 X Lumineux LED HiCloud Mini 70W 5000k 120DBrand New In Box Stock	Black/Red, 90° Beam Angle, 264 x 121.5, Nichia Chips, IK08 rating RRP £1,160.61	140	50
	5 X Lumineux LED HiCloud Mini 70W	5 X Lumineux LED HiCloud Mini 70W 5000k 120DBrand New In Box Stock, Robust Extruded Aluminium Construction , IP65, 125 Im/W, 8250 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 264 x 121.5,		
71	5000k 120DBrand New	Nichia Chips, IK08	100	30
72	5 X Lumineux LED HiCloud Mini 70W 5000k 120DBrand New In Box Stock	rating RRP £829.01  5 X Lumineux LED HiCloud Mini 70W 5000k 120DBrand New In Box Stock, Robust Extruded Aluminium Construction , IP65, 125 Im/W, 8250 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 264 x 121.5, Nichia Chips, IK08 rating RRP £829.01	100	30
	5 X Lumineux LED HiCloud Mini 70W 5000k 120DBrand New	Fating RRP £829.01  5 X Lumineux LED HiCloud Mini 70W 5000k 120DBrand New In Box Stock, Robust Extruded Aluminium Construction , IP65, 125 Im/W, 8250 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 264 x 121.5, Nichia Chips, IK08		
73	In Box Stock	rating RRP £829.01	100	30



1	1	1	1	1
		5 X Lumineux LED		
		HiCloud Mini 70W		
		5000k 120DBrand New		
		In Box Stock, Robust		
		Extruded Aluminium		
		Construction , IP65,		
		125 lm/W, 8250		
		Lumens, 1.5M H05RN-		
		F 3 core cable, 100-		
		270v Input Voltage,		
		Meanwell Driver,		
	5 X Lumineux LED	Black/Red, 90° Beam		
	HiCloud Mini 70W	Angle, 264 x 121.5,		
	5000k 120DBrand New	Nichia Chips, IK08		
74	In Box Stock	· ·	100	30
/ -	III BOX SLOCK	rating RRP £829.01	100	30
		5 X Lumineux LED		
		HiCloud Mini 70W		
		5000k 120DBrand New		
		In Box Stock, Robust		
		Extruded Aluminium		
		Construction , IP65,		
		125 lm/W, 8250		
		Lumens, 1.5M H05RN-		
		F 3 core cable, 100-		
		270v Input Voltage,		
		Meanwell Driver,		
	5 X Lumineux LED	Black/Red, 90° Beam		
	HiCloud Mini 70W	Angle, 264 x 121.5,		
	5000k 120DBrand New	Nichia Chips, IK08		
75	In Box Stock	rating RRP £829.01	100	30
		5 X Lumineux LED		
		HiCloud Mini 70W		
		5000k 120DBrand New		
		In Box Stock, Robust		
		Extruded Aluminium		
		Construction , IP65,		
		125 lm/W, 8250		
		Lumens, 1.5M H05RN-		
		F 3 core cable, 100-		
		270v Input Voltage,		
		Meanwell Driver,		
	5 X Lumineux LED	Black/Red, 90° Beam		
	HiCloud Mini 70W	Angle, 264 x 121.5,		
	5000k 120DBrand New	Nichia Chips, IK08		
76	In Box Stock	rating RRP £829.01	100	30
70	50% 5000%	5 X Lumineux LED		30
		HiCloud Mini 70W		
		5000k 120DBrand New		
		In Box Stock, Robust		
		Extruded Aluminium		
		Construction , IP65,		
		125 lm/W, 8250		
		Lumens, 1.5M H05RN-		
		F 3 core cable, 100-		
		270v Input Voltage,		
		Meanwell Driver,		
	5 X Lumineux LED	Black/Red, 90° Beam		
	HiCloud Mini 70W	Angle, 264 x 121.5,		
	5000k 120DBrand New	Nichia Chips, IK08	400	
77	In Box Stock	rating RRP £829.01	100	30



Meanwell Driver, 7 X Lumineux LED Black/Red, 90° Beam HiCloud Mini 90W Angle, 264 x 121.5,	60
5000k 120DBrand New Nichia Chips, IK10	
5 X Lumineux LED HiCloud Mini 90W 5000k 120DBrand New In Box Stock, Robust Extruded Aluminium Construction , IP65, 125 lm/W, 11,700 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, 5 X Lumineux LED HiCloud Mini 90W Angle, 264 x 121.5,	
5000k 120DBrand New Nichia Chips, IK10	40
79 In Box Stock rating RRP £789.44 120 5 X Lumineux LED	40
HiCloud Mini 90W 5000k 120DBrand New In Box Stock, Robust Extruded Aluminium Construction , IP65, 125 Im/W, 11,700 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam HiCloud Mini 90W Angle, 264 x 121.5, 5000k 120DBrand New All Drives, IK10	40
80 In Box Stock rating RRP £789.44 120  5 X Lumineux LED HiCloud Mini 90W 5000k 120DBrand New In Box Stock, Robust Extruded Aluminium Construction , IP65, 125 Im/W, 11,700 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, 5 X Lumineux LED HiCloud Mini 90W Angle, 264 x 121.5,	40
5000k 120DBrand New Nichia Chips, IK10 81 In Box Stock rating RRP £789.44 120	



	5 X Lumineux LED	5 X Lumineux LED HiCloud Mini 90W 5000k 120DBrand New In Box Stock, Robust Extruded Aluminium Construction , IP65, 125 Im/W, 11,700 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam		
82	HiCloud Mini 90W 5000k 120DBrand New In Box Stock	Angle, 264 x 121.5, Nichia Chips, IK10 rating RRP £789.44	120	40
	5 X Lumineux LED HiCloud Mini 90W	5 X Lumineux LED HiCloud Mini 90W 5000k 120DBrand New In Box Stock, Robust Extruded Aluminium Construction , IP65, 125 Im/W, 11,700 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 264 x 121.5,		
83	5000k 120DBrand New In Box Stock	Nichia Chips, IK10 rating RRP £789.44	120	40
	10 X Lumineux LED Tubulaire 60W 1500mm 100mm DC 24v 5000k TW IP67Brand New In Box	10 X Lumineux LED Tubulaire 60W 1500mm 100mm DC 24v 5000k TW IP67Brand New In Box Stock, Tough and durable Body, IP67, 100 lm/W, 6000 Lumens, , DC 24V, Frosted , White, , 1500x100x100, RRP		
84	Stock	£1,119.77	275	90
85	10 X Lumineux LED Tubulaire 60W 1500mm 100mm DC 24v 5000k TW IP67Brand New In Box Stock	10 X Lumineux LED Tubulaire 60W 1500mm 100mm DC 24v 5000k TW IP67Brand New In Box Stock, Tough and durable Body, IP67, 100 Im/W, 6000 Lumens, , DC 24V, Frosted , White, RRP £1,119.77	275	90
	10 X Lumineux LED Tubulaire 60W 1500mm 100mm DC 24v 5000k TW IP67Brand New In Box	10 X Lumineux LED Tubulaire 60W 1500mm 100mm DC 24v 5000k TW IP67Brand New In Box Stock, Tough and durable Body, IP67,		
86	Stock	100 lm/W, 6000	275	90



		Lumens, , DC 24V, Frosted , White, RRP £1,119.77		
	10 X Lumineux LED Tubulaire 60W 1500mm 100mm DC 24v 5000k TW IP67Brand New In Box	10 X Lumineux LED Tubulaire 60W 1500mm 100mm DC 24v 5000k TW IP67Brand New In Box Stock, Tough and durable Body, IP67, 100 Im/W, 6000 Lumens, , DC 24V, Frosted , White,RRP		
87	Stock	£1,119.77 10 X Lumineux LED	275	90
	10 X Lumineux LED Tubulaire 60W 1500mm 100mm DC 24v 5000k TW IP67Brand New In Box	Tubulaire 60W 1500mm 100mm DC 24v 5000k TW IP67Brand New In Box Stock, Tough and durable Body, IP67, 100 Im/W, 6000 Lumens, , DC 24V, Frosted , White, RRP		
88	Stock	£1,119.77	275	90
89	10 X Lumineux LED Tubulaire 60W 1500mm 100mm DC 24v 5000k TW IP67Brand New In Box Stock	10 X Lumineux LED Tubulaire 60W 1500mm 100mm DC 24v 5000k TW IP67Brand New In Box Stock, Tough and durable Body, IP67, 100 Im/W, 6000 Lumens, , DC 24V, Frosted , White, RRP £1,119.77	275	90
	10 X Lumineux LED Tubulaire 60W 1500mm 100mm DC	10 X Lumineux LED Tubulaire 60W 1500mm 100mm DC 24v 5000k TW IP67Brand New In Box Stock, Tough and durable Body, IP67, 100 Im/W, 6000		
	24v 5000k TW IP67Brand New In Box	Lumens, , DC 24V, Frosted , White,RRP		
90	10 X Lumineux LED Tubulaire 60W 1500mm 100mm DC 24v 5000k TW	£1,119.77  10 X Lumineux LED Tubulaire 60W 1500mm 100mm DC 24v 5000k TW IP67Brand New In Box Stock, Tough and durable Body, IP67,	275	90
91	IP67Brand New In Box Stock	100 lm/W, 6000	275	90
	JUCK	Lumens, , DC 24V,		30



		Frosted , White,RRP		
		£1,119.77		
		10 X Lumineux LED		
		Tubulaire 60W		
		1500mm 100mm DC 24v 5000k TW		
		IP67Brand New In Box		
	10 X Lumineux LED	Stock, Tough and		
	Tubulaire 60W	durable Body, IP67,		
	1500mm 100mm DC	100 lm/W, 6000		
	24v 5000k TW IP67Brand New In Box	Lumens, , DC 24V,		
92	Stock	Frosted , White,RRP £1,119.77	275	90
		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED Street Light 30W	100-270v Input Voltage, Sosen LED		
	4000K SilverBrand	Driver - Flicker Free,		
93	New In Box Stock	2.6kg, RRP £513.89	150	50
		5 X Lumineux		
		Windermere LED Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
	5 X Lumineux	4730 lumens, Flying lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
94	4000K SilverBrand New In Box Stock	Driver - Flicker Free,	150	50
34	INEW III BUX STOCK	2.6kg, RRP £513.89 5 X Lumineux	130	30
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die- cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W 4000K SilverBrand	Voltage, Sosen LED Driver - Flicker Free,		
95	New In Box Stock	2.6kg, RRP £513.89	150	50
95	New In Box Stock	2.6kg, KRP £513.89	150	50



	1	1	1	,
		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
	4000K SilverBrand	Driver - Flicker Free,		
96	New In Box Stock	2.6kg, RRP £513.89	150	50
30	New III Box Stock	5 X Lumineux	150	30
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
	4000K SilverBrand	Driver - Flicker Free,		
97	New In Box Stock	2.6kg, RRP £513.89	150	50
		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
	4000K SilverBrand	Driver - Flicker Free,		
98	New In Box Stock	2.6kg, RRP £513.89	150	50
		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
	4000K SilverBrand	Driver - Flicker Free,		
99			150	EO
99	New In Box Stock	2.6kg, RRP £513.89	150	50



		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
	4000K SilverBrand	Driver - Flicker Free,		
100	New In Box Stock	2.6kg, RRP £513.89	150	50
		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
	4000K SilverBrand	Driver - Flicker Free,		
101	New In Box Stock	2.6kg, RRP £513.89	150	50
		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
400	4000K SilverBrand	Driver - Flicker Free,	450	
102	New In Box Stock	2.6kg, RRP £513.89	150	50
		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
	E.V.L. and a second	4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
102	4000K SilverBrand	Driver - Flicker Free,	150	FO
103	New In Box Stock	2.6kg, RRP £513.89	150	50



5 X Lumineux Windermere LED Street Light 30W 4000K SilverBrand New In Box Stock, Die-	
Street Light 30W 4000K SilverBrand	
4000K SilverBrand	
New In Box Stock. Die-	
cast Aluminium Body,	
IP66, Up to 156lm/W,	
4730 lumens, Flying	
5 X Lumineux lead 1.5m H0rRN-F,	
Windermere LED 100-270v Input	
Street Light 30W Voltage, Sosen LED	
4000K SilverBrand Driver - Flicker Free,	
	50
5,	50
5 X Lumineux	
Windermere LED	
Street Light 30W	
4000K SilverBrand	
New In Box Stock, Die-	
cast Aluminium Body,	
IP66, Up to 156lm/W,	
4730 lumens, Flying	
5 X Lumineux lead 1.5m H0rRN-F,	
Windermere LED 100-270v Input	
Street Light 30W Voltage, Sosen LED	
4000K SilverBrand Driver - Flicker Free,	
105   New In Box Stock   2.6kg, RRP £513.89   150	50
5 X Lumineux	
Windermere LED	
Street Light 30W	
4000K SilverBrand	
New In Box Stock, Die-	
cast Aluminium Body,	
IP66, Up to 156lm/W,	
4730 lumens, Flying	
Windermere LED 100-270v Input	
Street Light 30W Voltage, Sosen LED	
4000K SilverBrand Driver - Flicker Free, 106 New In Box Stock 2.6kg, RRP £513.89 150	50
	JU
5 X Lumineux	
Windermere LED	
Street Light 30W	
4000K SilverBrand	
New In Box Stock, Die-	
cast Aluminium Body,	
IP66, Up to 156lm/W,	
4730 lumens, Flying	
5 X Lumineux lead 1.5m H0rRN-F,	
Windermere LED 100-270v Input	
Street Light 30W Voltage, Sosen LED	
4000K SilverBrand Driver - Flicker Free,	
	50



50
50
50
50
50
30
50



			_	
		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
	4000K SilverBrand	Driver - Flicker Free,		
112	New In Box Stock	2.6kg, RRP £513.89	150	50
		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		l		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
	4000K SilverBrand	Driver - Flicker Free,		
113	New In Box Stock	2.6kg, RRP £513.89	150	50
		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W 4000K SilverBrand	Voltage, Sosen LED		
114	New In Box Stock	Driver - Flicker Free,	150	50
114	INEW III DUX SLUCK	2.6kg, RRP £513.89	130	30
		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
	4000K SilverBrand	Driver - Flicker Free,		
115	New In Box Stock	2.6kg, RRP £513.89	150	50



		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
	4000K SilverBrand	Driver - Flicker Free,		
116	New In Box Stock	2.6kg, RRP £513.89	150	50
		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
	E.V.L	4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
117	4000K SilverBrand	Driver - Flicker Free,	150	50
11/	New In Box Stock	2.6kg, RRP £513.89	130	30
		5 X Lumineux		
		Windermere LED		
		Street Light 30W 4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body, IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
	4000K SilverBrand	Driver - Flicker Free,		
118	New In Box Stock	2.6kg, RRP £513.89	150	50
		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
	4000K SilverBrand	Driver - Flicker Free,		
119	New In Box Stock	2.6kg, RRP £513.89	150	50



		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
122	4000K SilverBrand	Driver - Flicker Free,	450	50
120	New In Box Stock	2.6kg, RRP £513.89	150	50
		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
	4000K SilverBrand	Driver - Flicker Free,		
121	New In Box Stock	2.6kg, RRP £513.89	150	50
	New III Box Stock	5 X Lumineux	130	30
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
122	4000K SilverBrand	Driver - Flicker Free,	150	F0
122	New In Box Stock	2.6kg, RRP £513.89	150	50
		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
	4000K SilverBrand	Driver - Flicker Free,		
123	New In Box Stock	2.6kg, RRP £513.89	150	50



	_			
		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	· · · · · · · · · · · · · · · · · · ·		
		100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
124	4000K SilverBrand	Driver - Flicker Free,	150	50
124	New In Box Stock	2.6kg, RRP £513.89	130	50
		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
	4000K SilverBrand	Driver - Flicker Free,		
125	New In Box Stock	2.6kg, RRP £513.89	150	50
		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
	4000K SilverBrand	Driver - Flicker Free,		
126	New In Box Stock	2.6kg, RRP £513.89	150	50
		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		•		
	E V Luminous	4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
427	4000K SilverBrand	Driver - Flicker Free,	150	F0
127	New In Box Stock	2.6kg, RRP £513.89	150	50



		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
	4000K SilverBrand	Driver - Flicker Free,		
128	New In Box Stock	2.6kg, RRP £513.89	150	50
		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
	F.V.L	4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
	4000K SilverBrand	Driver - Flicker Free,		
129	New In Box Stock	2.6kg, RRP £513.89	150	50
		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
	4000K SilverBrand	_ ·		
130	New In Box Stock	Driver - Flicker Free,	150	50
130	INEW III DUX SLUCK	2.6kg, RRP £513.89	130	50
		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
	4000K SilverBrand	Driver - Flicker Free,		
131	New In Box Stock	2.6kg, RRP £513.89	150	50



		5 X Lumineux		
		Windermere LED		
		Street Light 30W		
		4000K SilverBrand		
		New In Box Stock, Die-		
		cast Aluminium Body,		
		IP66, Up to 156lm/W,		
		4730 lumens, Flying		
	5 X Lumineux	lead 1.5m H0rRN-F,		
	Windermere LED	100-270v Input		
	Street Light 30W	Voltage, Sosen LED		
	4000K SilverBrand	Driver - Flicker Free,		
132	New In Box Stock	2.6kg, RRP £513.89	150	50
		1 X Lumineux		
		Kentmere LED HiPanel		
		II 180W 5000KBrand		
		New In Box Stock,		
		Robust Extruded		
		Aluminium		
		Construction , IP20,		
		150lm/W, 27,000		
		Lumens, 100-270v		
	1 X Lumineux	Input Voltage, Sosen		
	Kentmere LED HiPanel	LED Driver, White,		
	II 180W 5000KBrand	675x305x73, Nichia		
133	New In Box Stock	Chips, RRP £196.14	60	20
133	IVEW III DOX STOCK	1 X Lumineux		20
		Kentmere LED HiPanel		
		II 180W 5000KBrand		
		New In Box Stock,		
		Robust Extruded		
		Aluminium		
		Construction , IP20,		
		150lm/W, 27,000		
		Lumens, 100-270v		
	1 X Lumineux	Input Voltage, Sosen		
	Kentmere LED HiPanel	LED Driver, White,		
	II 180W 5000KBrand	675x305x73, Nichia		
134	New In Box Stock	Chips, RRP £196.14	60	20
		1 X Lumineux		
		Kentmere LED HiPanel		
		II 180W 5000KBrand		
		New In Box Stock,		
		Robust Extruded		
		Aluminium		
		Construction , IP20,		
		150lm/W, 27,000		
		Lumens, 100-270v		
	1 X Lumineux	Input Voltage, Sosen		
	Kentmere LED HiPanel	LED Driver, White,		
	II 180W 5000KBrand	675x305x73, Nichia		
135	New In Box Stock	Chips, RRP £196.14	60	20
133	TACAN III DOY OTOCK	Cinps, init 1130.14	1	20



126	1 X Lumineux Kentmere LED HiPanel II 180W 5000KBrand	1 X Lumineux Kentmere LED HiPanel II 180W 5000KBrand New In Box Stock, Robust Extruded Aluminium Construction , IP20, 150lm/W, 27,000 Lumens, 100-270v Input Voltage, Sosen LED Driver, White, 675x305x73, Nichia	60	20
136	New In Box Stock	Chips, RRP £196.14	60	20
		1 X Lumineux Kentmere LED HiPanel II 180W 5000KBrand New In Box Stock, Robust Extruded Aluminium Construction , IP20, 150lm/W, 27,000		
		Lumens, 100-270v		
	1 X Lumineux	Input Voltage, Sosen		
	Kentmere LED HiPanel	LED Driver, White,		
10=	II 180W 5000KBrand	675x305x73, Nichia		
137	New In Box Stock	Chips, RRP £196.14	60	20
	1 X Lumineux	1 X Lumineux Kentmere LED HiPanel II 180W 5000KBrand New In Box Stock, Robust Extruded Aluminium Construction , IP20, 150Im/W, 27,000 Lumens, 100-270v Input Voltage, Sosen		
	Kentmere LED HiPanel	LED Driver, White,		
	II 180W 5000KBrand	675x305x73, Nichia		
138	New In Box Stock	Chips, RRP £196.14	60	20
	1 X Lumineux LED Low Bay 200W 5000kBrand	1 X Lumineux LED Low Bay 200W 5000kBrand New In Box Stock, Quality Powder coated Steel Construction, IP20, 115 lm/W, 23,000 Lumens, 100D beam Angle, 220-240v Input Voltage, 1-10V Dimmable, White, Sosen driver, 708x368x120, Lumileds Luxeon 3030		
139	New In Box Stock	2Dk, RRP £257.02	50	20



1	Ī		I	l i
		1 X Lumineux LED Low		
		Bay 200W 5000kBrand		
		New In Box Stock,		
		Quality Powder coated		
		Steel Construction,		
		IP20, 115 lm/W,		
		23,000 Lumens, 100D		
		beam Angle, 220-240v		
		Input Voltage, 1-10V		
		Dimmable, White,		
		Sosen driver,		
	1 X Lumineux LED Low	708x368x120,		
	Bay 200W 5000kBrand	Lumileds Luxeon 3030		
140	New In Box Stock	2Dk, RRP £257.02	50	20
110	New III Box Stock	1 X Lumineux LED Low	30	20
		Bay 200W 5000kBrand		
		•		
		New In Box Stock,		
		Quality Powder coated		
		Steel Construction,		
		IP20, 115 lm/W,		
		23,000 Lumens, 100D		
		beam Angle, 220-240v		
		Input Voltage, 1-10V		
		Dimmable, White,		
		Sosen driver,		
	1 X Lumineux LED Low	708x368x120,		
	Bay 200W 5000kBrand	Lumileds Luxeon 3030		
141	New In Box Stock	2Dk, RRP £257.02	50	20
		1 X Lumineux LED Low		
		Bay 200W 5000kBrand		
		New In Box Stock,		
		Quality Powder coated		
		Steel Construction,		
		IP20, 115 lm/W,		
		23,000 Lumens, 100D		
		beam Angle, 220-240v		
		Input Voltage, 1-10V		
		Dimmable, White,		
		Sosen driver,		
	1 X Lumineux LED Low	708x368x120,		
	Bay 200W 5000kBrand	Lumileds Luxeon 3030		
142	New In Box Stock	2Dk, RRP £257.02	50	20
112	THE WITH BOX STOCK	1 X Lumineux LED Low	30	20
		Bay 200W 5000kBrand		
		New In Box Stock,		
		Quality Powder coated		
		Steel Construction,		
		IP20, 115 lm/W,		
		23,000 Lumens, 100D		
		beam Angle, 220-240v		
		Input Voltage, 1-10V		
		Dimmable, White,		
	4 V Lorente de 155 l	Sosen driver,		
	1 X Lumineux LED Low	708x368x120,		
1.43	Bay 200W 5000kBrand	Lumileds Luxeon 3030		30
143	New In Box Stock	2Dk, RRP £257.02	50	20



1	1	l 4 VI	I	Ī
		1 X Lumineux LED Low		
		Bay 200W 5000kBrand		
		New In Box Stock,		
		Quality Powder coated		
		Steel Construction,		
		IP20, 115 lm/W,		
		23,000 Lumens, 100D		
		beam Angle, 220-240v		
		Input Voltage, 1-10V		
		Dimmable, White,		
		Sosen driver,		
	1 X Lumineux LED Low	708x368x120,		
	Bay 200W 5000kBrand	Lumileds Luxeon 3030		
144	New In Box Stock	2Dk, RRP £257.02	50	20
	New III Box Stock	1 X Lumineux LED Low		
		Bay 200W 5000kBrand		
		·		
		New In Box Stock, Quality Powder coated		
		· ·		
		Steel Construction,		
		IP20, 115 lm/W,		
		23,000 Lumens, 100D		
		beam Angle, 220-240v		
		Input Voltage, 1-10V		
		Dimmable, White,		
		Sosen driver,		
	1 X Lumineux LED Low	708x368x120,		
	Bay 200W 5000kBrand	Lumileds Luxeon 3030		
145	New In Box Stock	2Dk, RRP £257.02	50	20
		1 X Lumineux LED Low		
		Bay 200W 5000kBrand		
		New In Box Stock,		
		Quality Powder coated		
		Steel Construction,		
		IP20, 115 lm/W,		
		23,000 Lumens, 100D		
		beam Angle, 220-240v		
		Input Voltage, 1-10V		
		Dimmable, White,		
		Sosen driver,		
	1 X Lumineux LED Low	708x368x120,		
	Bay 200W 5000kBrand	Lumileds Luxeon 3030		
146	New In Box Stock	2Dk, RRP £257.02	50	20
		1 X Lumineux LED Low		
		Bay 200W 5000kBrand		
		New In Box Stock,		
		Quality Powder coated		
		Steel Construction,		
		IP20, 115 lm/W,		
		23,000 Lumens, 100D		
		beam Angle, 220-240v		
		Input Voltage, 1-10V		
		Dimmable, White,		
	4.7/1	Sosen driver,		
	1 X Lumineux LED Low	708x368x120,		
4 4 7	Bay 200W 5000kBrand	Lumileds Luxeon 3030		3.2
147	New In Box Stock	2Dk, RRP £257.02	50	20



1		1 V I	I	Ī
		1 X Lumineux LED Low		
		Bay 200W 5000kBrand		
		New In Box Stock,		
		Quality Powder coated		
		Steel Construction,		
		IP20, 115 lm/W,		
		23,000 Lumens, 100D		
		beam Angle, 220-240v		
		Input Voltage, 1-10V		
		Dimmable, White,		
		Sosen driver,		
	1 X Lumineux LED Low	708x368x120,		
	Bay 200W 5000kBrand	Lumileds Luxeon 3030		
148	New In Box Stock	2Dk, RRP £257.02	50	20
	New III Box Stock	1 X Lumineux LED Low		
		Bay 200W 5000kBrand		
		·		
		New In Box Stock,		
		Quality Powder coated		
		Steel Construction,		
		IP20, 115 lm/W,		
		23,000 Lumens, 100D		
		beam Angle, 220-240v		
		Input Voltage, 1-10V		
		Dimmable, White,		
		Sosen driver,		
	1 X Lumineux LED Low	708x368x120,		
	Bay 200W 5000kBrand	Lumileds Luxeon 3030		
149	New In Box Stock	2Dk, RRP £257.02	50	20
		1 X Lumineux LED Low		
		Bay 200W 5000kBrand		
		New In Box Stock,		
		Quality Powder coated		
		Steel Construction,		
		IP20, 115 lm/W,		
		23,000 Lumens, 100D		
		beam Angle, 220-240v		
		Input Voltage, 1-10V		
		Dimmable, White,		
		Sosen driver,		
	1 X Lumineux LED Low	708x368x120,		
	Bay 200W 5000kBrand	Lumileds Luxeon 3030		
150	New In Box Stock	2Dk, RRP £257.02	50	20
		1 X Lumineux LED Low		
		Bay 200W 5000kBrand		
		New In Box Stock,		
		Quality Powder coated		
		Steel Construction,		
		IP20, 115 lm/W,		
		23,000 Lumens, 100D		
		beam Angle, 220-240v		
		Input Voltage, 1-10V		
		Dimmable, White,		
		Sosen driver,		
	1 X Lumineux LED Low	708x368x120,		
		-		
151	Bay 200W 5000kBrand	Lumileds Luxeon 3030	50	20
151	New In Box Stock	2Dk, RRP £257.02	1 50	20



		1 X Lumineux LED Low		
		Bay 200W 5000kBrand		
		New In Box Stock,		
		Quality Powder coated		
		Steel Construction,		
		IP20, 115 lm/W,		
		23,000 Lumens, 100D		
		beam Angle, 220-240v		
		Input Voltage, 1-10V		
		Dimmable, White,		
		Sosen driver,		
	1 X Lumineux LED Low	708x368x120,		
	Bay 200W 5000kBrand	Lumileds Luxeon 3030		
152	New In Box Stock	2Dk, RRP £257.02	50	20
	New III Box Stock	5 X Lumineux LED	30	20
		HiCover 60W 5000k		
		60x90DBrand New In		
		Box Stock, Anodised		
		Aluminium		
		Construction, IP65,		
		115 lm/W, 6900		
		Lumens, 1.5M H05RN-		
		F 3 core cable, 100-		
		270v Input Voltage,		
		-		
	- XI	Meanwell Driver,		
	5 X Lumineux LED	Black/Red,		
	HiCover 60W 5000k	575x102x305.5, Nichia		
	60x90DBrand New In	Chips, IK10 Rating; RRP		
153	Box Stock	£1,367.82	195	70
		5 X Lumineux LED		
		HiCover 60W 5000k		
		60x90DBrand New In		
		Box Stock, Anodised		
		Aluminium		
		Construction, IP65,		
		115 lm/W, 6900		
		Lumens, 1.5M H05RN-		
		F 3 core cable, 100-		
		270v Input Voltage,		
		Meanwell Driver,		
	5 X Lumineux LED	Black/Red,		
	HiCover 60W 5000k	575x102x305.5, Nichia		
	60x90DBrand New In	Chips, IK10 Rating; RRP		
154	Box Stock		195	70
134	DOX SLOCK	£1,367.82	133	70
		5 X Lumineux LED		
		HiCover 60W 5000k		
		60x90DBrand New In		
		Box Stock, Anodised		
		Aluminium		
		Construction, IP65,		
		115 lm/W, 6900		
		Lumens, 1.5M H05RN-		
		F 3 core cable, 100-		
		270v Input Voltage,		
		Meanwell Driver,		
	5 X Lumineux LED	Black/Red,		
	HiCover 60W 5000k	575x102x305.5, Nichia		
	60x90DBrand New In	Chips, IK10 Rating; RRP		
155	Box Stock	£1,367.82	195	70



	5 X Lumineux LED	5 X Lumineux LED HiCover 60W 5000k 60x90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 lm/W, 6900 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver,		
156	HiCover 60W 5000k 60x90DBrand New In Box Stock	Black/Red, 575x102x305.5, Nichia Chips, IK10 Rating; RRP £1,367.82	195	70
	5 X Lumineux LED	5 X Lumineux LED HiCover 60W 5000k 60x90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 6900 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red,		
	HiCover 60W 5000k 60x90DBrand New In	575x102x305.5, Nichia Chips, IK10 Rating; RRP		
157	Box Stock	£1,367.82	195	70
150	5 X Lumineux LED HiCover 60W 5000k 60x90DBrand New In	5 X Lumineux LED HiCover 60W 5000k 60x90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 6900 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 575x102x305.5, Nichia Chips, IK10 Rating; RRP	105	70
158	Box Stock	£1,367.82 5 X Lumineux LED	195	70
	5 X Lumineux LED HiCover 60W 5000k 60x90DBrand New In	HiCover 60W 5000k 60x90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 6900 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 575x102x305.5, Nichia Chips JK10 Rating: RRP		
159	Box Stock	Chips, IK10 Rating; RRP £1,367.82	195	70



S X Lumineux LED	I	Ī	l - v	1	1
Go.900Brand New In Box Stock, Anodised Aluminium Construction, IPS5, 115 Im/W, 6900			5 X Lumineux LED		
Box Stock, Anodised Aluminium   Construction, IPSS, 115 Im/W, 6900   Lumens, 1.5M H05RN-F 3 core cable, 1.00-270 input Voltage, Meanwell Driver, Black/Red, Black/Red, Hicover 60W 5000K 60x900Brand New In Experiment of the Construction, IPSS, 115 Im/W, 6900   Lumens, 1.5M H05RN-F 3 core cable, 1.00-270 input Voltage, Meanwell Driver, Black/Red, Blac					
Aluminium Construction, IP65, 115 Im/W, 6900 Lumens, 1.5M H05RN-F3 core cabe, 1,00- 270 Input Voltage, Meanwell Driver, Black/Red, 5 X Lumineux LED HiCover 60W 5000k 60x900Brand New In Box Stock  1160  Box Stoc					
Construction, IP65, 115 Im/N, 6900   Lumens, 1.5M H05RN-F 3 core cable, 100-270 Imput Voltage, Meanwell Driver, Black/Red, 575x102x30.55, Nichia G60x900Brand New In Box Stock   St. Lumineux LED HiCover 60W 5000k G60x900Brand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/N, 6900   Lumens, 1.5M H05RN-F 3 core cable, 100-270 Imput Voltage, Meanwell Driver, Black/Red, 575x102x30.55, Nichia G60x900Brand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/N, 6900   Lumens, 1.5M H05RN-F 3 core cable, 100-270 Imput Voltage, Meanwell Driver, Black/Red, 575x102x30.55, Nichia G60x900Brand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/N, 10350   Lumens, 1.5M H05RN-F 3 core cable, 100-270 Imput Voltage, Meanwell Driver, Black/Red, 900Brand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/N, 10350   Lumens, 1.5M H05RN-F 3 core cable, 100-270 Imput Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10 rating; RRP £1,862   280   90   HiCover 90W 5000k stock, Anodised Aluminium Construction, IP65, 115 Im/N, 10350   Lumens, 1.5M H05RN-F 3 core cable, 100-270 Imput Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10   Source able, 100-270 Imput Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10   Source able, 100-270 Imput Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10   Source able, 100-270 Imput Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10   Source able, 100-270 Imput Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10   Source able, 100-270 Imput Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10   Source able, 100-270 Imput Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10   Source able, 100-270 Imput Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10   So			Box Stock, Anodised		
115 Im/W, 6900 Lumens, 1.5M HOSRN- F 3 core cable, 100- 270 v Input Voltage, Meanwell Driver, Black/Red, 575x102x305.5, Nichia 60x90DBrand New In Box Stock  1600 Box Stock  5 X Lumineux LED HiCover 60W 5000k 60x90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 6900 Lumens, 1.5M HOSRN- F 3 core cable, 100- 270 v Input Voltage, Meanwell Driver, Black/Red, 575x102x305.5, Nichia Chips, IK10 Rating; RRP HiCover 60W 5000k 60x90DBrand New In Box Stock, Radiosed Aluminium Construction, IP65, 115 Im/W, 6900 Lumens, 1.5M HOSRN- F 3 core cable, 100- 270 v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10 Angle, 413x305x102, ST X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M HOSRN- F 3 core cable, 100- 270 v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10 Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M HOSRN- F 3 core cable, 100- 270 v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10 Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M HOSRN- F 3 core cable, 100- 270 v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10 Nichia Chips,			Aluminium		
115 Im/W, 6900   Lumens, 1.5 M HOSRN-   F 3 core cable, 100- 270 v Input Voltage, Meanwell Driver, Black/Red, 575x102x305.5, Nichia 60x90D8rand New In Box Stock   S x Lumineux LED HiCover 60W 5000k 60x90D8rand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 6900   Lumens, 1.5M HOSRN-   F 3 core cable, 100- 270 v Input Voltage, Meanwell Driver, Black/Red, 575x102x305.5, Nichia 60x90D8rand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 6900   Lumens, 1.5M HOSRN-   F 3 core cable, 100- 270 v Input Voltage, Meanwell Driver, Black/Red, 575x102x305.5, Nichia Chips, IK10 Rating; RRP			Construction, IP65,		
Lumens, 1.5M HOSRN   F 3 core cable, 100-270 input Voltage, Meanwell Driver, Black/Red, S75x102x30.5.5, Nichia G0590D8rand New in Box Stock   S 1 Lumineux LED HiCover 60W 5000k G0590D8rand New in Box Stock, Anodised Aluminium Construction, IP65, 115 lm/W, 6900 Lumens, 1.5M HOSRN-F 3 core cable, 100-270 input Voltage, Meanwell Driver, Black/Red, S75x102x30.5.5, Nichia Chips, IK10 Rating; RRP 1 195   70					
F3 core cable, 100-   270v Input Voltage, Meanwell Driver, Black/Red, S75x102x305.5, Nichia 66x900Brand New In Box Stock   S1 Lumineux LED HiCover 60W 5000k 66x90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 6900 Lumens, 1.5M H05RN-F 3 core cable, 100-   270v Input Voltage, Meanwell Driver, Black/Red, S75x102x305.5, Nichia 66x90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 6900 Lumens, 1.5M H05RN-F 3 core cable, 100-   270v Input Voltage, Meanwell Driver, Black/Red, S75x102x305.5, Nichia 66x90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN-F 3 core cable, 100-   270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10 rating; RRP E1,862   S X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN-F 3 core cable, 100-   270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10 rating; RRP E1,862   S X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN-F 3 core cable, 100-   270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10 Nichia Chips, IK1					
270v Input Voltage,   Meanwell Driver,   Black/Red,   STA102x805.5, Nichia   50x90Brand New In   160 Box Stock   STA102x805.5, Nichia   50x90Brand New In   Box Stock   STA102x805.5, Nichia   50x90Brand New In   Box Stock, Anodised   Aluminium   Construction, IP65,   115 Im/W, 6900   Lumens, 1.5M H0SRN-   F 3 core cable, 100-   270v Input Voltage,   Meanwell Driver,   Black/Red,   STA102x805.5, Nichia   60x900Brand New In   Box Stock   STA102x805.5, Nichia   60x900Brand New In   Box Stock   STA102x805.5, Nichia   60x900Brand New In Box   STA102x805.5,					
S X Lumineux LED			· ·		
S X Lumineux LED					
HiCover 60W 5000k   60x00Brand New in   Chips, IK10 Rating; RRP   £1,367.82   195   70					
Chips, IK10 Rating; RRP					
160   Box Stock		HiCover 60W 5000k	575x102x305.5, Nichia		
S X Lumineux LED		60x90DBrand New In	Chips, IK10 Rating; RRP		
HiCover 60W 5000k 60x90D8rand New in Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 6900 Lumens, 1.5M H05RN-F3 core cable, 100-270 input Voltage, Meanwell Driver, Black/Red, 5X Lumineux LED HiCover 60W 5000k 60x90D8rand New in In Stock 11,367.82 195 70   HiCover 60W 5000k 60x90D8rand New in In Box Stock 5X 5X Lumineux LED HiCover 90W 5000k 90D8rand New in Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN-F3 core cable, 100-270 input Voltage, Meanwell Driver, Black/Red, 90° Beam H10cover 90W 5000k 90D8rand New in Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN-F3 core cable, 100-270 input Voltage, Meanwell Driver, Black/Red, 90° Beam H10cover 90W 5000k 90D8rand New in Box Stock, Anodised Aluminium Construction, IP65, 15 Limineux LED HiCover 90W 5000k 90D8rand New in Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN-F3 core cable, 100-270 input Voltage, Meanwell Driver, Back/Red, 90° Beam H10cover 90W 5000k 90D8rand New in Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN-F3 core cable, 100-270 input Voltage, Meanwell Driver, Black/Red, 90° Beam H10cover 90W 5000k 90D8rand New in Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN-F3 core cable, 100-270 input Voltage, Meanwell Driver, Black/Red, 90° Beam H10cover 90W 5000k 90D8rand New in Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN-F3 core cable, 100-270 input Voltage, Meanwell Driver, Black/Red, 90° Beam H10cover 90W 5000k 90D8rand New in Box Stock Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN-F3 Core cable, 100-270 input Voltage, Meanwell Driver, Black/Red, 90° Beam H10cover 90W 5000k 90D8rand New in Box Stock Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN-F3 Core cable, 100-270 input Voltage, Meanwell Driver, Black/Red, 90° Beam H10cover 90W 5000k 90D8rand New in Box Stock Anodis	160	Box Stock	£1,367.82	195	70
HiCover 60W 5000k 60x90D8rand New in Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 6900 Lumens, 1.5M H05RN-F3 core cable, 100-270 input Voltage, Meanwell Driver, Black/Red, 5X Lumineux LED HiCover 60W 5000k 60x90D8rand New in In Stock 11,367.82 195 70   HiCover 60W 5000k 60x90D8rand New in In Box Stock 5X 5X Lumineux LED HiCover 90W 5000k 90D8rand New in Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN-F3 core cable, 100-270 input Voltage, Meanwell Driver, Black/Red, 90° Beam H10cover 90W 5000k 90D8rand New in Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN-F3 core cable, 100-270 input Voltage, Meanwell Driver, Black/Red, 90° Beam H10cover 90W 5000k 90D8rand New in Box Stock, Anodised Aluminium Construction, IP65, 15 Limineux LED HiCover 90W 5000k 90D8rand New in Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN-F3 core cable, 100-270 input Voltage, Meanwell Driver, Back/Red, 90° Beam H10cover 90W 5000k 90D8rand New in Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN-F3 core cable, 100-270 input Voltage, Meanwell Driver, Black/Red, 90° Beam H10cover 90W 5000k 90D8rand New in Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN-F3 core cable, 100-270 input Voltage, Meanwell Driver, Black/Red, 90° Beam H10cover 90W 5000k 90D8rand New in Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN-F3 core cable, 100-270 input Voltage, Meanwell Driver, Black/Red, 90° Beam H10cover 90W 5000k 90D8rand New in Box Stock Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN-F3 Core cable, 100-270 input Voltage, Meanwell Driver, Black/Red, 90° Beam H10cover 90W 5000k 90D8rand New in Box Stock Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN-F3 Core cable, 100-270 input Voltage, Meanwell Driver, Black/Red, 90° Beam H10cover 90W 5000k 90D8rand New in Box Stock Anodis					
60x90DBrand New In   Box Stock, Anodised   Aluminium   Construction, IP65,   115 Im/W, 6900   Lumens, 1.5M H05RN-  F 3 core cable, 100-  270V Input Voltage,   Meanwell Driver,   Black/Red,   575x102x305.5, Nichia   Chips, IK10 Rating; RRP   Light   Construction, IP65,   115 Im/W, 10350   Lumens, 1.5M H05RN-  F 3 core cable, 100-  270V Input Voltage,   Meanwell Driver,   Black/Red,   575x102x305.5, Nichia   Chips, IK10 Rating; RRP   Light					
Box Stock, Anodised   Aluminium   Construction, IP65,   115 Im/W, 6900   Lumens, 1.5M HOSRN-  F3 core cable, 100-  270v Input Voltage,   Meanwell Driver,   Black/Red,   575x102x305.5, Nichia   60090Brand New In   610   Stock   Stock, Anodised   Aluminium   Construction, IP65,   115 Im/W, 10350   Lumens, 1.5M HOSRN-  F3 core cable, 100-  270v Input Voltage,   Meanwell Driver,   Black/Red, 90° Beam   Angle, 413x305x102,   Modised   Aluminium   Construction, IP65,   115 Im/W, 10350   Lumens, 1.5M HOSRN-  F3 core cable, 100-  270v Input Voltage,   Meanwell Driver,   Black/Red, 90° Beam   Angle, 413x305x102,   Michia Chips, IR10   Construction, IP65,   115 Im/W, 10350   Limens, 1.5M HOSRN-  F3 core cable, 100-  270v Input Voltage,   Meanwell Driver,   Black/Red, 90° Beam   Angle, 413x305x102,   Michia Chips, IR10   Construction, IP65,   115 Im/W, 10350   Lumens, 1.5M HOSRN-  F3 core cable, 100-  270v Input Voltage,   Meanwell Driver,   Black/Red, 90° Beam   Angle, 413x305x102,   Meanwell Driver,   Black/Red, 90° Beam   Angle,					
Aluminium					
Construction, IP65, 115 Im/W, 6900   Lumens, 1.5M HOSRN-F 3 core cable, 100-270 v Input Voltage, Meanwell Driver, Black/Red, 57\$x102x305.5, Nichia 60x90DBrand New in Chips, Ik10 Rating; RRP £1,367.82 195 70			,		
115 Im/W, 6900 Lumens, 1.5M HOSRN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 5 X Lumineux LED HiCover 60W 5000k 60x90DBrand New In Box Stock  5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M HOSRN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M HOSRN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, 900Brand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M HOSRN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M HOSRN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, 900Brand New In Box North HOSRN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, 900Brand New In Box Nichia Chips, IK10					
Lumens, 1.5M HOSRN-F 3 core cable, 100-270v Input Voltage, Meanwell Driver, Black/Red, 575x102x305.5, Nichia 60x90DBrand New In Box Stock 575x102x305.5, Nichia 60x90DBrand New In Box Stock 575x10x305.5, Nichia 60x90DBrand New In Box Stock 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M HOSRN-F 3 core cable, 100-270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Algle, 413x305x102, Michia Chips, IK10 Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M HOSRN-F 3 core date, 100-270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Algle, 413x305x102, Michia Chips, IK10 Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M HOSRN-F 3 core cable, 100-270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Algle, 413x305x102, Michia Chips, IK10 Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M HOSRN-F 3 core cable, 100-270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Mochia Chips, IK10 Chips, IK10 Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M HOSRN-F 3 core cable, 100-270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Mochia Chips, IK10 Nichia Chips, IK10					
F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 575x102x305.5, Nichia 60x900Brand New In Box Stock  F 1,367.82  F 2 Lumineux LED HiCover 90W 5000k 900Brand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Alge, 413x305x102, 900Brand New In Box Stock  F 3 Lumineux LED HiCover 90W 5000k 900Brand New In Box Stock  S X Lumineux LED HiCover 90W 5000k 900Brand New In Box Stock  S X Lumineux LED HiCover 90W 5000k 900Brand New In Box Stock Stock  F 3 Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam HiCover 90W 5000k 900Brand New In Box Nichia Chips, IK10  S X Lumineux LED HiCover 90W 5000k Angle, 413x305x102, Nichia Chips, IK10					
270v Input Voltage, Meanwell Driver, Black/Red, HiCover 60W 5000k 60x90DBrand New In 161 Box Stock  575x102x305.5, Nichia Chips, IR10 Rating; RRP 1367.82  5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IR10 rating; RRP £1,862  5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock  5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock  5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock  5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam HiCover 90W 5000k 90DBrand New In Box Nichia Chips, IR10			Lumens, 1.5M H05RN-		
Meanwell Driver,   Black/Red,   S X Lumineux LED   HiCover 60W 5000k   60x90DBrand New In   Box Stock   S X Lumineux LED   HiCover 90W 5000k   90DBrand New In   Box Stock   S X Lumineux LED   HiCover 90W 5000k   90DBrand New In Box Stock, Anodised   Aluminium   Construction, IP65, 115 Im/W, 10350   Lumens, 1.5M H05RN-F 3 core cable, 100-270v Input Voltage,   Meanwell Driver,   Black/Red, 90° Beam   Angle, 413×305×102,   Nichia Chips, IK10   rating, RRP £1,862   280   90			F 3 core cable, 100-		
Meanwell Driver,   Black/Red,   S X Lumineux LED   HiCover 60W 5000k   60x90DBrand New In   Box Stock   S X Lumineux LED   HiCover 90W 5000k   90DBrand New In   Box Stock   S X Lumineux LED   HiCover 90W 5000k   90DBrand New In Box Stock, Anodised   Aluminium   Construction, IP65, 115 Im/W, 10350   Lumens, 1.5M H05RN-F 3 core cable, 100-270v Input Voltage,   Meanwell Driver,   Black/Red, 90° Beam   Angle, 413×305×102,   Nichia Chips, IK10   rating, RRP £1,862   280   90			270v Input Voltage,		
S X Lumineux LED					
HiCover 60W 5000k 60x90DBrand New In Box Stock  575x102x305.5, Nichia Chips, IK10 Rating; RRP £1,367.82  5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10 280 90  5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock  5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock  5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10		5 X Lumineux LFD	,		
161   60x90DBrand New In   80x Stock			1		
161   Box Stock   £1,367.82   195   70					
S X Lumineux LED	161		-	105	70
HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H0SRN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, 90DBrand New In Box Stock  182  Stock  Stoc	101	BOX STOCK		193	70
90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10 Stock  182  Stock  St					
Stock, Anodised   Aluminium   Construction, IP65,   115 lm/W, 10350   Lumens, 1.5M H05RN-F 3 core cable, 100-270v Input Voltage,   Meanwell Driver,   Black/Red, 90° Beam   HiCover 90W 5000k   90DBrand New In Box   Stock					
Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10 rating; RRP £1,862 280 90  5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam HiCover 90W 5000k 90DBrand New In Box Nichia Chips, IK10					
Construction, IP65, 115 Im/W, 10350			Stock, Anodised		
115 lm/W, 10350			Aluminium		
Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, 90DBrand New In Box Stock  5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock  5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, 90DBrand New In Box Nichia Chips, IK10			Construction, IP65,		
Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, 90DBrand New In Box Stock  5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock  5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, 90DBrand New In Box Nichia Chips, IK10			115 lm/W, 10350		
F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam HiCover 90W 5000k 90DBrand New In Box Stock					
270v Input Voltage,			· ·		
Meanwell Driver,   Black/Red, 90° Beam   HiCover 90W 5000k   Angle, 413x305x102,   90DBrand New In Box   Stock   Sto					
5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock  5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock  5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam HiCover 90W 5000k 90DBrand New In Box			-		
HiCover 90W 5000k 90DBrand New In Box Stock  Stock  Stock  5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10		E V Lumin and LED			
90DBrand New In Box Stock  Nichia Chips, IK10 rating; RRP £1,862  5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, 90DBrand New In Box Nichia Chips, IK10					
Stock			_		
5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, 5 X Lumineux LED HiCover 90W 5000k Angle, 413x305x102, 90DBrand New In Box Nichia Chips, IK10	100			300	00
HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, 5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Nichia Chips, IK10	182	Stock		280	90
90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, 5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Nichia Chips, IK10					
Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver,  5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box  Stock, Anodised Aluminium Construction Block, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, 90DBrand New In Box  Nichia Chips, IK10					
Aluminium Construction, IP65, 115 lm/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, 5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Nichia Chips, IK10			90DBrand New In Box		
Aluminium Construction, IP65, 115 lm/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, 5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Nichia Chips, IK10			Stock, Anodised		
Construction, IP65, 115 lm/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, 5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Nichia Chips, IK10			Aluminium		
115 lm/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, 5 X Lumineux LED Black/Red, 90° Beam HiCover 90W 5000k Angle, 413x305x102, 90DBrand New In Box Nichia Chips, IK10					
Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver,  5 X Lumineux LED Black/Red, 90° Beam HiCover 90W 5000k Angle, 413x305x102, 90DBrand New In Box Nichia Chips, IK10					
F 3 core cable, 100- 270v Input Voltage, Meanwell Driver,  5 X Lumineux LED Black/Red, 90° Beam HiCover 90W 5000k Angle, 413x305x102, 90DBrand New In Box Nichia Chips, IK10					
270v Input Voltage, Meanwell Driver,  5 X Lumineux LED Black/Red, 90° Beam HiCover 90W 5000k Angle, 413x305x102, 90DBrand New In Box Nichia Chips, IK10					
Meanwell Driver,  5 X Lumineux LED Black/Red, 90° Beam HiCover 90W 5000k Angle, 413x305x102, 90DBrand New In Box Nichia Chips, IK10			· ·		
5 X Lumineux LED Black/Red, 90° Beam HiCover 90W 5000k Angle, 413x305x102, 90DBrand New In Box Nichia Chips, IK10					
HiCover 90W 5000k Angle, 413x305x102, 90DBrand New In Box Nichia Chips, IK10					
90DBrand New In Box Nichia Chips, IK10					
		HiCover 90W 5000k	Angle, 413x305x102,		
183   Stock   rating; RRP £1,862   280   90		90DBrand New In Box	Nichia Chips, IK10		
	183	Stock	rating; RRP £1,862	280	90



		5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver,		
184	5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock	Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10 rating; RRP £1,862	280	90
	5 X Lumineux LED HiCover 90W 5000k	5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102,		
185	90DBrand New In Box	Nichia Chips, IK10	280	90
186	5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock	rating; RRP £1,862  5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10 rating; RRP £1,862	280	90
100	5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box	5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10	200	30
187	Stock	rating; RRP £1,862	280	90



400	5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box	5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10	200	
188	5 X Lumineux LED HiCover 90W 5000k	rating; RRP £1,862  5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270V Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102,	280	90
189	90DBrand New In Box Stock	Nichia Chips, IK10 rating; RRP £1,862	280	90
100	5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box	5 X Lumineux LED HiCover 90W 5000k 90DBrand New In Box Stock, Anodised Aluminium Construction, IP65, 115 Im/W, 10350 Lumens, 1.5M H05RN- F 3 core cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 413x305x102, Nichia Chips, IK10	280	an
190	3 X Lumineux Post Top LED Post Top 100W 5000K Black 205 OpticBrand New In Box	rating; RRP £1,862  3 X Lumineux Post Top LED Post Top 100W 5000K Black 205 OpticBrand New In Box Stock, Aluminum Alloy, IP66, 120 lm/W, 100- 240v Input Voltage,205	280	90
191	Stock	Optic; RRP £766.67	230	80
192	2 X Lumineux Post Top LED Post Top 100W 5000K Black 205 OpticBrand New In Box Stock	2 X Lumineux Post Top LED Post Top 100W 5000K Black 205 OpticBrand New In Box Stock, Aluminum Alloy, IP66, 120 lm/W, 100- 240v Input Voltage,205 Optic; RRP £511.11	150	50



		2 X Lumineux Post Top LED Post Top 100W		
		5000K Black 205		
	2 X Lumineux Post Top	OpticBrand New In Box		
	LED Post Top 100W	Stock, Aluminum Alloy,		
	5000K Black 205	IP66, 120 lm/W, 100-		
102	OpticBrand New In Box	240v Input Voltage,205	150	F0
193	Stock	Optic; RRP £511.11	150	50
		2 X Lumineux Post Top		
		LED Post Top 100W 5000K Black 205		
	2 V Luminoux Bost Ton	OpticBrand New In Box		
	2 X Lumineux Post Top LED Post Top 100W	Stock, Aluminum Alloy,		
	5000K Black 205	IP66, 120 lm/W, 100-		
	OpticBrand New In Box	240v Input Voltage,205		
194	Stock	Optic; RRP £511.11	150	50
	Stock	2 X Lumineux Post Top	150	30
		LED Post Top 100W		
		5000K Black 205		
	2 X Lumineux Post Top	OpticBrand New In Box		
	LED Post Top 100W	Stock, Aluminum Alloy,		
	5000K Black 205	IP66, 120 lm/W, 100-		
	OpticBrand New In Box	240v Input Voltage, 205		
195	Stock	Optic; RRP £511.11	150	50
		2 X Lumineux Post Top		
		LED Post Top 100W		
		5000K Black 205		
	2 X Lumineux Post Top	OpticBrand New In Box		
	LED Post Top 100W	Stock, Aluminum Alloy,		
	5000K Black 205	IP66, 120 lm/W, 100-		
100	OpticBrand New In Box	240v Input Voltage,205	450	50
196	Stock	Optic; RRP £511.11	150	50
		2 X Lumineux Post Top		
		LED Post Top 100W		
	2 V I	5000K Black 205		
	2 X Lumineux Post Top	OpticBrand New In Box		
	LED Post Top 100W 5000K Black 205	Stock, Aluminum Alloy,		
	OpticBrand New In Box	IP66, 120 lm/W, 100- 240v Input Voltage,205		
197	Stock	Optic; RRP £511.11	150	50
		2 X Lumineux Post Top		
		LED Post Top 100W		
		5000K Black 205		
	2 X Lumineux Post Top	OpticBrand New In Box		
	LED Post Top 100W	Stock, Aluminum Alloy,		
	5000K Black 205	IP66, 120 lm/W, 100-		
	OpticBrand New In Box	240v Input Voltage,205		
198	Stock	Optic; RRP £511.11	150	50
		2 X Lumineux Post Top		
		LED Post Top 100W		
		5000K Black 205		
	2 X Lumineux Post Top	OpticBrand New In Box		
	LED Post Top 100W	Stock, Aluminum Alloy,		
	5000K Black 205	IP66, 120 lm/W, 100-		
400	OpticBrand New In Box	240v Input Voltage,205	450	F0
199	Stock	Optic; RRP £511.11	150	50



		SensorBrand New In Box Stock, Die-cast Aluminium Body, IP65, 80 lm/W, 2400		
	13 X Lumineux Hurworth LED Die Cast	Aluminium Body, IP65,		
		80 lm/W, 2400 Lumens, 220-240v		
		Box Stock, Die-cast Aluminium Body, IP65, 80 lm/W, 2400		
		Wall Pack 30W 6000K Black Dusk-til-Dawn		
202	Stock	Optic; RRP £511.11  13 X Lumineux Hurworth LED Die Cast	150	50
	2 X Lumineux Post Top LED Post Top 100W 5000K Black 205 OpticBrand New In Box	OpticBrand New In Box Stock, Aluminum Alloy, IP66, 120 lm/W, 100- 240v Input Voltage,205		
		2 X Lumineux Post Top LED Post Top 100W 5000K Black 205		
201	2 X Lumineux Post Top LED Post Top 100W 5000K Black 205 OpticBrand New In Box Stock	5000K Black 205 OpticBrand New In Box Stock, Aluminum Alloy, IP66, 120 lm/W, 100- 240v Input Voltage,205 Optic; RRP £511.11	150	50
200	Stock	Optic; RRP £511.11  2 X Lumineux Post Top LED Post Top 100W	150	50
200	2 X Lumineux Post Top LED Post Top 100W 5000K Black 205 OpticBrand New In Box	LED Post Top 100W 5000K Black 205 OpticBrand New In Box Stock, Aluminum Alloy, IP66, 120 lm/W, 100- 240v Input Voltage,205	450	



205	Hurworth LED Die Cast Wall Pack 30W 6000K Black Dusk-til-Dawn SensorBrand New In Box Stock	Input Voltage, Lumineux, Black, Epistar, 370 x 245 x 295, IK10 rating, RRP £562.72 10 X Lumineux	150	50
	10 X Lumineux Hurworth LED Die Cast Wall Pack 30W 6000K Black Dusk-til-Dawn SensorBrand New In	Hurworth LED Die Cast Wall Pack 30W 6000K Black Dusk-til-Dawn SensorBrand New In Box Stock, Die-cast Aluminium Body, IP65, 80 Im/W, 2400 Lumens, 220-240v Input Voltage, Lumineux, Black, Epistar, 370 x 245 x 295, IK10 rating, RRP		
206	10 X Lumineux Hurworth LED Die Cast Wall Pack 30W 6000K Black Dusk-til-Dawn SensorBrand New In	£562.72  10 X Lumineux Hurworth LED Die Cast Wall Pack 30W 6000K Black Dusk-til-Dawn SensorBrand New In Box Stock, Die-cast Aluminium Body, IP65, 80 Im/W, 2400 Lumens, 220-240v Input Voltage, Lumineux, Black, Epistar, 370 x 245 x 295, IK10 rating, RRP	150	50
207	10 X Lumineux Hurworth LED Die Cast Wall Pack 30W 6000K Black Dusk-til-Dawn SensorBrand New In Box Stock	£562.72  10 X Lumineux Hurworth LED Die Cast Wall Pack 30W 6000K Black Dusk-til-Dawn SensorBrand New In Box Stock, Die-cast Aluminium Body, IP65, 80 Im/W, 2400 Lumens, 220-240v Input Voltage, Lumineux, Black, Epistar, 370 x 245 x 295, IK10 rating, RRP £562.72	150	50



10 X Lumineux Hurworth LED Die Cast Wall Pack 30W 6000K Black Dusk-til-Dawn SensorBrand New In Box Stock, Die-cast Aluminium Body, IP65, 80 Im/W, 2400 Lumens, 220-240v Hurworth LED Die Cast Wall Pack 30W 6000K  10 X Lumineux Lumens, 220-240v Input Voltage, Lumineux, Black,	
Wall Pack 30W 6000K Black Dusk-til-Dawn SensorBrand New In Box Stock, Die-cast Aluminium Body, IP65, 80 Im/W, 2400 Lumens, 220-240v Hurworth LED Die Cast Input Voltage,	
Black Dusk-til-Dawn SensorBrand New In Box Stock, Die-cast Aluminium Body, IP65, 80 Im/W, 2400 Lumens, 220-240v Hurworth LED Die Cast Input Voltage,	
Black Dusk-til-Dawn SensorBrand New In Box Stock, Die-cast Aluminium Body, IP65, 80 Im/W, 2400 Lumens, 220-240v Hurworth LED Die Cast Input Voltage,	
SensorBrand New In Box Stock, Die-cast Aluminium Body, IP65, 80 Im/W, 2400 Lumens, 220-240v Hurworth LED Die Cast Input Voltage,	
Box Stock, Die-cast Aluminium Body, IP65, 80 Im/W, 2400 Lumens, 220-240v Hurworth LED Die Cast Input Voltage,	
Aluminium Body, IP65, 80 lm/W, 2400 10 X Lumineux Lumens, 220-240v Hurworth LED Die Cast Input Voltage,	
80 lm/W, 2400 10 X Lumineux Lumens, 220-240v Hurworth LED Die Cast Input Voltage,	
10 X Lumineux Lumens, 220-240v Hurworth LED Die Cast Input Voltage,	
Hurworth LED Die Cast Input Voltage,	
Wall Fack Solv Goodk Earlineary Black,	
Black Dusk-til-Dawn Epistar, 370 x 245 x	
450	50
	<del>)</del> 0
2 X Lumineux LED	
HiCover 60W 5000k	
90DBrand New In Box	
Stock, Anodised	
Aluminium	
Construction, IP65,	
115 lm/W, 6900	
Lumens, 1.5M H05RN-	
F 3 core cable, 100-	
270v Input Voltage,	
Meanwell Driver,	
2 X Lumineux LED Black/Red, 90° Beam	
HiCover 60W 5000k Angle, 275x305.5x102,	
90DBrand New In Box Nichia Chips, IK10	
210 Stock rating; RRP £547.13 80	30
2 X Lumineux LED	
HiCover 60W 5000k	
90DBrand New In Box	
Stock, Anodised	
Aluminium	
Construction, IP65,	
115 lm/W, 6900	
Lumens, 1.5M H05RN-	
F 3 core cable, 100-	
270v Input Voltage,	
Meanwell Driver,	
2 X Lumineux LED Black/Red, 90° Beam	
HiCover 60W 5000k Angle, 275x305.5x102,	
90DBrand New In Box Nichia Chips, IK10	
	30
2 X Lumineux LED	-
HiCover 60W 5000k	
90DBrand New In Box	
Stock, Anodised	
Aluminium	
Construction, IP65,	
115 lm/W, 6900	
Lumens, 1.5M H05RN-	
F 3 core cable, 100-	
270v Input Voltage,	
Meanwell Driver,	
2 X Lumineux LED Black/Red, 90° Beam	
HiCover 60W 5000k Angle, 275x305.5x102,	
90DBrand New In Box Nichia Chips, IK10	
212   Stock   rating; RRP £547.13   80   3	30



		2 X Lumineux LED		
		HiCover 60W 5000k 90DBrand New In Box		
		Stock, Anodised		
		Aluminium		
		Construction, IP65,		
		115 lm/W, 6900		
		Lumens, 1.5M H05RN-		
		F 3 core cable, 100-		
		270v Input Voltage,		
		Meanwell Driver,		
	2 X Lumineux LED	Black/Red, 90° Beam		
	HiCover 60W 5000k	Angle, 275x305.5x102,		
	90DBrand New In Box	Nichia Chips, IK10		
213	Stock	rating; RRP £547.13	80	30
		2 X Lumineux LED		
		HiCover 60W 5000k		
		90DBrand New In Box		
		Stock, Anodised		
		Aluminium		
		Construction, IP65,		
		115 lm/W, 6900 Lumens, 1.5M H05RN-		
		F 3 core cable, 100-		
		270v Input Voltage,		
		Meanwell Driver,		
	2 X Lumineux LED	Black/Red, 90° Beam		
	HiCover 60W 5000k	Angle, 275x305.5x102,		
	90DBrand New In Box	Nichia Chips, IK10		
214	Stock	rating; RRP £547.13	80	30
		2 X Lumineux LED		
		HiCover 60W 5000k		
		90DBrand New In Box		
		Stock, Anodised		
		Aluminium		
		Construction, IP65,		
		115 lm/W, 6900		
		Lumens, 1.5M H05RN-		
		F 3 core cable, 100-		
		270v Input Voltage,		
	2 V Luminarii LED	Meanwell Driver,		
	2 X Lumineux LED HiCover 60W 5000k	Black/Red, 90° Beam Angle, 275x305.5x102,		
	90DBrand New In Box	Nichia Chips, IK10		
215	Stock	rating; RRP £547.13	80	30
		2 X Lumineux LED		
		HiCover 60W 5000k		
		90DBrand New In Box		
		Stock, Anodised		
		Aluminium		
		Construction, IP65,		
		115 lm/W, 6900		
		Lumens, 1.5M H05RN-		
		F 3 core cable, 100-		
		270v Input Voltage,		
	2 V Lumin a 155	Meanwell Driver,		
	2 X Lumineux LED HiCover 60W 5000k	Black/Red, 90° Beam		
	90DBrand New In Box	Angle, 275x305.5x102, Nichia Chips, IK10		
216	Stock	rating; RRP £547.13	80	30
	JUCK	racing, NNF E347.13	1 80	30



		_		
		2 X Lumineux LED		
		HiCover 60W 5000k		
		90DBrand New In Box		
		Stock, Anodised		
		Aluminium		
		Construction, IP65,		
		115 lm/W, 6900		
		Lumens, 1.5M H05RN-		
		F 3 core cable, 100-		
		270v Input Voltage,		
		Meanwell Driver,		
	2 X Lumineux LED	Black/Red, 90° Beam		
	HiCover 60W 5000k	Angle, 275x305.5x102,		
	90DBrand New In Box	Nichia Chips, IK10		
217	Stock	rating; RRP £547.13	80	30
		2 X Lumineux		
		Chelmarsh LED		
		HiStreet Pro 70W		
		5000k 603 Optic 60mm		
		SpigotBrand New In		
		Box Stock, Intergrated		
	2 X Lumineux	Nema socket, IP66,		
	Chelmarsh LED	130 lm/W, 9889		
	HiStreet Pro 70W			
		Lumens, Flying Lead,		
	5000k 603 Optic 60mm	100-277V AC 50/60 HZ,		
218	SpigotBrand New In	, Silver, 272 x 649 x	85	30
218	Box Stock	179; RRP £580.79	65	30
		1 X Lumineux		
		Carsington LED Sports		
		Floodlight 600W 5000K		
		Silver 10DBrand New		
		In Box Stock,		
		Impressive 81,000		
		lumen output, Up to		
		140lm/W, 10kV surge		
		protection, Input: 100 -		
	1 X Lumineux	240 Vac, 1.5m Flying		
	Carsington LED Sports	Lead, IP66 and tough		
	Floodlight 600W 5000K	IK10 rated		
	Silver 10DBrand New	construction; RRP		
219	In Box Stock	£622.22	190	60
	50% 5155%	1 X Lumineux Wilton		
		LED HiCourt II 240W		
		5000K Black		
		Asymmetric		
		OpticBrand New In Box		
		Stock, Aluminiumn		
		Construction with		
		durable powder		
		coated finish, IP66,		
		125 lm/W, 30,000		
	1 X Lumineux Wilton	Lumens, 1m H05RN-F		
	LED HiCourt II 240W	3 core cable, 100-240v		
	5000K Black	Input Voltage, Sosen		
	Asymmetric	driver, Black, Osram		
	OpticBrand New In Box	Chips, IKO8 Rating; RRP		
220	Stock	£311.03	75	30



221	1 X Lumineux LED HiCourt 200W 5000K Black 60DBrand New In Box Stock	1 X Lumineux LED HiCourt 200W 5000K Black 60DBrand New In Box Stock, Robust aluminium construction with durable poweder coated finish, IP66, >130 Im/W, 22000 Lumens, 1M H05RN-F 3 core cable, 100- 240V, Inventronics Driver, Black, 120 Beam Angle, 434.4 x 400 x 131.5, Nichia Chips, IK08 rating; RRP £383.33	75	30
	1 X Lumineux LED HiCourt 200W 5000K Black 60DBrand New	1 X Lumineux LED HiCourt 200W 5000K Black 60DBrand New In Box Stock, Robust aluminium construction with durable poweder coated finish, IP66, >130 Im/W, 22000 Lumens, 1M H05RN-F 3 core cable, 100- 240V, Inventronics Driver, Black, 120 Beam Angle, 434.4 x 400 x 131.5, Nichia Chips, IK08 rating; RRP		
222	1 X Lumineux LED HiCourt 240W 5000K Black 120DBrand New In Box Stock	f383.33  1 X Lumineux LED HiCourt 240W 5000K Black 120DBrand New In Box Stock, Robust aluminium construction with durable poweder coated finish, IP66, >130 Im/W, 26400 Lumens, 1M H05RN-F 3 core cable, 100- 240V, Inventronics Driver, Black, 120 Beam Angle, 434.4 x 400 x 131.5, Nichia Chips, IK08 rating; RRP £379.92	75	30



		1 X Lumineux Wilton		
		LED HiCourt II 200W		
		5000K Black		
		Asymmetric		
		OpticBrand New In Box		
		Stock, Aluminiumn		
		Construction with		
		durable powder		
		coated finish, IP66,		
		125 lm/W, 25,000		
		Lumens, 1m H05RN-F		
	1 X Lumineux Wilton	3 core cable, 100-240v		
	LED HiCourt II 200W	Input Voltage, Sosen		
	5000K Black	driver, Black, Osram		
	Asymmetric	Chips, 462 x 563 x 87,		
224	OpticBrand New In Box	IK08 Rating; RRP	7-	20
224	Stock	£292.72	75	30
		1 X Lumineux Wilton		
		LED HiCourt II 200W		
		5000K Black		
		Asymmetric		
		OpticBrand New In Box		
		Stock, Aluminiumn		
		Construction with		
		durable powder coated finish, IP66,		
		125 lm/W, 25,000		
		Lumens, 1m H05RN-F		
	1 X Lumineux Wilton	3 core cable, 100-240v		
	LED HiCourt II 200W	Input Voltage, Sosen		
	5000K Black	driver, Black, Osram		
	Asymmetric	Chips, 462 x 563 x 87,		
	OpticBrand New In Box	IKO8 Rating; RRP		
225	Stock	£292.72	75	30
		1 X Lumineux Wilton		
		LED HiCourt II 200W		
		5000K Black		
		Asymmetric		
		OpticBrand New In Box		
		Stock, Aluminiumn		
		Construction with		
		durable powder		
		coated finish, IP66,		
		125 lm/W, 25,000		
	1 X Lumineux Wilton	Lumens, 1m H05RN-F		
	LED HiCourt II 200W	3 core cable, 100-240v Input Voltage, Sosen		
	5000K Black	driver, Black, Osram		
	Asymmetric	Chips, 462 x 563 x 87,		
	OpticBrand New In Box	IKO8 Rating; RRP		
226	Stock	£292.72	75	30
		1 X Lumineux LED	, , ,	30
		HiCourt II 100w 4000k		
		Black		
		AsymmetricBrand New		
		In Box Stock, IP66, 130		
	1 X Lumineux LED	lm/W, 9889 Lumens,		
	HiCourt II 100w 4000k	Flying Lead, 100-277V		
	Black	AC 50/60 HZ, , Silver,		
	AsymmetricBrand New	272 x 649 x 179; RRP		I
227	In Box Stock	£207.47	50	20



		2 X Lumineux LED		
		HiCourt II 60W 5000K		
		Black Asymmetric		
		·		
		Optic & Dusk-til-Dawn		
		SensorBrand New In		
		Box Stock, Aluminiumn		
		Construction with		
		durable powder		
		coated finish, IP66,		
		125 lm/W, 10,000		
		Lumens, 1m H05RN-F		
	2 X Lumineux LED	3 core cable, 100-240V		
	HiCourt II 60W 5000K	ac, Sosen driver, Black,		
	Black Asymmetric	Osram Chips, 359 x		
	-	15		
	Optic & Dusk-til-Dawn	308 x 82, 359 x 308 x		
220	SensorBrand New In	82, IKO8 Rating; RRP	F.4	30
228	Box Stock	£306.93	54	20
		2 X Lumineux LED		
		HiCourt II 60W 5000K		
		Black Asymmetric		
		Optic & Dusk-til-Dawn		
		SensorBrand New In		
		Box Stock, Aluminiumn		
		Construction with		
		durable powder		
		coated finish, IP66,		
		125 lm/W, 1m H05RN-		
	2 X Lumineux LED	F 3 core cable, 100-		
	HiCourt II 60W 5000K	240V ac, Sosen driver,		
		· · · · · · · · · · · · · · · · · · ·		
	Black Asymmetric	Black, Osram Chips,		
	Optic & Dusk-til-Dawn	359 x 308 x 82, 359 x		
220	SensorBrand New In	308 x 82, IK08 Rating;	F.4	30
229	Box Stock	RRP £306.93	54	20
		2 X Lumineux LED		
		HiCourt II 60W 5000K		
		Black Asymmetric		
		Optic & Dusk-til-Dawn		
		SensorBrand New In		
		Box Stock, Aluminiumn		
		Construction with		
		durable powder		
		coated finish, IP66,		
		125 lm/W, 1m H05RN-		
	2 X Lumineux LED	F 3 core cable, 100-		
	HiCourt II 60W 5000K	240V ac, Sosen driver,		
	Black Asymmetric	Black, Osram Chips,		
	Optic & Dusk-til-Dawn	359 x 308 x 82, 359 x		
	SensorBrand New In	308 x 82, IK08 Rating;		
230	Box Stock	RRP £306.93	54	20
			<u> </u>	= =



	2 X Lumineux LED HiCourt II 60W 5000K Black Asymmetric	2 X Lumineux LED HiCourt II 60W 5000K Black Asymmetric Optic & Dusk-til-Dawn SensorBrand New In Box Stock, Aluminiumn Construction with durable powder coated finish, IP66, 125 Im/W, 1m H05RN- F 3 core cable, 100- 240V ac, Sosen driver, Black, Osram Chips,		
224	Optic & Dusk-til-Dawn SensorBrand New In	359 x 308 x 82, 359 x 308 x 82, IK08 Rating;	F.4	20
231	Box Stock	RRP £306.93 1 X Lumineux LED	54	20
	1 X Lumineux LED HiCourt II 60W 5000K Black Asymmetric Optic & Dusk-til-Dawn	HiCourt II 60W 5000K Black Asymmetric Optic & Dusk-til-Dawn SensorBrand New In Box Stock, Aluminiumn Construction with durable powder coated finish, IP66, 125 Im/W, , 1m H05RN-F 3 core cable, 100-240V ac, Sosen driver, Black, Osram Chips, 359 x 308 x 82,		
232	SensorBrand New In Box Stock	359 x 308 x 82, IK08 Rating; RRP £153.46	30	10
233	1 X Lumineux LED HiCourt 100W 5000K Black 120DBrand New In Box Stock	1 X Lumineux LED HiCourt 100W 5000K Black 120DBrand New In Box Stock, Robust aluminium construction with durable poweder coated finish, IP66, >130 Im/W, 13000 Lumens, 1M H05RN-F 3 core cable, 100- 240V, Inventronics Driver, Black, 120 Beam Angle, 434.4 x 400 x 131.5, Nichia Chips, IK08 rating; RRP £316.67	60	20
234	1 X Lumineux LED HiCourt 100W 5000K Black 120DBrand New In Box Stock	1 X Lumineux LED HiCourt 100W 5000K Black 120DBrand New In Box Stock, Robust aluminium construction with durable poweder coated finish, IP66, >130 lm/W, 13000 Lumens, 1M H05RN-F 3 core cable, 100- 240V, Inventronics	60	20



		Driver, Black, 120 Beam Angle, 434.4 x 400 x 131.5, Nichia Chips, IK08 rating; RRP £316.67		
		1 X Lumineux LED HiCourt 100W 5000K Black 120DBrand New In Box Stock, Robust aluminium construction with durable poweder coated finish, IP66, >130 Im/W, 13000 Lumens, 1M H05RN-F 3 core cable, 100- 240V, Inventronics Driver, Black, 120		
	1 X Lumineux LED HiCourt 100W 5000K Black 120DBrand New	Beam Angle, 434.4 x 400 x 131.5, Nichia		
235	In Box Stock	Chips, IK08 rating; RRP £316.67	60	20
	1 X Lumineux LED HiCourt 100W 5000K Black 120DBrand New	1 X Lumineux LED HiCourt 100W 5000K Black 120DBrand New In Box Stock, Robust aluminium construction with durable poweder coated finish, IP66, >130 Im/W, 13000 Lumens, 1M H05RN-F 3 core cable, 100- 240V, Inventronics Driver, Black, 120 Beam Angle, 434.4 x 400 x 131.5, Nichia Chips, IK08 rating; RRP		
236	In Box Stock	£316.67 1 X Lumineux LED	60	20
	1 X Lumineux LED HiCourt 100W 5000K	HiCourt 100W 5000K Black 120DBrand New In Box Stock, Robust aluminium construction with durable poweder coated finish, IP66, >130 lm/W, 13000 Lumens, 1M H05RN-F 3 core cable, 100- 240V, Inventronics Driver, Black, 120		
237	Black 120DBrand New In Box Stock	Beam Angle, 434.4 x 400 x 131.5, Nichia	60	20



		Chips, IKO8 rating; RRP £316.67		
		4 X Lumineux Wilton		
		LED HiCourt II 80W 5000K Black Asymmetric		
		OpticBrand New In Box Stock, Aluminiumn		
		Construction with durable powder coated finish, IP66,		
		135 lm/W, 10,800 Lumens, 1m H05RN-F		
	4 X Lumineux Wilton LED HiCourt II 80W 5000K Black	3 core cable, 100-240V ac, Sosen driver, Black,		
	Asymmetric OpticBrand New In Box	Osram Chips, 359x82x308, 359x82x308, IK08		
238	Stock	Rating; RRP £585.96 4 X Lumineux Wilton	160	50
		LED HiCourt II 80W 5000K Black		
		Asymmetric OpticBrand New In Box		
		Stock, Aluminiumn Construction with		
		durable powder coated finish, IP66, 135 lm/W, 10,800		
	4 X Lumineux Wilton	Lumens, 1m H05RN-F 3 core cable, 100-240V		
	LED HiCourt II 80W 5000K Black	ac, Sosen driver, Black, Osram Chips,		
	Asymmetric OpticBrand New In Box	359x82x308, 359x82x308, IK08		
239	Stock	Rating; RRP £585.96 4 X Lumineux Wilton	160	50
		LED HiCourt II 80W 5000K Black		
		Asymmetric OpticBrand New In Box		
		Stock, Aluminiumn Construction with		
		durable powder coated finish, IP66,		
	4 X Lumineux Wilton LED HiCourt II 80W	135 lm/W, 10,800 Lumens, 1m H05RN-F		
	5000K Black Asymmetric	3 core cable, 100-240V ac, Sosen driver, Black,		
240	OpticBrand New In Box Stock	Osram Chips, 359x82x308,	160	50



		359x82x308, IK08		
		Rating; RRP £585.96		
		4 X Lumineux Wilton		
		LED HiCourt II 80W		
		5000K Black Asymmetric		
		OpticBrand New In Box		
		Stock, Aluminiumn		
		Construction with		
		durable powder		
		coated finish, IP66, 135 lm/W, 10,800		
		Lumens, 1m H05RN-F		
	4 X Lumineux Wilton	3 core cable, 100-240V		
	LED HiCourt II 80W	ac, Sosen driver, Black,		
	5000K Black	Osram Chips,		
	Asymmetric OpticBrand New In Box	359x82x308, 359x82x308, IK08		
241	Stock	Rating; RRP £585.96	160	50
		4 X Lumineux Wilton		
		LED HiCourt II 80W		
		5000K Black		
		Asymmetric OpticBrand New In Box		
		Stock, Aluminiumn		
		Construction with		
		durable powder		
		coated finish, IP66,		
		135 lm/W, 10,800		
	4 X Lumineux Wilton	Lumens, 1m H05RN-F 3 core cable, 100-240V		
	LED HiCourt II 80W	ac, Sosen driver, Black,		
	5000K Black	Osram Chips,		
	Asymmetric	359x82x308,		
242	OpticBrand New In Box Stock	359x82x308, IK08 Rating; RRP £585.96	160	50
272	Jeografia	4 X Lumineux Wilton	100	30
		LED HiCourt II 80W		
		5000K Black		
		Asymmetric		
		OpticBrand New In Box Stock, Aluminiumn		
		Construction with		
		durable powder		
	4 X Lumineux Wilton	coated finish, IP66,		
	LED HiCourt II 80W	135 lm/W, 10,800		
	5000K Black Asymmetric	Lumens, 1m H05RN-F 3 core cable, 100-240V		
	OpticBrand New In Box	ac, Sosen driver, Black,		
243	Stock	Osram Chips,	160	50



		359x82x308, 359x82x308, IK08 Rating; RRP £585.96		
L 5	4 X Lumineux Wilton LED HiCourt II 80W 5000K Black Asymmetric OpticBrand New In Box	4 X Lumineux Wilton LED HiCourt II 80W 5000K Black Asymmetric OpticBrand New In Box Stock, Aluminiumn Construction with durable powder coated finish, IP66, 135 Im/W, 10,800 Lumens, 1m H05RN-F 3 core cable, 100-240V ac, Sosen driver, Black, Osram Chips, 359x82x308, 359x82x308, IK08		
2 L 5	4 X Lumineux Wilton LED HiCourt II 80W 5000K Black Asymmetric	Rating; RRP £585.96  4 X Lumineux Wilton LED HiCourt II 80W 5000K Black Asymmetric OpticBrand New In Box Stock, Aluminiumn Construction with durable powder coated finish, IP66, 135 Im/W, 10,800 Lumens, 1m H05RN-F 3 core cable, 100-240V ac, Sosen driver, Black, Osram Chips, 359x82x308,	160	50
245 s	OpticBrand New In Box Stock  4 X Lumineux Wilton LED HiCourt II 80W 5000K Black Asymmetric OpticBrand New In Box	359x82x308, IK08 Rating; RRP £585.96  4 X Lumineux Wilton LED HiCourt II 80W 5000K Black Asymmetric OpticBrand New In Box Stock, Aluminiumn Construction with durable powder coated finish, IP66, 135 lm/W, 10,800 Lumens, 1m H05RN-F 3 core cable, 100-240V ac, Sosen driver, Black,	160	50



		359x82x308, 359x82x308, IK08 Rating; RRP £585.96		
	4 X Lumineux Wilton LED HiCourt II 80W 5000K Black Asymmetric OpticBrand New In Box	4 X Lumineux Wilton LED HiCourt II 80W 5000K Black Asymmetric OpticBrand New In Box Stock, Aluminiumn Construction with durable powder coated finish, IP66, 135 Im/W, 10,800 Lumens, 1m H05RN-F 3 core cable, 100-240V ac, Sosen driver, Black, Osram Chips, 359x82x308, 359x82x308, IK08		
247	3 X Lumineux Wilton LED HiCourt II 80W 5000K Black Asymmetric	Rating; RRP £585.96  3 X Lumineux Wilton LED HiCourt II 80W 5000K Black Asymmetric OpticBrand New In Box Stock, Aluminiumn Construction with durable powder coated finish, IP66, 135 Im/W, 10,800 Lumens, 1m H05RN-F 3 core cable, 100-240V ac, Sosen driver, Black, Osram Chips, 359x82x308,	160	50
248	OpticBrand New In Box Stock  2 X Lumineux Wilton LED HiCourt II 180W 5000K Black Asymmetric OpticBrand New In Box	359x82x308, IK08 Rating; RRP £439.47  2 X Lumineux Wilton LED HiCourt II 180W 5000K Black Asymmetric OpticBrand New In Box Stock, Aluminiumn Construction with durable powder coated finish, IP66, 135 Im/W, 24,300 Lumens, 1m H05RN-F 3 core cable, 100-240V ac, Sosen driver, Black,	120	40
249	OpticBrand New In Box Stock	ac, Sosen driver, Black, Osram Chips,	150	50



		462x87x452, 462x87x452, IK08 Rating; RRP £564.56		
	2 X Lumineux Wilton LED HiCourt II 180W 5000K Black Asymmetric	2 X Lumineux Wilton LED HiCourt II 180W 5000K Black Asymmetric OpticBrand New In Box Stock, Aluminiumn Construction with durable powder coated finish, IP66, 135 lm/W, 24,300 Lumens, 1m H05RN-F 3 core cable, 100-240V ac, Sosen driver, Black, Osram Chips, 462x87x452,		
250	OpticBrand New In Box Stock	462x87x452, IK08 Rating; RRP £564.56	150	50
	2 X Lumineux Wilton LED HiCourt II 180W 5000K Black Asymmetric OpticBrand New In Box	2 X Lumineux Wilton LED HiCourt II 180W 5000K Black Asymmetric OpticBrand New In Box Stock, Aluminiumn Construction with durable powder coated finish, IP66, 135 Im/W, 24,300 Lumens, 1m H05RN-F 3 core cable, 100-240V ac, Sosen driver, Black, Osram Chips, 462x87x452, 462x87x452, IK08		
251	Stock Stock	Rating; RRP £564.56  2 X Lumineux Wilton	150	50
	2 X Lumineux Wilton LED HiCourt II 180W 5000K Black Asymmetric	LED HiCourt II 180W 5000K Black Asymmetric OpticBrand New In Box Stock, Aluminiumn Construction with durable powder coated finish, IP66, 135 Im/W, 24,300 Lumens, 1m H05RN-F 3 core cable, 100-240V		
252	OpticBrand New In Box Stock	ac, Sosen driver, Black, Osram Chips,	150	50



			462x87x452, IK08		
			Rating, ; RRP £564.56		
ŀ			2 V Luncin cuu Milton		
			2 X Lumineux Wilton		
			LED HiCourt II 180W		
			5000K Black		
			Asymmetric		
			OpticBrand New In Box		
			Stock, Aluminiumn		
			Construction with		
			durable powder		
			coated finish, IP66,		
			135 lm/W, 24,300		
		2 X Lumineux Wilton	Lumens, 1m H05RN-F		
		LED HiCourt II 180W	3 core cable, 100-240V		
		5000K Black	ac, Sosen driver, Black,		
		Asymmetric	Osram Chips,		
		OpticBrand New In Box	462x87x452, IK08		
	253	Stock	Rating, ; RRP £564.56	150	50
İ			2 X Lumineux Wilton		
			LED HiCourt II 180W		
			5000K Black		
			Asymmetric		
			OpticBrand New In Box		
			Stock, Aluminiumn		
			Construction with		
			durable powder		
			coated finish, IP66,		
			135 lm/W, 24,300		
		2 V Luminouv Wilton			
		2 X Lumineux Wilton	Lumens, 1m H05RN-F		
		LED HiCourt II 180W	3 core cable, 100-240V		
		5000K Black	ac, Sosen driver, Black,		
		Asymmetric	Osram Chips,		
	254	OpticBrand New In Box	462x87x452, IK08	150	F0
ŀ	254	Stock	Rating, ; RRP £564.56	150	50
			2 X Lumineux Wilton		
			LED HiCourt II 180W		
			5000K Black		
			Asymmetric		
			OpticBrand New In Box		
			Stock, Aluminiumn		
			Construction with		
			durable powder		
			coated finish, IP66,		
			135 lm/W, 24,300		
		2 X Lumineux Wilton	Lumens, 1m H05RN-F		
		LED HiCourt II 180W	3 core cable, 100-240V		
		5000K Black	ac, Sosen driver, Black,		
		Asymmetric	Osram Chips,		
		OpticBrand New In Box	462x87x452, IK08		
	255	Stock	Rating, ; RRP £564.56	150	50
L		i	<u> </u>	t	



i	l i	lavi i um	1	1
		2 X Lumineux Wilton		
		LED HiCourt II 180W		
		5000K Black		
		Asymmetric		
		OpticBrand New In Box		
		Stock, Aluminiumn		
		Construction with		
		durable powder		
		coated finish, IP66,		
		135 lm/W, 24,300		
	2 X Lumineux Wilton			
		Lumens, 1m H05RN-F		
	LED HiCourt II 180W	3 core cable, 100-240V		
	5000K Black	ac, Sosen driver, Black,		
	Asymmetric	Osram Chips,		
0=6	OpticBrand New In Box	462x87x452, IK08		
256	Stock	Rating, ; RRP £564.56	150	50
		2 X Lumineux Wilton		
		LED HiCourt II 180W		
		5000K Black		
		Asymmetric		
		OpticBrand New In Box		
		Stock, Aluminiumn		
		Construction with		
		durable powder		
		coated finish, IP66,		
		135 lm/W, 24,300		
	2 X Lumineux Wilton	Lumens, 1m H05RN-F		
	LED HiCourt II 180W	3 core cable, 100-240V		
	5000K Black	ac, Sosen driver, Black,		
	Asymmetric	Osram Chips,		
	OpticBrand New In Box	462x87x452, IK08		
257	Stock	Rating, ; RRP £564.56	150	50
		2 X Lumineux Wilton		
		LED HiCourt II 180W		
		5000K Black		
		Asymmetric		
		OpticBrand New In Box		
		•		
		Stock, Aluminiumn		
		Construction with		
		durable powder		
		coated finish, IP66,		
		135 lm/W, 24,300		
	2 X Lumineux Wilton	Lumens, 1m H05RN-F		
	LED HiCourt II 180W	3 core cable, 100-240V		
	5000K Black	ac, Sosen driver, Black,		
	Asymmetric	Osram Chips,		
	OpticBrand New In Box	462x87x452, IK08		
258	Stock	Rating, ; RRP £564.56	150	50
		2 X Lumineux Wilton		
		LED HiCourt II 180W		
		5000K Black		
		Asymmetric		
		OpticBrand New In Box		
		Stock, Aluminiumn		
		Construction with		
	2 X Lumineux Wilton	durable powder		
	LED HiCourt II 180W	coated finish, IP66,		
	5000K Black	135 lm/W, 24,300		
	Asymmetric	Lumens, 1m H05RN-F		
	OpticBrand New In Box	3 core cable, 100-240V		
259	Stock	ac, Sosen driver, Black,	150	50
	JUUCK	ac, Joseff arriver, Diack,	130	50



		Osram Chips,		
		462x87x452, IK08		
		Rating, ; RRP £564.56		
		3, ,		
		2 X Lumineux Wilton		
		LED HiCourt II 180W		
		5000K Black		
		Asymmetric		
		OpticBrand New In Box		
		-		
		Stock, Aluminiumn		
		Construction with		
		durable powder		
		coated finish, IP66,		
		135 lm/W, 24,300		
	2 X Lumineux Wilton	Lumens, 1m H05RN-F		
	LED HiCourt II 180W	3 core cable, 100-240V		
	5000K Black	ac, Sosen driver, Black,		
	Asymmetric	Osram Chips,		
	OpticBrand New In Box	462x87x452, IK08		
260	Stock	Rating, ; RRP £564.56	150	50
	Stock	2 X Lumineux Wilton		
		LED HiCourt II 180W		
		5000K Black		
		Asymmetric		
		OpticBrand New In Box		
		Stock, Aluminiumn		
		Construction with		
		durable powder		
		coated finish, IP66,		
		135 lm/W, 24,300		
	2 X Lumineux Wilton	Lumens, 1m H05RN-F		
	LED HiCourt II 180W	3 core cable, 100-240V		
	5000K Black	ac, Sosen driver, Black,		
	Asymmetric	Osram Chips,		
	OpticBrand New In Box	462x87x452, IK08		
261	Stock	Rating, ; RRP £564.56	150	50
	- /	2 X Lumineux Wilton		
		LED HiCourt II 180W		
		5000K Black		
		Asymmetric		
		OpticBrand New In Box		
		Stock, Aluminiumn		
		Construction with		
		durable powder		
		coated finish, IP66,		
		135 lm/W, 24,300		
	2 X Lumineux Wilton	Lumens, 1m H05RN-F		
	LED HiCourt II 180W	3 core cable, 100-240V		
	5000K Black	ac, Sosen driver, Black,		
	Asymmetric	Osram Chips,		
	OpticBrand New In Box	462x87x452, IK08		
262	Stock	Rating, ; RRP £564.56	150	50
202	JUCK	natilig, , nnr 1304.30	130	30



263	2 X Lumineux Wilton LED HiCourt II 180W 5000K Black Asymmetric OpticBrand New In Box Stock	2 X Lumineux Wilton LED HiCourt II 180W 5000K Black Asymmetric OpticBrand New In Box Stock, Aluminiumn Construction with durable powder coated finish, IP66, 135 lm/W, 24,300 Lumens, 1m H05RN-F 3 core cable, 100-240V ac, Sosen driver, Black, Osram Chips, 462x87x452, IK08 Rating, ; RRP £564.56	150	50
203	Stock	2 X Lumineux Wilton LED HiCourt II 180W	130	30
		5000K Black		
		Asymmetric OpticBrand New In Box		
		Stock, Aluminiumn		
		Construction with		
		durable powder coated finish, IP66,		
		135 lm/W, 24,300		
	2 X Lumineux Wilton LED HiCourt II 180W	Lumens, 1m H05RN-F 3 core cable, 100-240V		
	5000K Black	ac, Sosen driver, Black,		
	Asymmetric OpticBrand New In Box	Osram Chips, 462x87x452, IK08		
264	Stock	Rating, ; RRP £564.56	150	50
		2 X Lumineux Wilton		
		LED HiCourt II 180W 5000K Black		
		Asymmetric		
		OpticBrand New In Box Stock, Aluminiumn		
		Construction with		
		durable powder		
		coated finish, IP66, 135 lm/W, 24,300		
	2 X Lumineux Wilton	Lumens, 1m H05RN-F		
	LED HiCourt II 180W	3 core cable, 100-240V		
	5000K Black Asymmetric	ac, Sosen driver, Black, Osram Chips,		
	OpticBrand New In Box	462x87x452, IK08		
265	Stock	Rating, ; RRP £564.56 2 X Lumineux Wilton	150	50
		LED HiCourt II 180W		
		5000K Black		
		Asymmetric OpticBrand New In Box		
		Stock, Aluminiumn		
	2 X Lumineux Wilton	Construction with durable powder		
	LED HiCourt II 180W	coated finish, IP66,		
	5000K Black	135 lm/W, 24,300		
	Asymmetric OpticBrand New In Box	Lumens, 1m H05RN-F 3 core cable, 100-240V		
266	Stock	ac, Sosen driver, Black,	150	50



		_		
		Osram Chips,		
		462x87x452, IK08		
		Rating, ; RRP £564.56		
		<b>G</b> , ,		
		2 X Lumineux Wilton		
		LED HiCourt II 180W		
		5000K Black		
		Asymmetric		
		OpticBrand New In Box		
		Stock, Aluminiumn		
		Construction with		
		durable powder		
		coated finish, IP66,		
		135 lm/W, 24,300		
	2 X Lumineux Wilton	Lumens, 1m H05RN-F		
	LED HiCourt II 180W	3 core cable, 100-240V		
	5000K Black	ac, Sosen driver, Black,		
	Asymmetric	Osram Chips,		
	OpticBrand New In Box	462x87x452, IK08		
267	Stock	Rating, ; RRP £564.56	150	50
		2 X Lumineux Wilton		
		LED HiCourt II 180W		
		5000K Black		
		Asymmetric		
		OpticBrand New In Box		
		Stock, Aluminiumn		
		Construction with		
		durable powder		
		coated finish, IP66,		
	2 1/1 1 1/2	135 lm/W, 24,300		
	2 X Lumineux Wilton	Lumens, 1m H05RN-F		
	LED HiCourt II 180W	3 core cable, 100-240V		
	5000K Black	ac, Sosen driver, Black,		
	Asymmetric	Osram Chips,		
	OpticBrand New In Box	462x87x452, IK08		
268	Stock	Rating, ; RRP £564.56	150	50
		2 X Lumineux Wilton		
		LED HiCourt II 180W		
		5000K Black		
		Asymmetric		
		OpticBrand New In Box		
		Stock, Aluminiumn		
		Construction with		
		durable powder		
		coated finish, IP66,		
		135 lm/W, 24,300		
	2 X Lumineux Wilton			
		Lumens, 1m H05RN-F		
	LED HiCourt II 180W	3 core cable, 100-240V		
	5000K Black	ac, Sosen driver, Black,		
	Asymmetric	Osram Chips,		
200	OpticBrand New In Box	462x87x452, IK08	450	50
269	Stock	Rating, ; RRP £564.56	150	50



270	2 X Lumineux Wilton LED HiCourt II 180W 5000K Black Asymmetric OpticBrand New In Box Stock	2 X Lumineux Wilton LED HiCourt II 180W 5000K Black Asymmetric OpticBrand New In Box Stock, Aluminiumn Construction with durable powder coated finish, IP66, 135 lm/W, 24,300 Lumens, 1m H05RN-F 3 core cable, 100-240V ac, Sosen driver, Black, Osram Chips, 462x87x452, IK08 Rating : RRP £564 56	150	50
270	SLUCK	Rating, ; RRP £564.56 2 X Lumineux Wilton	130	30
	2 X Lumineux Wilton LED HiCourt II 180W 5000K Black	LED HiCourt II 180W 5000K Black Asymmetric OpticBrand New In Box Stock, Aluminiumn Construction with durable powder coated finish, IP66, 135 lm/W, 24,300 Lumens, 1m H05RN-F 3 core cable, 100-240V ac, Sosen driver, Black,		
	Asymmetric OpticBrand New In Box	Osram Chips, 462x87x452, IK08		
271	Stock	Rating, ; RRP £564.56 2 X Lumineux Wilton	150	50
272	2 X Lumineux Wilton LED HiCourt II 180W 5000K Black Asymmetric OpticBrand New In Box Stock	LED HiCourt II 180W 5000K Black Asymmetric OpticBrand New In Box Stock, Aluminiumn Construction with durable powder coated finish, IP66, 135 Im/W, 24,300 Lumens, 1m H05RN-F 3 core cable, 100-240V ac, Sosen driver, Black, Osram Chips, 462x87x452, IK08 Rating, ; RRP £564.56	150	50
2,72	COOK	2 X Lumineux Wilton	130	30
	2 X Lumineux Wilton LED HiCourt II 180W 5000K Black Asymmetric OpticBrand New In Box	LED HiCourt II 180W 5000K Black Asymmetric OpticBrand New In Box Stock, Aluminiumn Construction with durable powder coated finish, IP66, 135 lm/W, 24,300 Lumens, 1m H05RN-F 3 core cable, 100-240V		
273	Stock	ac, Sosen driver, Black,	150	50



		Osram Chips, 462x87x452, IK08 Rating, ; RRP £564.56		
		1 X Lumineux Wilton LED HiCourt II 180W 5000K Black Asymmetric OpticBrand New In Box Stock, Aluminiumn Construction with durable powder coated finish, IP66,		
274	1 X Lumineux Wilton LED HiCourt II 180W 5000K Black Asymmetric OpticBrand New In Box Stock	135 lm/W, 24,300 Lumens, 1m H05RN-F 3 core cable, 100-240V ac, Sosen driver, Black, Osram Chips, 462x87x452, IK08 Rating, ; RRP £282.28	75	30
275	10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New	Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 595x595x10, >UGR19;	130	40
	10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New	RRP £561.11  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 595x595x10, >UGR19;		
276	10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New	RRP £561.11  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying lead, 220-240V AC	130	40
277		50/60 HZ, GreenSo,	130	40



		White, 85D,		
		595x595x10, >UGR19; RRP £561.11		
		10 X Lumineux		
		Chelburn LED Panel		
		600x600 TP (a) UGR		
		28W 6000KBrand New		
		In Box Stock, LED		
		panel, IP40, 120 lm/W,		
		3327 lumens, Flying		
	10 X Lumineux	lead, 220-240V AC		
	Chelburn LED Panel	50/60 HZ, GreenSo,		
	600x600 TP (a) UGR	White, 85D,		
370	28W 6000KBrand New	595x595x10, >UGR19;	430	40
278	In Box Stock	RRP £561.11	130	40
		10 X Lumineux		
		Chelburn LED Panel		
		600x600 TP (a) UGR 28W 6000KBrand New		
		In Box Stock, LED		
		panel, IP40, 120 lm/W,		
		3327 lumens, Flying		
	10 X Lumineux	lead, 220-240V AC		
	Chelburn LED Panel	50/60 HZ, GreenSo,		
	600x600 TP (a) UGR	White, 85D,		
	28W 6000KBrand New	595x595x10, >UGR19;		
279	In Box Stock	RRP £561.11	130	40
		10 X Lumineux		
		Chelburn LED Panel		
		600x600 TP (a) UGR		
		28W 6000KBrand New		
		In Box Stock, LED		
		panel, IP40, 120 lm/W, 3327 lumens, Flying		
	10 X Lumineux	lead, 220-240V AC		
	Chelburn LED Panel	50/60 HZ, GreenSo,		
	600x600 TP (a) UGR	White, 85D,		
	28W 6000KBrand New	595x595x10, >UGR19;		
280	In Box Stock	RRP £561.11	130	40
		10 X Lumineux		
		Chelburn LED Panel		
		600x600 TP (a) UGR		
		28W 6000KBrand New		
		In Box Stock, LED		
		panel, IP40, 120 lm/W, 3327 lumens, Flying		
	10 X Lumineux	lead, 220-240V AC		
	Chelburn LED Panel	50/60 HZ, GreenSo,		
	600x600 TP (a) UGR	White, 85D,		
	28W 6000KBrand New	595x595x10, >UGR19;		
281	In Box Stock	RRP £561.11	130	40



		10 X Lumineux		
		Chelburn LED Panel		
		600x600 TP (a) UGR		
		28W 6000KBrand New In Box Stock, LED		
		panel, IP40, 120 lm/W,		
		3327 lumens, Flying		
	10 X Lumineux	lead, 220-240V AC		
	Chelburn LED Panel	50/60 HZ, GreenSo,		
	600x600 TP (a) UGR	White, 85D,		
	28W 6000KBrand New	595x595x10, >UGR19;		
282	In Box Stock	RRP £561.11	130	40
		10 X Lumineux		
		Chelburn LED Panel		
		600x600 TP (a) UGR		
		28W 6000KBrand New In Box Stock, LED		
		panel, IP40, 120 lm/W,		
		3327 lumens, Flying		
	10 X Lumineux	lead, 220-240V AC		
	Chelburn LED Panel	50/60 HZ, GreenSo,		
	600x600 TP (a) UGR	White, 85D,		
	28W 6000KBrand New	595x595x10, >UGR19;		
283	In Box Stock	RRP £561.11	130	40
		10 X Lumineux		
		Chelburn LED Panel		
		600x600 TP (a) UGR		
		28W 6000KBrand New		
		In Box Stock, LED		
		panel, IP40, 120 lm/W,		
	10 X Lumineux	3327 lumens, Flying lead, 220-240V AC		
	Chelburn LED Panel	50/60 HZ, GreenSo,		
	600x600 TP (a) UGR	White, 85D,		
	28W 6000KBrand New	595x595x10, >UGR19;		
284	In Box Stock	RRP £561.11	130	40
		10 X Lumineux		
		Chelburn LED Panel		
		600x600 TP (a) UGR		
		28W 6000KBrand New		
		In Box Stock, LED		
		panel, IP40, 120 lm/W, 3327 lumens, Flying		
	10 X Lumineux	lead, 220-240V AC		
	Chelburn LED Panel	50/60 HZ, GreenSo,		
	600x600 TP (a) UGR	White, 85D,		
	28W 6000KBrand New	595x595x10, >UGR19;		
285	In Box Stock	RRP £561.11	130	40
		10 X Lumineux		
		Chelburn LED Panel		
		600x600 TP (a) UGR		
		28W 6000KBrand New		
		In Box Stock, LED		
		panel, IP40, 120 lm/W, 3327 lumens, Flying		
	10 X Lumineux	lead, 220-240V AC		
	Chelburn LED Panel	50/60 HZ, GreenSo,		
	600x600 TP (a) UGR	White, 85D,		
	28W 6000KBrand New	595x595x10, >UGR19;		
286	In Box Stock	RRP £561.11	130	40



Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3227 Jumens, Riying Lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock LED panel, IP40, 120 Im/W, 3227 Jumens, Riying Lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3237 Jumens, Riying Lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3237 Jumens, Riying Lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3237 Jumens, Riying Lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3237 Jumens, Riying Lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3237 Jumens, Riying Lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3237 Jumens, Riying Lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 327 Jumens, Riying Lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 327 Jumens, Riying Lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 327 Jumens, Riying Lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 327 Jumens, Riying Lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 595×595×10, JUGR19; Read, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 595×595×10, JUGR19; Read, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 595×595×10, JUGR19; Read, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 595×595×10, JUGR19; Read, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 595×595×10, JUGR19; Read, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 595×595×10, JUGR19; Read, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 595×595×10, JUGR19; Read, 220-240V AC 50/60 HZ, G	1		10 X Lumineux	1	
Conv.cor Tr (a) URC					
28W 6000KBrand New   10 X Lumineux   10 X Lu					
In Box Stock, LED   panel, IPAD, 120 Im/W, 3327 Iumens, Flying   lead, 220-248V AC   S0/60 HZ, GreenSo, White, 85D, S95x955x10, >UGR19; In Box Stock   In			` '		
10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000Ksrand New In Box Stock  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000Ksrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC Sof6o HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 327 Iumens, Flying lead, 220-240V AC Sof6o HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC Sof6o HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC Sof6o HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC Sof6o HZ, GreenSo, White, 85D, S95x595x10, >UGR19; RRP E561.11 Sof6o HZ, GreenSo, White, 85D, S95x595x10, >UGR19; RRP E561.11 Sof6o HZ, GreenSo, White, 85D, S95x595x10, >UGR19; RRP E561.11 Sof6o HZ, GreenSo, White, 85D, S95x595x10, >UGR19; RRP E561.11 Sof6o HZ, GreenSo, White, 85D, S95x595x10, >UGR19; RRP E561.11 Sof6o HZ, GreenSo, White, 85D, S95x595x10, SUGR19; RRP E561.11 Sof6o HZ, GreenSo, White, 85D, S95x595x10, SUGR19; RRP E561.11 Sof6o HZ, GreenSo, White, 85D, S95x595x10, SUGR19; RRP E561.11 Sof6o HZ, GreenSo, White, 85D, S95x595x10, SUGR19; RRP E561.11 Sof6o HZ, GreenSo, White, 85D, S95x595x10, SUGR19; RRP E561.11 Sof6o HZ, GreenSo, White, 85D, S95x595x10, SUGR19; RRP E561.11 Sof6o HZ, GreenSo, White, 85D, S95x595x10, SUGR19; RRP E561.11 Sof6o HZ, GreenSo, White, 85D, S95x595x10, SUGR19; RRP E561.11 Sof6o HZ, GreenSo, White, 85D, S95x595x10, SUGR19; S95x59					
10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Immens, Fiying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Immens, Fiying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Immens, Fiying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Immens, Fiying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Immens, Fiying lead, 220-240V AC So/Go HZ, GreenSo, White, 850, 3327 Immens, Fiying lead, 220-240V AC So/Go HZ, GreenSo, White, 850, 3327 Immens, Fiying lead, 220-240V AC So/Go HZ, GreenSo, White, 850, 3327 Immens, Fiying lead, 220-240V AC So/Go HZ, GreenSo, White, 850, 3327 Immens, Fiying lead, 220-240V AC So/Go HZ, GreenSo, White, 850, 3327 Immens, Fiying lead, 220-240V AC So/Go HZ, GreenSo, White, 850, 3327 Immens, Fiying lead, 220-240V AC So/Go HZ, GreenSo, White, 850, 3327 Immens, Fiying lead, 220-240V AC So/Go HZ, GreenSo, White, 850, 3327 Immens, Fiying lead, 220-240V AC So/Go HZ, GreenSo, White, 850, 3327 Immens, Fiying lead, 220-240V AC So/Go HZ, GreenSo, White, 850, Sow SookGrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Immens, Fiying lead, 220-240V AC So/Go HZ, GreenSo, White, 850, Sow SookGrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Immens, Fiying lead, 220-240V AC So/Go HZ, GreenSo, White, 850, Sow SookGrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Immens, Fiying lead, 220-240V AC So/Go HZ, GreenSo, White, 850, Sow SookGrand New In Box Stock, LED panel, IP40, 120 Im/W, 33			,		
10 X Lumineux   10 Chelburn LED Panel   10 Chelburn					
Chelburn LED Panel		10 V I			
COOKGOO TP (a) UGR   28W 6000KBrand New   10 X Lumineux   10			· ·		
287 6000KBrand New 10 X Lumineux Chelburn LED Panel 600-K600 TP (a) UGR 28W 6000KBrand New 10 Box Stock LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New 10 Box Stock LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 32W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 32W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 32W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 32W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 32W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 32W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 32W 6000KBrand New In Box Stock LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo,					
10   10   10   10   10   10   10   10		` '			
10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, SSD, 28W 6000KBrand New In Box Stock  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, SSD, 595x595x10, >UGR19; RPF 2561.11  130  40  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, SSD, 595x595x10, >UGR19; RPF 2561.11  130  40  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, SSD, 595x595x10, >UGR19; RPF 2561.11  130  40  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock	207			120	40
Chelburn LED Panel 600x600 TP (a) UGR 28W 6000K8rand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220 –240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000K8rand New Nett, 830, 595x595x10, >UGR19; RRP 6561.11 130 40 10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000K8rand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220 –240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000K8rand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220 –240V AC 50/60 HZ, GreenSo, white, 830, 595x595x10, >UGR19; RRP 6561.11 130 40 10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000K8rand New In Box Stock In Box S	287	In Box Stock		130	40
600x600 TP (a) UGR					
28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC So/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC So/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC So/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC So/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC So/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC So/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC So/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC So/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC So/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC So/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC So/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC So/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC So/60 HZ, GreenSo, White, 85D, 250-8595510, >UGR19;					
In Box Stock, LED   panel, IP40, 120 Im/W, 3327 lumens, Flying   lead, 220-240V AC   So/60 Hz, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock   LED   panel, IP40, 120 Im/W, 3327 lumens, Flying   lead, 220-240V AC   So/60 Hz, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED   panel, IP40, 120 Im/W, 3327 lumens, Flying   lead, 220-240V AC   So/60 Hz, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED   panel, IP40, 120 Im/W, 3327 lumens, Flying   lead, 220-240V AC   So/60 Hz, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock   LED   panel, IP40, 120 Im/W, 3327 lumens, Flying   lead, 220-240V AC   So/60 Hz, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED   panel, IP40, 120 Im/W, 3327 lumens, Flying   lead, 220-240V AC   So/60 Hz, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED   panel, IP40, 120 Im/W, 3327 lumens, Flying   lead, 220-240V AC   So/60 Hz, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED   panel, IP40, 120 Im/W, 3327 lumens, Flying   lead, 220-240V AC   So/60 Hz, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED   panel, IP40, 120 Im/W, 3327 lumens, Flying   lead, 220-240V AC   So/60 Hz, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED   panel, IP40, 120 Im/W, 3327 lumens, Flying   lead, 220-240V AC   So/60 Hz, GreenSo, White, 85D, 220-240V AC   So/60 Hz, GreenSo, Whi			600x600 TP (a) UGR		
10 X Lumineux   Chelburn LED Panel   Goox600 TP (a) UGR   28W 6000KBrand New   In Box Stock   ED panel, IP40, 120 Im/W, 3327 Iumens, Flying   lead, 220-240V AC   50/60 HZ, GreenSo, White, 85D, 595x595x10, >UGR19;   130   40   40   40   40   40   40   40			28W 6000KBrand New		
10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New 10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New 10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New 18			In Box Stock, LED		
Lead, 220-240V AC   So/60 HZ, GreenSo, White, 85D,   S95x595x10, VUGR19;   S9x595x10, VUGR19;   S9x595x10, VUGR19;   S9x595x10, VUGR19;   S9x595x10, VUGR19;   S9x595x10, VUGR			panel, IP40, 120 lm/W,		
Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock			3327 lumens, Flying		
Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock		10 X Lumineux	lead, 220-240V AC		
288   Boox600 TP (a) UGR   S95x595x10, >UGR19;   130   40		Chelburn LED Panel			
10 X Lumineux   10 X Lumineu		600x600 TP (a) UGR			
10 X Lumineux   10 X Lumineu		28W 6000KBrand New	595x595x10, >UGR19;		
Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock Deburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock Deburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock Deburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock Deburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock LED panel, IP40, 120 Im/W, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, William LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 230-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 230-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 230-240V AC 50/60 Hz, GreenSo, 3327 lumens, Flying lead, 230-240V AC 50/60 Hz, GreenSo, 3327 lumens, Flying lead, 230-240V AC 50/60 Hz, GreenSo,	288			130	40
Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock Deburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock Deburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock Deburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock Deburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock LED panel, IP40, 120 Im/W, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, William LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 220-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 230-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 230-240V AC 50/60 Hz, GreenSo, White, 85D, 3327 lumens, Flying lead, 230-240V AC 50/60 Hz, GreenSo, 3327 lumens, Flying lead, 230-240V AC 50/60 Hz, GreenSo, 3327 lumens, Flying lead, 230-240V AC 50/60 Hz, GreenSo,					
600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock LED panel, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New In Box Stock LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR					
28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock					
In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, S95x595x10, >UGR19; RRP £561.11 130 40  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock 10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, S95x595x10, >UGR19; RRP £561.11 130 40  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock IED panel, IP40, 120 Im/W, 3327 lumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, S95x595x10, >UGR19; RRP £561.11 130 40  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, S95x595x10, >UGR19; White, 85D, S95x595x10, >UGR19; SD, S95x59					
panel, IP40, 120 lm/W, 3327 lumens, Flying lead, 220-240V AC S0/60 HZ, GreenSo, White, 85D, S95x595x10, >UGR19; RRP £561.11 130 40  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock RRP £561.11 130 40  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 lm/W, 3327 lumens, Flying lead, 220-240V AC S0/60 HZ, GreenSo, White, 85D, S95x595x10, >UGR19; RRP £561.11 130 40  40  40  40  40  40  40  40  40  4					
3327 lumens, Flying lead, 220-240V AC   Chelburn LED Panel   600x600 TP (a) UGR   28W 6000KBrand New   In Box Stock    10 X Lumineux   Chelburn LED Panel   600x600 TP (a) UGR   28W 6000KBrand New   In Box Stock    10 X Lumineux   Chelburn LED Panel   600x600 TP (a) UGR   28W 6000KBrand New   In Box Stock, LED   panel, IP40, 120 Im/W,   3327 lumens, Flying   lead, 220-240V AC   Chelburn LED Panel   600x600 TP (a) UGR   28W 6000KBrand New   In Box Stock    10 X Lumineux   Chelburn LED Panel   600x600 TP (a) UGR   28W 6000KBrand New   In Box Stock   10 X Lumineux   Chelburn LED Panel   600x600 TP (a) UGR   28W 6000KBrand New   In Box Stock   10 X Lumineux   Chelburn LED Panel   600x600 TP (a) UGR   28W 6000KBrand New   In Box Stock, LED   panel, IP40, 120 Im/W,   3327 lumens, Flying   lead, 220-240V AC   Chelburn LED Panel   600x600 TP (a) UGR   28W 6000KBrand New   In Box Stock, LED   panel, IP40, 120 Im/W,   3327 lumens, Flying   lead, 220-240V AC   50/60 HZ, GreenSo,   White, 85D,   50/50 HZ, GreenSo,    White, 85D,   50/50 HZ, GreenSo,    White, 85D			· · · · · · · · · · · · · · · · · · ·		
Lead, 220-240V AC   SO/60 HZ, GreenSo,   White, 85D,   S95x595x10, >UGR19;   RRP £561.11   130   40					
Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock Rep 28W 6000KBrand New In Box Stock IED panel, IP40, 120 Im/W, 3327 Iumens, Flying 10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying 10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock IED panel, IP40, 120 Im/W, 3327 Iumens, Flying 10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock IED panel, IP40, 120 Im/W, 310 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying Iead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying Iead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying Iead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying Iead, 220-240V AC Sofon Hz, GreenSo, White, 85D, 595x595x10, >UGR19;		10 V Luminouv	· -		
Continue			1		
289 In Box Stock   595x595x10, >UGR19;   RRP £561.11   130   40					
10   10   10   10   10   10   10   10					
10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New 290 In Box Stock  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 50/60 HZ, GreenSo, White, 85D, 50/60 HZ, GreenSo, White, 85D, 595x595x10, >UGR19;	280			130	40
Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 595x959x10, >UGR19; RRP £561.11 130 40  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock 10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 595x959t10, >UGR19; RRP £561.11 130 40  40  40  40  40  40  40  40  40  4	203	III BOX SLOCK		130	40
600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New 595x595x10, >UGR19; RRP £561.11 130 40  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock RRP £561.11 130 40  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New S95x595x10, >UGR19;					
28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock RRP £561.11  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock IED panel, IP40, 120 Im/W, 3327 lumens, Flying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 250/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New 595x595x10, >UGR19;					
In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying 10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New Solon HZ, GreenSo, White, 85D, 28W 6000KBrand New Solon HZ, GreenSo, White, 85D, 28W 6000KBrand New Solon HZ, GreenSo, White, 85D, 28W 6000KBrand New Solon HZ, GreenSo, White, 85D, 28W 6000KBrand New					
panel, IP40, 120 lm/W, 3327 lumens, Flying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 lm/W, 3327 lumens, Flying 10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New Solock, LED panel, IP40, 120 lm/W, 3327 lumens, Flying 10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 50/60 HZ, GreenSo, White, 85D, 595x595x10, >UGR19;					
3327 lumens, Flying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 lm/W, 3327 lumens, Flying 10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 lm/W, 3327 lumens, Flying 10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New S95x595x10, >UGR19;			· ·		
10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying 10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying 10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New Solotion 10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New Solotion 10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New Solotion 10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New Solotion 10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 50/60 HZ, GreenSo, White, 85D, 595x595x10, >UGR19;					
Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying 10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 70 Years 10 Years 10 X Lumineux 10 X Lumineux 10 X Lumineux 10 X Lumineux 10 X Lumineux 10 X Lumineux 10 Years 10			· -		
600x600 TP (a) UGR 28W 6000KBrand New In Box Stock  RRP £561.11  130  40  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying 10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New Sock LED panel, IP40, 120 Im/W, 3327 lumens, Flying 10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 50/60 HZ, GreenSo, White, 85D, 28W 6000KBrand New 595x595x10, >UGR19;			l		
28W 6000KBrand New In Box Stock RRP £561.11 130 40  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR 500x600 TP (a) UGR 28W 6000KBrand New Stock, LED panel 600x600 TP (a) UGR 500x600 TP (a) UGR 500					
290 In Box Stock RRP £561.11 130 40  10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying 10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 7000 White, 85D, 28W 6000KBrand New 595x595x10, >UGR19;		` ,			
10 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 Iumens, Flying 10 X Lumineux lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR White, 85D, 28W 6000KBrand New 595x595x10, >UGR19;					<u>.</u> =
Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying 10 X Lumineux [lead, 220-240V AC] Chelburn LED Panel 600x600 TP (a) UGR 28W 6000KBrand New  Chelburn LED Panel 595x595x10, >UGR19;	290	In Box Stock	RRP £561.11	130	40
600x600 TP (a) UGR 28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying  10 X Lumineux [lead, 220-240V AC] Chelburn LED Panel 600x600 TP (a) UGR White, 85D, 28W 6000KBrand New  595x595x10, >UGR19;					
28W 6000KBrand New In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying  10 X Lumineux lead, 220-240V AC Chelburn LED Panel 600x600 TP (a) UGR White, 85D, 28W 6000KBrand New 595x595x10, >UGR19;					
In Box Stock, LED panel, IP40, 120 Im/W, 3327 lumens, Flying 10 X Lumineux lead, 220-240V AC Chelburn LED Panel 50/60 HZ, GreenSo, 600x600 TP (a) UGR White, 85D, 28W 6000KBrand New 595x595x10, >UGR19;					
panel, IP40, 120 lm/W, 3327 lumens, Flying 10 X Lumineux lead, 220-240V AC Chelburn LED Panel 50/60 HZ, GreenSo, 600x600 TP (a) UGR White, 85D, 28W 6000KBrand New 595x595x10, >UGR19;			28W 6000KBrand New		
3327 lumens, Flying 10 X Lumineux lead, 220-240V AC Chelburn LED Panel 50/60 HZ, GreenSo, 600x600 TP (a) UGR White, 85D, 28W 6000KBrand New 595x595x10, >UGR19;			· ·		
10 X Lumineux lead, 220-240V AC Chelburn LED Panel 50/60 HZ, GreenSo, 600x600 TP (a) UGR White, 85D, 28W 6000KBrand New 595x595x10, >UGR19;			panel, IP40, 120 lm/W,		
Chelburn LED Panel 50/60 HZ, GreenSo, 600x600 TP (a) UGR White, 85D, 28W 6000KBrand New 595x595x10, >UGR19;			3327 lumens, Flying		
600x600 TP (a) UGR White, 85D, 28W 6000KBrand New 595x595x10, >UGR19;		10 X Lumineux	lead, 220-240V AC		
600x600 TP (a) UGR White, 85D, 28W 6000KBrand New 595x595x10, >UGR19;		Chelburn LED Panel	50/60 HZ, GreenSo,		
28W 6000KBrand New 595x595x10, >UGR19;					
			· · · · · ·		
	291	In Box Stock	RRP £561.11	130	40



		10 X Lumineux Chelburn LED Panel		
		600x600 TP (a) UGR		
		28W 6000KBrand New In Box Stock, LED		
		panel, IP40, 120 lm/W,		
		3327 lumens, Flying		
	10 X Lumineux Chelburn LED Panel	lead, 220-240V AC 50/60 HZ, GreenSo,		
	600x600 TP (a) UGR	White, 85D,		
	28W 6000KBrand New	595x595x10, >UGR19;		
292	In Box Stock	RRP £561.11	130	40
		10 X Lumineux Chelburn LED Panel		
		600x600 TP (a) UGR		
		28W 6000KBrand New		
		In Box Stock, LED panel, IP40, 120 lm/W,		
		3327 lumens, Flying		
	10 X Lumineux	lead, 220-240V AC		
	Chelburn LED Panel 600x600 TP (a) UGR	50/60 HZ, GreenSo,		
	28W 6000KBrand New	White, 85D, 595x595x10, >UGR19;		
293	In Box Stock	RRP £561.11	130	40
		10 X Lumineux		
		Chelburn LED Panel 600x600 TP (a) UGR		
		28W 6000KBrand New		
		In Box Stock, LED		
		panel, IP40, 120 lm/W,		
	10 X Lumineux	3327 lumens, Flying lead, 220-240V AC		
	Chelburn LED Panel	50/60 HZ, GreenSo,		
	600x600 TP (a) UGR	White, 85D,		
294	28W 6000KBrand New In Box Stock	595x595x10, >UGR19; RRP £561.11	130	40
		10 X Lumineux		
		Chelburn LED Panel		
		600x600 TP (a) UGR 28W 6000KBrand New		
		In Box Stock, LED		
		panel, IP40, 120 lm/W,		
	10 X Lumineux	3327 lumens, Flying		
	Chelburn LED Panel	lead, 220-240V AC 50/60 HZ, GreenSo,		
	600x600 TP (a) UGR	White, 85D,		
295	28W 6000KBrand New	595x595x10, >UGR19; RRP £561.11	130	40
293	In Box Stock	10 X Lumineux	130	40
		Chelburn LED Panel		
		600x600 TP (a) UGR		
		28W 6000KBrand New In Box Stock, LED		
		panel, IP40, 120 lm/W,		
		3327 lumens, Flying		
	10 X Lumineux Chelburn LED Panel	lead, 220-240V AC 50/60 HZ, GreenSo,		
	600x600 TP (a) UGR	White, 85D,		
22.5	28W 6000KBrand New	595x595x10, >UGR19;		
296	In Box Stock	RRP £561.11	130	40



•				
		8 X Lumineux Chelburn		
		LED Panel 600x600 TP		
		(a) UGR 28W		
		6000KBrand New In		
		Box Stock, LED panel,		
		IP40, 120 lm/W, 3327		
	8 X Lumineux Chelburn	lumens, Flying lead,		
	LED Panel 600x600 TP	220-240V AC 50/60 HZ,		
	(a) UGR 28W	GreenSo, White, 85D,		
	6000KBrand New In	595x595x10, >UGR19;		
297	Box Stock	RRP £448.89	100	30
257	DOX STOCK	10 X Lumineux	100	30
		Chelburn LED Panel		
		600x600 TP (a) 32W		
		6000KBrand New In		
		Box Stock, LED panel,		
	40.7/1	IP40, 108 lm/W, 3456		
	10 X Lumineux	Lumens, Flying lead,		
	Chelburn LED Panel	220-240V AC 50/60 HZ,		
	600x600 TP (a) 32W	GreenSo, White,		
200	6000KBrand New In	595x595x10; RRP	400	
298	Box Stock	£463.89	130	40
		10 X Lumineux		
		Chelburn LED Panel		
		600x600 TP (a) 32W		
		6000KBrand New In		
		Box Stock, LED panel,		
		IP40, 108 lm/W, 3456		
	10 X Lumineux	Lumens, Flying lead,		
	Chelburn LED Panel	220-240V AC 50/60 HZ,		
	600x600 TP (a) 32W	GreenSo, White,		
	6000KBrand New In	595x595x10; RRP		
299	Box Stock	£463.89	130	40
	20X 0000X	10 X Lumineux		_
		Chelburn LED Panel		
		600x600 TP (a) 32W		
		6000KBrand New In		
		Box Stock, LED panel,		
		IP40, 108 lm/W, 3456		
	10 V Luminous			
	10 X Lumineux	Lumens, Flying lead,		
	Chelburn LED Panel	220-240V AC 50/60 HZ,		
	600x600 TP (a) 32W	GreenSo, White,		
200	6000KBrand New In	595x595x10; RRP	120	40
300	Box Stock	£463.89	130	40
		10 X Lumineux		
		Chelburn LED Panel		
		600x600 TP (a) 32W		
		6000KBrand New In		
		Box Stock, LED panel,		
		IP40, 108 lm/W, 3456		
	10 X Lumineux	Lumens, Flying lead,		
	Chelburn LED Panel	220-240V AC 50/60 HZ,		
	600x600 TP (a) 32W	GreenSo, White,		
	6000KBrand New In	595x595x10; RRP		
301	Box Stock	£463.89	130	40
			•	



		10 X Lumineux		
		Chelburn LED Panel		
		600x600 TP (a) 32W		
		6000KBrand New In		
		Box Stock, LED panel,		
		IP40, 108 lm/W, 3456		
	10 X Lumineux	Lumens, Flying lead,		
	Chelburn LED Panel	220-240V AC 50/60 HZ,		
	600x600 TP (a) 32W	GreenSo, White,		
	6000KBrand New In	595x595x10; RRP		
302	Box Stock	£463.89	130	40
		10 X Lumineux		
		Chelburn LED Panel		
		600x600 TP (a) 32W		
		6000KBrand New In		
		Box Stock, LED panel,		
		IP40, 108 lm/W, 3456		
	10 X Lumineux	Lumens, Flying lead,		
	Chelburn LED Panel	220-240V AC 50/60 HZ,		
	600x600 TP (a) 32W	GreenSo, White,		
	6000KBrand New In	595x595x10; RRP		
303	Box Stock	£463.89	130	40
		10 X Lumineux		
		Chelburn LED Panel		
		600x600 TP (a) 32W		
		6000KBrand New In		
		Box Stock, LED panel,		
		IP40, 108 lm/W, 3456		
	10 X Lumineux	Lumens, Flying lead,		
	Chelburn LED Panel	220-240V AC 50/60 HZ,		
	600x600 TP (a) 32W	GreenSo, White,		
	6000KBrand New In	595x595x10; RRP		
304	Box Stock	£463.89	130	40
	BOX SCOCK	6 X Lumineux Chelburn		
		LED Panel 600x600 TP		
		(a) 32W 6000KBrand		
		New In Box Stock, LED		
		panel, IP40, 108 lm/W,		
		3456 Lumens, Flying		
	6 X Lumineux Chelburn	lead, 220-240V AC		
	LED Panel 600x600 TP	50/60 HZ, GreenSo,		
	(a) 32W 6000KBrand	White, , 595x595x10;		
305	New In Box Stock	RRP £278.33	80	30
303	INCAN III DOV DIOCK	10 X Lumineux	30	30
		Chelburn LED Panel		
		600x600 TP (b) 32W		
		6000KBrand New In		
		Box Stock, LED panel,		
		•		
	10 V Luminouv	IP40, 108 lm/W, 3456		
	10 X Lumineux	Lumens, Flying lead,		
	Chelburn LED Panel	220-240V AC 50/60 HZ,		
	600x600 TP (b) 32W	GreenSo, White, 115D,		
306	6000KBrand New In	595x595x10; RRP	120	40
306	Box Stock	£413.89	120	40



		10 X Lumineux		
		Chelburn LED Panel		
		600x600 TP (b) 32W		
		6000KBrand New In		
		Box Stock, LED panel,		
		IP40, 108 lm/W, 3456		
	10 V I			
	10 X Lumineux	Lumens, Flying lead,		
	Chelburn LED Panel	220-240V AC 50/60 HZ,		
	600x600 TP (b) 32W	GreenSo, White, 115D,		
207	6000KBrand New In	595x595x10; RRP	120	40
307	Box Stock	£413.89	120	40
		10 X Lumineux		
		Chelburn LED Panel		
		600x600 TP (b) 32W		
		6000KBrand New In		
		Box Stock, LED panel,		
		IP40, 108 lm/W, 3456		
	10 X Lumineux	Lumens, Flying lead,		
	Chelburn LED Panel	220-240V AC 50/60 HZ,		
	600x600 TP (b) 32W	GreenSo, White, 115D,		
	6000KBrand New In	595x595x10; RRP		
308	Box Stock	£413.89	120	40
		10 X Lumineux		
		Chelburn LED Panel		
		600x600 TP (b) 32W		
		6000KBrand New In		
		Box Stock, LED panel,		
		IP40, 108 lm/W, 3456		
	10 X Lumineux	Lumens, Flying lead,		
	Chelburn LED Panel	220-240V AC 50/60 HZ,		
	600x600 TP (b) 32W	GreenSo, White, 115D,		
	6000KBrand New In	595x595x10; RRP		
309	Box Stock	£413.89	120	40
303	BOX STOCK		120	40
		-		
	40.77			
	` '			
340			430	40
310	Box Stock		120	40
		6000KBrand New In		
		Box Stock, LED panel,		
		IP40, 108 lm/W, 3456		
	10 X Lumineux	Lumens, Flying lead,		
	Chelburn LED Panel	220-240V AC 50/60 HZ,		
	600x600 TP (b) 32W	GreenSo, White, 115D,		
1	6000KBrand New In	595x595x10; RRP		
311	oooonenana men	333/1333/1 <u>2</u> 0)	120	40
310	Chelburn LED Panel 600x600 TP (b) 32W	Box Stock, LED panel, IP40, 108 lm/W, 3456 Lumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 115D,	120	40



1	ı	i	1	
		10 X Lumineux		
		Chelburn LED Panel		
		600x600 TP (b) 32W		
		6000KBrand New In		
		Box Stock, LED panel,		
		IP40, 108 lm/W, 3456		
	10 X Lumineux	Lumens, Flying lead,		
	Chelburn LED Panel	220-240V AC 50/60 HZ,		
	600x600 TP (b) 32W	GreenSo, White, 115D,		
	6000KBrand New In	595x595x10; RRP		
312	Box Stock	£413.89	120	40
		10 X Lumineux		
		Chelburn LED Panel		
		600x600 TP (b) 32W		
		6000KBrand New In		
		Box Stock, LED panel,		
		IP40, 108 lm/W, 3456		
	10 X Lumineux	Lumens, Flying lead,		
	Chelburn LED Panel	220-240V AC 50/60 HZ,		
	600x600 TP (b) 32W	GreenSo, White, 115D,		
	` '			
212	6000KBrand New In	595x595x10; RRP	120	40
313	Box Stock	£413.89	120	40
		10 X Lumineux		
		Chelburn LED Panel		
		600x600 TP (b) 32W		
		6000KBrand New In		
		Box Stock, LED panel,		
		IP40, 108 lm/W, 3456		
	40 V I			
	10 X Lumineux	Lumens, Flying lead,		
	Chelburn LED Panel	220-240V AC 50/60 HZ,		
	600x600 TP (b) 32W	GreenSo, White, 115D,		
	6000KBrand New In	595x595x10; RRP		
314	Box Stock	£413.89	120	40
		10 X Lumineux		
		Chelburn LED Panel		
		600x600 TP (b) 32W		
		. ,		
		6000KBrand New In		
		Box Stock, LED panel,		
		IP40, 108 lm/W, 3456		
	10 X Lumineux	Lumens, Flying lead,		
	Chelburn LED Panel	220-240V AC 50/60 HZ,		
	600x600 TP (b) 32W	GreenSo, White, 115D,		
	6000KBrand New In	595x595x10; RRP		
315	Box Stock	£413.89	120	40
313	DON STOCK	10 X Lumineux	120	10
		Chelburn LED Panel		
		600x600 TP (b) 32W		
		6000KBrand New In		
		Box Stock, LED panel,		
		IP40, 108 lm/W, 3456		
	10 X Lumineux	Lumens, Flying lead,		
	Chelburn LED Panel	220-240V AC 50/60 HZ,		
	600x600 TP (b) 32W	GreenSo, White, 115D,		
246	6000KBrand New In	595x595x10; RRP	400	40
316	Box Stock	£413.89	120	40



318	Chelburn LED Panel 600x600 TP (b) 32W 6000KBrand New In Box Stock	Lumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 115D, 595x595x10; RRP £413.89 8 X Lumineux Chelburn	120	40
	8 X Lumineux Chelburn LED Panel 600x600 TP	LED Panel 600x600 TP (b) 32W 6000KBrand New In Box Stock, LED panel, IP40, 108 Im/W, 3456 Lumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 115D,		
319	(b) 32W 6000KBrand New In Box Stock	595x595x10; RRP £331.11	100	30
320	5 X Lumineux Chelburn LED Panel 600x600 TP (b) 32W 6000KBrand New In Box Stock	5 X Lumineux Chelburn LED Panel 600x600 TP (b) 32W 6000KBrand New In Box Stock, LED panel, IP40, 108 Im/W, 3456 Lumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 115D, 595x595x10; RRP £206.94	60	20
	1 X Lumineux Chelburn	1 X Lumineux Chelburn LED Panel 52W 6000K 1200x600 TP (A) 115lm/W 5 YearsBrand New In Box Stock, Ultra slim profile, IP40, 115 lm/W, 5980 Lumens, 220-240V AC		



322	10 X Lumineux LP100 LED Edge Lit Panel 32W 600x600 4000K White TP (A)Brand New In Box Stock	10 X Lumineux LP100 LED Edge Lit Panel 32W 600x600 4000K White TP (A)Brand New In Box Stock, Ultra slim profile, IP40, 106 lm/W, 3400 Lumens, 220-240V AC 50/60 HZ, Lumineux Driver, White, 595x595x8, IK08 Rating; RRP £477.78	110	40
323	8 X Lumineux LP100 LED Edge Lit Panel 32W 600x600 4000K White TP (A)Brand New In Box Stock	8 X Lumineux LP100 LED Edge Lit Panel 32W 600x600 4000K White TP (A)Brand New In Box Stock, Ultra slim profile, IP40, 106 lm/W, 3400 Lumens,220-240V AC 50/60 HZ, Lumineux Driver, White, 595x595x8, IK08 Rating; RRP £382.22	90	30
324	12 X Lumineux LP300 LED Edge Lit Panel 26W 600x600 6000K White TP (B) UGRBrand New In Box Stock	12 X Lumineux LP300 LED Edge Lit Panel 26W 600x600 6000K White TP (B) UGRBrand New In Box Stock, Ultra slim profile, IP40, 220-240V AC 50/60 HZ, Lumineux Driver, White, IK08 Rating; RRP £633.33	190	60
325	10 X Lumineux LP300 LED Edge Lit Panel 26W 600x600 6000K White TP (B) UGRBrand New In Box Stock	10 X Lumineux LP300 LED Edge Lit Panel 26W 600x600 6000K White TP (B) UGRBrand New In Box Stock, Ultra slim profile, IP40, 220-240V AC 50/60 HZ, Lumineux Driver, White, IK08 Rating; RRP £527.78	160	50
326	10 X Lumineux LP300 LED Edge Lit Panel 26W 600x600 6000K White TP (B) UGRBrand New In Box Stock	10 X Lumineux LP300 LED Edge Lit Panel 26W 600x600 6000K White TP (B) UGRBrand New In Box Stock, Ultra slim profile, IP40, 220-240V AC 50/60 HZ, Lumineux Driver, White, IK08 Rating; RRP £527.78	160	50



ı	1	1	1	1
		10 X Lumineux LP300		
		LED Edge Lit Panel		
		26W 600x600 6000K		
		White TP (B)		
		UGRBrand New In Box		
	10 X Lumineux LP300	Stock, Ultra slim		
	LED Edge Lit Panel	profile, IP40, 220-240V		
	26W 600x600 6000K	AC 50/60 HZ,		
	White TP (B)	Lumineux Driver,		
	UGRBrand New In Box	White, IK08 Rating;		
327	Stock	RRP £527.78	160	50
		10 X Lumineux LP300		
		LED Edge Lit Panel		
		26W 600x600 6000K		
		White TP (B)		
		UGRBrand New In Box		
	10 X Lumineux LP300	Stock, Ultra slim		
	LED Edge Lit Panel	profile, IP40, 220-240V		
	26W 600x600 6000K	AC 50/60 HZ,		
	White TP (B)	Lumineux Driver,		
	UGRBrand New In Box	White, IKO8 Rating;		
328	Stock	RRP £527.78	160	50
320	Stock		100	30
		10 X Lumineux LP300		
		LED Edge Lit Panel		
		26W 600x600 6000K		
		White TP (B)		
		UGRBrand New In Box		
	10 X Lumineux LP300	Stock, Ultra slim		
	LED Edge Lit Panel	profile, IP40, 220-240V		
	26W 600x600 6000K	AC 50/60 HZ,		
	White TP (B)	Lumineux Driver,		
220	UGRBrand New In Box	White, IK08 Rating;	160	F0
329	Stock	RRP £527.78	160	50
		10 X Lumineux LP300		
		LED Edge Lit Panel		
		26W 600x600 6000K		
		White TP (B)		
		UGRBrand New In Box		
	10 X Lumineux LP300	Stock, Ultra slim		
	LED Edge Lit Panel	profile, IP40, 220-240V		
	26W 600x600 6000K	AC 50/60 HZ,		
	White TP (B)	Lumineux Driver,		
_	UGRBrand New In Box	White, IK08 Rating;		
330	Stock	RRP £527.78	160	50
		10 X Lumineux LP300		
		LED Edge Lit Panel		
		26W 600x600 6000K		
		White TP (B)		
	40.7/1 1.5555	UGRBrand New In Box		
	10 X Lumineux LP300	Stock, Ultra slim		
	LED Edge Lit Panel	profile, IP40, 220-240V		
	26W 600x600 6000K	AC 50/60 HZ,		
	White TP (B)	Lumineux Driver,		
	UGRBrand New In Box	White, IK08 Rating;		
331	Stock	RRP £527.78	160	50
L	1	1		



		10 X Lumineux LP300		
		LED Edge Lit Panel		
		26W 600x600 6000K		
		White TP (B)		
		UGRBrand New In Box		
	10 V I I D200			
	10 X Lumineux LP300	Stock, Ultra slim		
	LED Edge Lit Panel	profile, IP40, 220-240V		
	26W 600x600 6000K	AC 50/60 HZ,		
	White TP (B)	Lumineux Driver,		
	UGRBrand New In Box	White, IK08 Rating;		
332	Stock	RRP £527.78	160	50
	Stock	12 X Lumineux LP300		
		LED Edge Lit Panel		
		40W 600x600 4000K		
		White TP (B)		
		<ugrbrand in<="" new="" td=""><td></td><td></td></ugrbrand>		
		Box Stock, Aluminium		
		Frame, IP20, 87 lm/W,		
	12 X Lumineux LP300	3500 Lumens,220-		
	LED Edge Lit Panel	240V AC 50/60 HZ,		
	· ·			
	40W 600x600 4000K	Lumineux Driver,		
	White TP (B)	White, 120D Beam		
	<ugrbrand in<="" new="" td=""><td>Angle, IKO8 Rating; RRP</td><td></td><td></td></ugrbrand>	Angle, IKO8 Rating; RRP		
333	Box Stock	£913.73	135	50
		12 X Lumineux LP300		
		LED Edge Lit Panel		
		40W 600x600 4000K		
		White TP (B)		
		<ul><li>VIIILE IF (B)</li><li>UGRBrand New In</li></ul>		
		Box Stock, Aluminium		
		Frame, IP20, 87 lm/W,		
	12 X Lumineux LP300	3500 Lumens,220-		
	LED Edge Lit Panel	240V AC 50/60 HZ,		
	40W 600x600 4000K	Lumineux Driver,		
	White TP (B)	White, 120D Beam		
	<ugrbrand in<="" new="" td=""><td>Angle, IKO8 Rating; RRP</td><td></td><td></td></ugrbrand>	Angle, IKO8 Rating; RRP		
334	Box Stock	£913.73	135	50
334	DOV OTOCK	12 X Lumineux LP300	133	30
		LED Edge Lit Panel		
		40W 600x600 4000K		
		White TP (B)		
		<ugrbrand in<="" new="" td=""><td></td><td></td></ugrbrand>		
		Box Stock, Aluminium		
		Frame, IP20, 87 lm/W,		
	12 X Lumineux LP300	3500 Lumens,220-		
	LED Edge Lit Panel	240V AC 50/60 HZ,		
	-			
	40W 600x600 4000K	Lumineux Driver,		
	White TP (B)	White, 120D Beam		
	<ugrbrand in<="" new="" td=""><td>Angle, IKO8 Rating; RRP</td><td></td><td></td></ugrbrand>	Angle, IKO8 Rating; RRP		
335	Box Stock	£913.73	135	50
		10 X Lumineux		
		Chelburn LED Panel		
		600x600 TP (a) UGR		
		28W 4000KBrand New		
		In Box Stock, LED		
	10 V Lumbin cui	,		
	10 X Lumineux	panel, IP40, 120 lm/W,		
	Chelburn LED Panel	3327 lumens, Flying		
	600x600 TP (a) UGR	lead, 220-240V AC		
	28W 4000KBrand New	50/60 HZ, GreenSo,		
336	ZOTT TOOOKBIANA ITCH	, ,,	115	40



		595x595x10, >UGR19; RRP £756.67		
337	6 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 4000KBrand New In Box Stock	6 X Lumineux Chelburn LED Panel 600x600 TP (a) UGR 28W 4000KBrand New In Box Stock, LED panel, IP40, 120 lm/W, 3327 lumens, Flying lead, 220-240V AC 50/60 HZ, GreenSo, White, 85D, 595x595x10, >UGR19; RRP £454	70	20
		10 X Lumineux LP300 LED Edge Lit Panel 40W 600x600 6000K White TP (B) <ugrbrand in<br="" new="">Box Stock, Aluminium Frame, IP20, 87 lm/W,</ugrbrand>		
	10 X Lumineux LP300 LED Edge Lit Panel 40W 600x600 6000K White TP (B)	3500 Lumens, 220- 240V AC 50/60 HZ, Lumineux Driver, White, 120D Beam		
338	<ugrbrand in<br="" new="">Box Stock</ugrbrand>	Angle, IKO8 Rating; RRP £777.75	115	40
339	8 X Lumineux LP300 LED Edge Lit Panel 40W 600x600 6000K White TP (B) <ugrbrand in<br="" new="">Box Stock</ugrbrand>	8 X Lumineux LP300 LED Edge Lit Panel 40W 600x600 6000K White TP (B) <ugrbrand 120d="" 220-="" 240v="" 3500="" 50="" 60="" 87="" ac="" aluminium="" angle,="" beam="" box="" driver,="" frame,="" hz,="" ik08="" im="" in="" ip20,="" lumens,="" lumineux="" new="" rating;="" rrp="" stock,="" td="" w,="" white,="" £622.20<=""><td>95</td><td>30</td></ugrbrand>	95	30
		8 X Lumineux LP300 LED Edge Lit Panel 40W 600x600 6000K White TP (B) <ugrbrand in<br="" new="">Box Stock, Aluminium Frame, IP20, 87 Im/W,</ugrbrand>		
340	8 X Lumineux LP300 LED Edge Lit Panel 40W 600x600 6000K White TP (B) <ugrbrand in<br="" new="">Box Stock</ugrbrand>	3500 Lumens, 220- 240V AC 50/60 HZ, Lumineux Driver, White, 120D Beam Angle, IK08 Rating; RRP £622.20	95	30



342	Box Stock	£622.20 8 X Lumineux LP300 LED Edge Lit Panel 40W 600x600 6000K White TP (B)	95	30
	8 X Lumineux LP300 LED Edge Lit Panel	<ul> <li><ugrbrand in<="" li="" new=""> <li>Box Stock, Aluminium</li> <li>Frame, IP20, 87 Im/W,</li> <li>3500 Lumens, 220-</li> <li>240V AC 50/60 HZ,</li> </ugrbrand></li></ul>		
	40W 600x600 6000K White TP (B) <ugrbrand in<="" new="" td=""><td>Lumineux Driver, White, 120D Beam Angle, IK08 Rating; RRP</td><td></td><td></td></ugrbrand>	Lumineux Driver, White, 120D Beam Angle, IK08 Rating; RRP		
343	Box Stock	£622.20	95	30
	I Day Chaal		ا 95	ı 30
2.42	40W 600x600 6000K White TP (B) <ugrbrand in<="" new="" td=""><td>Lumineux Driver, White, 120D Beam Angle, IK08 Rating; RRP</td><td>95</td><td>30</td></ugrbrand>	Lumineux Driver, White, 120D Beam Angle, IK08 Rating; RRP	95	30
	LED Edge Lit Panel 40W 600x600 6000K	3500 Lumens, 220- 240V AC 50/60 HZ, Lumineux Driver,		
		White TP (B) <ugrbrand in<br="" new="">Box Stock, Aluminium</ugrbrand>		
		8 X Lumineux LP300 LED Edge Lit Panel		
342	40W 600x600 6000K White TP (B) <ugrbrand in<br="" new="">Box Stock</ugrbrand>		95	30
	8 X Lumineux LP300 LED Edge Lit Panel	<ul><li><ugrbrand in<="" li="" new=""><li>Box Stock, Aluminium</li><li>Frame, IP20, 87 Im/W,</li><li>3500 Lumens, 220-</li><li>240V AC 50/60 HZ,</li></ugrbrand></li></ul>		
		8 X Lumineux LP300 LED Edge Lit Panel 40W 600x600 6000K White TP (B)		
341	8 X Lumineux LP300 LED Edge Lit Panel 40W 600x600 6000K White TP (B) <ugrbrand in<br="" new="">Box Stock</ugrbrand>	3500 Lumens, 220- 240V AC 50/60 HZ, Lumineux Driver, White, 120D Beam Angle, IK08 Rating; RRP £622.20	95	30
		LED Edge Lit Panel 40W 600x600 6000K White TP (B) <ugrbrand in<br="" new="">Box Stock, Aluminium Frame, IP20, 87 Im/W,</ugrbrand>		



1	1	0 V Luminouv L D200	İ	1
		8 X Lumineux LP300		
		LED Edge Lit Panel		
		40W 600x600 6000K		
		White TP (B)		
		<ugrbrand in<="" new="" td=""><td></td><td></td></ugrbrand>		
		Box Stock, Aluminium		
		Frame, IP20, 87 lm/W,		
	8 X Lumineux LP300	3500 Lumens, 220-		
	LED Edge Lit Panel	240V AC 50/60 HZ,		
	40W 600x600 6000K	Lumineux Driver,		
	White TP (B)	White, 120D Beam		
2.45	<ugrbrand in<="" new="" td=""><td>Angle, IKO8 Rating; RRP</td><td>0.5</td><td>20</td></ugrbrand>	Angle, IKO8 Rating; RRP	0.5	20
345	Box Stock	£622.20	95	30
		8 X Lumineux LP300		
		LED Edge Lit Panel		
		40W 600x600 6000K		
		White TP (B)		
		<ugrbrand in<="" new="" td=""><td></td><td></td></ugrbrand>		
		Box Stock, Aluminium		
		Frame, IP20, 87 lm/W,		
	8 X Lumineux LP300	3500 Lumens, 220-		
	LED Edge Lit Panel	240V AC 50/60 HZ,		
	40W 600x600 6000K	Lumineux Driver,		
	White TP (B)	White, 120D Beam		
246	<ugrbrand in<="" new="" td=""><td>Angle, IKO8 Rating; RRP</td><td>95</td><td>20</td></ugrbrand>	Angle, IKO8 Rating; RRP	95	20
346	Box Stock	£622.20	95	30
		3 X Lumineux BH800		
		LED Eyelid Diecast		
		Bulkhead Pro 14W		
		4000K Black		
		EmergencyBrand New		
		In Box Stock, Die-cast		
	2 V Luminauv BUROO	Aluminium Body, IP65,		
	3 X Lumineux BH800	975 Lumens, 220-240v		
	LED Eyelid Diecast Bulkhead Pro 14W	Input Voltage,		
	4000K Black	Lumineux Driver,		
		Black, 330 x 330 x 110,		
347	EmergencyBrand New In Box Stock	IK10 rating; RRP £312.99	10	10
347	III BOX Stock	1 X Lumineux BH800	10	10
		LED 14W DieCast		
		Decorative Pro 3000K		
		GreyBrand New In Box		
		Stock, Die-cast		
		Aluminium Body, IP65,		
		66 lm/W, 925 Lumens,		
		, 220-240V AC 50/60		
		HZ, Lumineux Driver,		
	1 X Lumineux BH800	Anthracite Grey, 120D		
	LED 14W DieCast	Beam Angle,		
	Decorative Pro 3000K	330x330x110, Epistar		
	GreyBrand New In Box	chips , IKO8 Rating;		
348	Stock	RRP £85.80	10	10



		1 X Lumineux BH800 LED 14W DieCast		
		Eyelid Pro 3000K		
		GreyBrand New In Box		
		Stock, Die-cast		
		Aluminium Body, IP65,		
		64 lm/W, 900 Lumens, 220-240V AC 50/60 HZ,		
		Lumineux Driver,		
	1 X Lumineux BH800	Anthracite Grey, 120D		
	LED 14W DieCast	Beam Angle,		
	Eyelid Pro 3000K	330x330x110, Epistar		
240	GreyBrand New In Box	chips , IKO8 Rating;	10	10
349	Stock	RRP £86.10	10	10
		3 X Lumineux BH800 LED 14W DieCast Anti-		
		Tamper Pro 3000K		
		Grey MicrowaveBrand		
		New In Box Stock,		
		Aluminium Diecast,		
		IP65, 100 lm/W, 975		
	2 V I	Lumens, 120 Beam		
	3 X Lumineux BH800 LED 14W DieCast Anti-	Angle, 220-240v Input Voltage, Lumineux,		
	Tamper Pro 3000K	Anthracite Grey,		
	Grey MicrowaveBrand	Epistar, IKO8 Rating,		
350	New In Box Stock	Epistar; RRP £326.42	30	30
		1 X Lumineux BH800		
		LED Decorative Diecast		
		Bulkhead Pro 14W		
		3000K BlackBrand New		
		In Box Stock, Diecast Aluminium Body an		
		Bezel, IP65, 925		
	1 X Lumineux BH800	Lumens, 220-240v		
	LED Decorative Diecast	Input range, Eyelid		
	Bulkhead Pro 14W	Bulkhead,		
351	3000K BlackBrand New	330x330x110, IK10	10	10
331	In Box Stock	Rating; RRP £85.80 1 X Lumineux BH800	10	10
		LED Eyelid Diecast		
		Bulkhead Pro 14W		
		3000K BlackBrand New		
		In Box Stock, Diecast		
		Aluminium Body an		
	1 X Lumineux BH800	Bezel, IP65,900 Lumens, 220-240v		
	LED Eyelid Diecast	Input range, Eyelid		
	Bulkhead Pro 14W	Bulkhead,		
	3000K BlackBrand New	330x330x110, IK10		
352	In Box Stock	Rating; RRP £91.57	10	10
		1 X Lumineux BH800		
		LED DieCast Bulkhead Pro 14W 4000K Black		
		Dusk-til-Dawn		
	1 X Lumineux BH800	SensorBrand New In		
	LED DieCast Bulkhead	Box Stock, Die-cast		
	Pro 14W 4000K Black	Aluminium Body, IP65,		
	Dusk-til-Dawn	1400 Lumens, 220-		
353	SensorBrand New In	240v Input Voltage,	10	10
333	Box Stock	Lumineux Driver,	10	10



		Black, 330 x 330 x 110, IK10 rating; RRP £98.92		
	1 X Lumineux BH800 LED Anti-Tamper Diecast Bulkhead Pro 14W 4000K Black Emergency &	1 X Lumineux BH800 LED Anti-Tamper Diecast Bulkhead Pro 14W 4000K Black Emergency & MicrowaveBrand New In Box Stock, Die-cast Aluminium Body, IP65, , 975 Lumens, 220- 240v Input Voltage, Lumineux Driver, Black, 330 x 330 x 110,		
354	MicrowaveBrand New In Box Stock	IK10 rating; RRP £126.19	10	10
	5 X Lumineux BH800 LED 14W DieCast Eyelid Pro 4000K Grey Dusk-til-Dawn SensorBrand New In	5 X Lumineux BH800 LED 14W DieCast Eyelid Pro 4000K Grey Dusk-til-Dawn SensorBrand New In Box Stock, Aluminium Diecast, IP65, 100 Im/W, 975 Lumens, 120 Beam Angle, 220- 240v Input Voltage, Lumineux, Anthracite Grey, Epistar, IK08 Rating, Epistar; RRP		
355	5 X Lumineux BH800 LED 14W DieCast Eyelid Pro 4000K Grey Dusk-til-Dawn SensorBrand New In	£471.84  5 X Lumineux BH800 LED 14W DieCast Eyelid Pro 4000K Grey Dusk-til-Dawn SensorBrand New In Box Stock, Aluminium Diecast, IP65, 100 Im/W, 975 Lumens, 120 Beam Angle, 220- 240v Input Voltage, Lumineux, Anthracite Grey, Epistar, IK08	50	50
356	5 X Lumineux BH800 LED 14W DieCast Eyelid Pro 4000K Grey	Rating, Epistar, 5 X Lumineux BH800 LED 14W DieCast Eyelid Pro 4000K Grey Dusk-til-Dawn SensorBrand New In Box Stock, Aluminium Diecast, IP65, 100	50	50
357	Dusk-til-Dawn SensorBrand New In Box Stock	Im/W, 975 Lumens, 120 Beam Angle, 220- 240v Input Voltage,	50	50



1 1			1	
		Lumineux, Anthracite		
		Grey, Epistar, IK08		
		Rating, Epistar,		
		4 V I PUE00		
		1 X Lumineux BH500		
		LED Diecast Bulkhead		
		16W 3000K Black		
		Emergency &		
		MicrowaveBrand New		
		In Box Stock, Die-cast		
		Aluminium Body, IP65,		
		, 750 Lumens, 220-		
	1 X Lumineux BH500	240V AC 50/60Hz,		
	LED Diecast Bulkhead	Lumineux Driver, 120°		
	16W 3000K Black	Beam Angle, 360 x 360		
	Emergency &	x 150, Epistar chip,		
250	MicrowaveBrand New	IK10 rating; RRP	40	40
358	In Box Stock	£96.58	10	10
		5 X Lumineux BH500		
		LED Diecast Bulkhead		
		16W 6000K Black		
		Dusk-til-Dawn		
		SensorBrand New In		
		Box Stock, Die-cast		
		Aluminium Body, IP65,		
	5 X Lumineux BH500	850 Lumens, 220-240V		
	LED Diecast Bulkhead	AC 50/60Hz, Lumineux		
	16W 6000K Black	Driver, 120° Beam		
	Dusk-til-Dawn	Angle, 360 x 360 x 150,		
	SensorBrand New In	Epistar chips , IK10		
359	Box Stock	rating; RRP £360.46	50	50
		5 X Lumineux BH500		
		LED Eyelid Diecast		
		Bulkhead 16W 3000K		
		Black Emergency &		
		Dusk-til-Dawn		
		SensorBrand New In		
		Box Stock, Die-cast		
	5 X Lumineux BH500	Aluminium Body, IP65,		
	LED Eyelid Diecast	450 Lumens, 220-240V		
	Bulkhead 16W 3000K	AC 50/60Hz, Lumineux		
	Black Emergency &	Driver, 120° Beam		
	Dusk-til-Dawn	Angle, 360 x 360 x 150,		
360	SensorBrand New In	Epistar chips , IK10		F.0
360	Box Stock	rating; RRP £511.90	50	50



	5 X Lumineux BH500 LED Eyelid Diecast Bulkhead 16W 3000K Black Emergency &	5 X Lumineux BH500 LED Eyelid Diecast Bulkhead 16W 3000K Black Emergency & Dusk-til-Dawn SensorBrand New In Box Stock, Die-cast Aluminium Body, IP65, 450 Lumens, 220-240V AC 50/60Hz, Lumineux Driver, 120° Beam		
	Dusk-til-Dawn SensorBrand New In	Angle, 360 x 360 x 150, Epistar chips , IK10		
361	Box Stock	rating; RRP £511.90	50	50
	1 X Lumineux BH500 LED Eyelid Diecast	1 X Lumineux BH500 LED Eyelid Diecast Bulkhead 16W 3000K BlackBrand New In Box Stock, Diecast Aluminium Body, IP65, 450 Lumens, 220-240v Input range, Eyelid		
	Bulkhead 16W 3000K	Bulkhead, Black,		
362	BlackBrand New In Box Stock	360x360x150, IK10 Rating; RRP £129.66	10	10
	11 X Lumineux LED Bulkhead Pro 14W 3000K WhiteBrand	11 X Lumineux LED Bulkhead Pro 14W 3000K WhiteBrand New In Box Stock, Tough and durable Body, IP65, 96 lm/W, 1350 Lumens,220- 240V AC 50/60 HZ, Lumineux Driver, White, 120D Beam Angle, 330x330x110, Epistar chips, IK08		
363	New In Box Stock	Rating; RRP £374.12	80	30
	10 X Lumineux LED Bulkhead Pro 14W 3000K WhiteBrand	10 X Lumineux LED Bulkhead Pro 14W 3000K WhiteBrand New In Box Stock, Tough and durable Body, IP65, 96 lm/W, 1350 Lumens, 220- 240V AC 50/60 HZ, Lumineux Driver, White, 120D Beam Angle, 330x330x110, Epistar chips, IK08		
364	New In Box Stock	Rating; RRP £340.11	75	30
365	10 X Lumineux LED Bulkhead Pro 14W 3000K WhiteBrand New In Box Stock	10 X Lumineux LED Bulkhead Pro 14W 3000K WhiteBrand New In Box Stock, Tough and durable Body, IP65, 96 lm/W, 1350 Lumens, 220- 240V AC 50/60 HZ, Lumineux Driver, White, 120D Beam	75	30



İ	1	1	İ	Ī
		Angle, 330x330x110,		
		Epistar chips , IK08		
		Rating; RRP £340.11		
		10 X Lumineux LED		
		Bulkhead Pro 14W		
		3000K WhiteBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 96 lm/W,		
		1350 Lumens, 220-		
		240V AC 50/60 HZ,		
		Lumineux Driver,		
	10 X Lumineux LED	White, 120D Beam		
	Bulkhead Pro 14W	Angle, 330x330x110,		
	3000K WhiteBrand	Epistar chips , IK08		
360		Rating; RRP £340.11	75	30
	DON STOCK	10 X Lumineux LED		
		Bulkhead Pro 14W		
		3000K WhiteBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 96 lm/W,		
		1350 Lumens, 220-		
		240V AC 50/60 HZ,		
		Lumineux Driver,		
	10 X Lumineux LED	White, 120D Beam		
	Bulkhead Pro 14W	Angle, 330x330x110,		
	3000K WhiteBrand	Epistar chips , IK08		
36	New In Box Stock	Rating; RRP £340.11	75	30
		10 X Lumineux LED		
		Bulkhead Pro 14W		
		3000K WhiteBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 96 lm/W,		
		1350 Lumens, 220-		
		240V AC 50/60 HZ,		
		Lumineux Driver,		
	10 X Lumineux LED	White, 120D Beam		
	Bulkhead Pro 14W	Angle, 330x330x110,		
368	3000K WhiteBrand	Epistar chips , IK08	75	30
300	New In Box Stock	Rating; RRP £340.11	/5	30
		10 X Lumineux LED Bulkhead Pro 14W		
		3000K WhiteBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 96 lm/W,		
		1350 Lumens, 220-		
	10 X Lumineux LED	240V AC 50/60 HZ,		
	Bulkhead Pro 14W	Lumineux Driver,		
	3000K WhiteBrand	White, 120D Beam		
369		Angle, 330x330x110,	75	30
		,	1	



		Epistar chips , IKO8		
		Rating; RRP £340.11		
		10 X Lumineux LED		
		Bulkhead Pro 14W		
		3000K WhiteBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 96 lm/W,		
		1350 Lumens, 220-		
		240V AC 50/60 HZ,		
	10 V Lumin coul ED	Lumineux Driver,		
	10 X Lumineux LED Bulkhead Pro 14W	White, 120D Beam		
	3000K WhiteBrand	Angle, 330x330x110, Epistar chips , IK08		
370	New In Box Stock	Rating; RRP £340.11	75	30
		10 X Lumineux LED		
		Bulkhead Pro 14W		
		3000K WhiteBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 96 lm/W,		
		1350 Lumens, 220-		
		240V AC 50/60 HZ,		
	10 V Luncin a.u. LED	Lumineux Driver,		
	10 X Lumineux LED Bulkhead Pro 14W	White, 120D Beam Angle, 330x330x110,		
	3000K WhiteBrand	Epistar chips , IK08		
371	New In Box Stock	Rating; RRP £340.11	75	30
	TOW III DON OLOGIN	10 X Lumineux LED	_	
		Bulkhead Pro 14W		
		3000K WhiteBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 96 lm/W,		
		1350 Lumens, 220-		
		240V AC 50/60 HZ,		
	10 X Lumineux LED	Lumineux Driver, White, 120D Beam		
	Bulkhead Pro 14W	Angle, 330x330x110,		
	3000K WhiteBrand	Epistar chips , IKO8		
372	New In Box Stock	Rating; RRP £340.11	75	30
		10 X Lumineux LED		
		Bulkhead Pro 14W		
		3000K WhiteBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 96 lm/W,		
	10 V Luminous LED	1350 Lumens, 220-		
	10 X Lumineux LED Bulkhead Pro 14W	240V AC 50/60 HZ, Lumineux Driver,		
	3000K WhiteBrand	White, 120D Beam		
i l	SSOOK WITHCOMAIN	···················· ±200 bcaili	75	30



1	i		I	İ
		Epistar chips , IK08		
		Rating; RRP £340.11		
		40.7/1		
		10 X Lumineux LED		
		Bulkhead Pro 14W		
		3000K WhiteBrand		
		New In Box Stock,		
		Tough and durable Body, IP65, 96 lm/W,		
		1350 Lumens, 220-		
		240V AC 50/60 HZ, Lumineux Driver,		
	10 X Lumineux LED	White, 120D Beam		
	Bulkhead Pro 14W	Angle, 330x330x110,		
	3000K WhiteBrand	Epistar chips , IK08		
374	New In Box Stock	Rating; RRP £340.11	75	30
374	14C44 III DON SLOCK	10 X Lumineux LED	,,,	30
		Bulkhead Pro 14W		
		3000K WhiteBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 96 lm/W,		
		1350 Lumens, 220-		
		240V AC 50/60 HZ,		
		Lumineux Driver,		
	10 X Lumineux LED	White, 120D Beam		
	Bulkhead Pro 14W	Angle, 330x330x110,		
	3000K WhiteBrand	Epistar chips , IK08		
375	New In Box Stock	Rating; RRP £340.11	75	30
		10 X Lumineux LED		
		Bulkhead Pro 14W		
		3000K WhiteBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 96 lm/W,		
		1350 Lumens, 220-		
		240V AC 50/60 HZ,		
		Lumineux Driver,		
	10 X Lumineux LED	White, 120D Beam		
	Bulkhead Pro 14W	Angle, 330x330x110,		
276	3000K WhiteBrand	Epistar chips , IK08	75	20
376	New In Box Stock	Rating; RRP £340.11	75	30
		10 X Lumineux LED		
		Bulkhead Pro 14W 3000K WhiteBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 96 lm/W,		
		1350 Lumens, 220-		
	10 X Lumineux LED	240V AC 50/60 HZ,		
	Bulkhead Pro 14W	Lumineux Driver,		
	3000K WhiteBrand	White, 120D Beam		
377	New In Box Stock	Angle, 330x330x110,	75	30
5,7	INCAN III DOY STOCK	Aligie, JouxsouxIIU,	, ,	1 30



		Epistar chips , IK08 Rating; RRP £340.11		
		Nating, Nill 1540.11		
		10 X Lumineux LED		
		Bulkhead Pro 14W		
		3000K WhiteBrand		
		New In Box Stock, Tough and durable		
		Body, IP65, 96 lm/W,		
		1350 Lumens, 220-		
		240V AC 50/60 HZ,		
		Lumineux Driver,		
	10 X Lumineux LED	White, 120D Beam		
	Bulkhead Pro 14W	Angle, 330x330x110,		
270	3000K WhiteBrand	Epistar chips , IK08	75	20
378	New In Box Stock	Rating; RRP £340.11	75	30
		10 X Lumineux LED Bulkhead Pro 14W		
		3000K WhiteBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 96 lm/W,		
		1350 Lumens, 220-		
		240V AC 50/60 HZ,		
		Lumineux Driver,		
	10 X Lumineux LED	White, 120D Beam		
	Bulkhead Pro 14W 3000K WhiteBrand	Angle, 330x330x110,		
379	New In Box Stock	Epistar chips , IK08 Rating; RRP £340.11	75	30
0.10	TVCW III BOX Stock	4 X Lumineux Bomere		
		LED Garage Light Pro		
		40W 5000kBrand New		
		In Box Stock, Robust		
		Diecast aluminium		
		powder coated		
		housing, IP65,		
		130lm/W, 5200 Lumens, 100-270v		
	4 X Lumineux Bomere	Input Voltage, Sosen		
	LED Garage Light Pro	LED Driver, Black,		
	40W 5000kBrand New	282x252x86, Nichia		
380	In Box Stock	Chips; RRP £533.33	160	50
		3 X Lumineux Bomere		
		LED Garage Light Pro		
		40W 5000kBrand New		
		In Box Stock, Robust Diecast aluminium		
		powder coated		
		housing, IP65,		
	3 X Lumineux Bomere	130lm/W, 5200		
	LED Garage Light Pro	Lumens, 100-270v		
	40W 5000kBrand New	Input Voltage, Sosen		
381	In Box Stock	LED Driver, Black,	120	40



		282x252x86, Nichia Chips; RRP £400		
		1 X Lumineux Bomere		
		LED Garage Light Pro 60W 5000kBrand New		
		In Box Stock, Robust		
		Diecast aluminium powder coated		
		housing, IP65,		
		130lm/W, 7800 Lumens, 100-270v		
	1 X Lumineux Bomere	Input Voltage, Sosen		
	LED Garage Light Pro 60W 5000kBrand New	LED Driver, Black, 282x252x86, Nichia		
382	In Box Stock	Chips; RRP £138.89	40	10
		1 X Lumineux Kieldere LED HiPanel I Pro		
		400W 5000K		
		80x100DBrand New In Box Stock, Robust		
		aluminium		
		construction with high quality finish, IP20,		
		>130 lm/W, 52000		
		Lumens, 100-240V, Meanwell Driver, Silver		
	1 X Lumineux Kieldere	White End Caps, 80°		
	LED HiPanel I Pro 400W 5000K	x 100° beam Angle, 906 x 307 x 61, Nichia		
202	80x100DBrand New In	Chips, IK08 rating; RRP	470	60
383	Box Stock	£569.44 1 X Lumineux Kieldere	170	60
		LED HiPanel I Pro		
		400W 5000K 80x100DBrand New In		
		Box Stock, Robust		
		aluminium construction with high		
		quality finish, IP20,		
		>130 lm/W, 52000 Lumens, 100-240V,		
		Meanwell Driver, Silver		
	1 X Lumineux Kieldere LED HiPanel I Pro	White End Caps, 80° x 100° beam Angle,		
	400W 5000K	906 x 307 x 61, Nichia		
384	80x100DBrand New In Box Stock	Chips, IKO8 rating; RRP	170	60
	DUX SLUCK	£569.44	1/0	00



1	ī	L 0.V.L	1	1
		8 X Lumineux LED Bulkhead Pro 14W		
		3CCT White		
		EmergencyBrand New In Box Stock,		
		Aluminium Diecast,		
		IP65, 100 lm/W, 975		
	9 V Luminoux LED			
	8 X Lumineux LED Bulkhead Pro 14W	Lumens, 220-240v		
	3CCT White	Input Voltage,		
		Lumineux, White, Epistar, IK10 rating,		
38	EmergencyBrand New In Box Stock	Epistar; RRP £473.03	105	40
30.	III BOX STOCK	2 X Lumineux	103	+0
		Chelmarsh LED		
		HiStreet Pro 70W		
		5000k 603 Optic 76mm		
		SpigotBrand New In		
		Box Stock, Intergrated		
	2 X Lumineux	Nema socket, IP66,		
	Chelmarsh LED	130 lm/W, 9889		
	HiStreet Pro 70W	Lumens, Flying Lead,		
	5000k 603 Optic 76mm	100-277V AC 50/60 HZ,		
	SpigotBrand New In	Silver, 272 x 649 x 179;		
38		RRP £513.89	150	50
		2 X Lumineux		
		Chelmarsh LED		
		HiStreet Pro 70W		
		5000k 603 Optic 76mm		
		SpigotBrand New In		
		Box Stock, Intergrated		
	2 X Lumineux	Nema socket, IP66,		
	Chelmarsh LED	130 lm/W, 9889		
	HiStreet Pro 70W	Lumens, Flying Lead,		
	5000k 603 Optic 76mm	100-277V AC 50/60 HZ,		
20	SpigotBrand New In	Silver, 272 x 649 x 179;	150	EO
38	7 Box Stock	RRP £513.89	150	50
		2 X Lumineux		
		Chelmarsh LED HiStreet Pro 70W		
		5000k 603 Optic 76mm SpigotBrand New In		
		Box Stock, Intergrated		
	2 X Lumineux	Nema socket, IP66,		
	Chelmarsh LED	130 lm/W, 9889		
	HiStreet Pro 70W	Lumens, Flying Lead,		
	5000k 603 Optic 76mm	100-277V AC 50/60 HZ,		
	SpigotBrand New In	Silver, 272 x 649 x 179;		
38		RRP £513.89	150	50
		2 X Lumineux		
		Chelmarsh LED		
		HiStreet Pro 70W		
		5000k 603 Optic 76mm		
		SpigotBrand New In		
		Box Stock, Intergrated		
	2 X Lumineux	Nema socket, IP66,		
	Chelmarsh LED	130 lm/W, 9889		
	HiStreet Pro 70W	Lumens, Flying Lead,		
	5000k 603 Optic 76mm	100-277V AC 50/60 HZ,		
3.0	SpigotBrand New In	Silver, 272 x 649 x 179;	150	F0
38	Box Stock	RRP £513.89	150	50



	1 X Lumineux Chelmarsh LED HiStreet Pro 70W 5000k 603 Optic 76mm SpigotBrand New In	1 X Lumineux Chelmarsh LED HiStreet Pro 70W 5000k 603 Optic 76mm SpigotBrand New In Box Stock, Intergrated Nema socket, IP66, 130 lm/W, 9889 Lumens, Flying Lead, 100-277V AC 50/60 HZ, Silver, 272 x 649 x 179;		
390	Box Stock	RRP £256.94	80	30
		1 X Lumineux LED		
		HiPanel I Pro 180w		
		5000K 80x100DBrand New In Box Stock,		
		Aluminium Housing,		
		IP20, 110 lm/W, 19800		
		Lumens, 1.8M H05RN-		
		F 3 core cable & 0.5M		
		1-10 Signal Cable (1-		
		10V), 100-240V AC 50/60 HZ, Meanwell		
		Driver, Silver   White		
	1 X Lumineux LED	End Caps, 80° x 100°,		
	HiPanel I Pro 180w	621 x 307 x 61, Nichia		
004	5000K 80x100DBrand	Chips, IKO8 Rating; RRP		
391	New In Box Stock	£277.67	80	30
	1 X Lumineux LED HiPanel I Pro 180w	1 X Lumineux LED HiPanel I Pro 180w 5000K 80x100DBrand New In Box Stock, Aluminium Housing, IP20, 110 Im/W, 19800 Lumens, 1.8M H05RN- F 3 core cable & 0.5M 1-10 Signal Cable (1- 10V), 100-240V AC 50/60 HZ, Meanwell Driver, Silver   White End Caps, 80° x 100°, 621 x 307 x 61, Nichia Chips, IKOS Bating, BBB		
392	5000K 80x100DBrand	Chips, IK08 Rating; RRP	80	30
392	New In Box Stock	£277.67 1 X Lumineux LED	80	30
	1 X Lumineux LED HiPanel I Pro 120w	HiPanel I Pro 120w 5000K 80x100DBrand New In Box Stock, Aluminium Housing, IP20, 110 Im/W, 13200 Lumens, 1.8M H05RN- F 3 core cable, 100- 240V AC 50/60 HZ, Meanwell Driver, Silver   White End Caps, 80° x 100°, 336 x 307 x 61,		
393	5000K 80x100DBrand	Nichia Chips, IK08	80	20
393	New In Box Stock	Rating; RRP £258.33	80	30



		1 X Lumineux LED		
		HiPanel I Pro 120w		
		5000K 80x100DBrand		
		New In Box Stock,		
		Aluminium Housing,		
		IP20, 110 lm/W, 13200		
		Lumens, 1.8M H05RN-		
		F 3 core cable, 100-		
		240V AC 50/60 HZ,		
		Meanwell Driver, Silver		
	1 X Lumineux LED	White End Caps, 80°		
	HiPanel I Pro 120w	x 100°, 336 x 307 x 61,		
	5000K 80x100DBrand	Nichia Chips, IK08		
394	New In Box Stock	Rating; RRP £258.33	80	30
		21 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens, ,		
	24 V I BU 200	220-240V AC 50/60 HZ,		
	21 X Lumineux BH300	Lumineux Driver,		
	LED Round Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 286x286x100,		
205	WhiteBrand New In	Epistar Chips, IK08	105	40
395	Box Stock	Rating; RRP £709.12	105	40
		20 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens, ,		
		220-240V AC 50/60 HZ,		
	20 X Lumineux BH300	Lumineux Driver,		
	LED Round Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 286x286x100,		
	WhiteBrand New In	Epistar Chips, IK08		
396	Box Stock	Rating; RRP £675.35	100	30
		20 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		Im/W, 1250 Lumens, ,		
	20 V Luminous BU200	220-240V AC 50/60 HZ,		
	20 X Lumineux BH300	Lumineux Driver,		
	LED Round Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 286x286x100,		
207	WhiteBrand New In	Epistar Chips, IK08	400	20
397	Box Stock	Rating; RRP £675.35	100	30



	i	<u>-</u>	<u>-</u>	
		20 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens, ,		
	20 V I 5 BU 200	220-240V AC 50/60 HZ,		
	20 X Lumineux BH300	Lumineux Driver,		
	LED Round Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 286x286x100,		
200	WhiteBrand New In	Epistar Chips, IK08	100	20
398	Box Stock	Rating; RRP £675.35	100	30
		20 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens, ,		
		220-240V AC 50/60 HZ,		
	20 X Lumineux BH300	Lumineux Driver,		
	LED Round Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 286x286x100,		
	WhiteBrand New In	Epistar Chips, IK08		
399	Box Stock		100	30
333	BOX SLOCK	Rating; RRP £675.35	100	30
		20 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens, ,		
		220-240V AC 50/60 HZ,		
	20 X Lumineux BH300	Lumineux Driver,		
	LED Round Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 286x286x100,		
	WhiteBrand New In	Epistar Chips, IK08		
400	Box Stock	Rating; RRP £675.35	100	30
		20 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		Im/W, 1250 Lumens, ,		
		220-240V AC 50/60 HZ,		
	20 X Lumineux BH300	Lumineux Driver,		
	LED Round Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 286x286x100,		
	WhiteBrand New In	=		
401		Epistar Chips, IK08	100	30
401	Box Stock	Rating; RRP £675.35	100	30



	•	ı	1	1
		20 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens, ,		
		220-240V AC 50/60 HZ,		
	20 X Lumineux BH300	Lumineux Driver,		
	LED Round Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 286x286x100,		
	WhiteBrand New In	Epistar Chips, IK08		
402	Box Stock	Rating; RRP £675.35	100	30
		20 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens, ,		
		220-240V AC 50/60 HZ,		
	20 X Lumineux BH300	Lumineux Driver,		
	LED Round Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 286x286x100,		
	WhiteBrand New In	Epistar Chips, IK08		
403	Box Stock	Rating; RRP £675.35	100	30
		20 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens, ,		
		220-240V AC 50/60 HZ,		
	20 X Lumineux BH300	Lumineux Driver,		
	LED Round Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 286x286x100,		
	WhiteBrand New In	Epistar Chips, IK08		
404	Box Stock	Rating; RRP £675.35	100	30
		20 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens, ,		
		220-240V AC 50/60 HZ,		
	20 X Lumineux BH300	Lumineux Driver,		
	LED Round Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 286x286x100,		
	WhiteBrand New In	Epistar Chips, IK08	_	
405	Box Stock	Rating; RRP £675.35	100	30



1	1	ı	1	
		20 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens, ,		
		220-240V AC 50/60 HZ,		
	20 X Lumineux BH300	Lumineux Driver,		
	LED Round Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 286x286x100,		
	WhiteBrand New In	Epistar Chips, IK08		
406	Box Stock	Rating; RRP £675.35	100	30
100	DOX STOCK	20 X Lumineux BH300	100	30
		LED Round Utility		
		•		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens, ,		
		220-240V AC 50/60 HZ,		
	20 X Lumineux BH300	Lumineux Driver,		
	LED Round Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 286x286x100,		
	WhiteBrand New In	Epistar Chips, IK08		
407	Box Stock	Rating; RRP £675.35	100	30
		20 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens, ,		
		220-240V AC 50/60 HZ,		
	20 X Lumineux BH300	Lumineux Driver,		
	LED Round Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 286x286x100,		
	WhiteBrand New In	Epistar Chips, IK08		
408	Box Stock	Rating; RRP £675.35	100	30
		20 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		Im/W, 1250 Lumens, ,		
		220-240V AC 50/60 HZ,		
	20 X Lumineux BH300	Lumineux Driver,		
	LED Round Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 286x286x100,		
	WhiteBrand New In	Epistar Chips, IK08		
409	Box Stock	Rating; RRP £675.35	100	30
409	DOX SLUCK	natilig, NNY ED/3.33	100	30



1 1		l	Ī	Ī
		20 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens, ,		
		220-240V AC 50/60 HZ,		
	20 X Lumineux BH300	Lumineux Driver,		
	LED Round Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 286x286x100,		
	WhiteBrand New In	Epistar Chips, IK08		
410	Box Stock	Rating; RRP £675.35	100	30
		20 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens, ,		
		220-240V AC 50/60 HZ,		
	20 X Lumineux BH300	Lumineux Driver,		
	LED Round Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 286x286x100,		
	WhiteBrand New In	Epistar Chips, IK08		
411	Box Stock	Rating; RRP £675.35	100	30
		20 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens, ,		
		220-240V AC 50/60 HZ,		
	20 X Lumineux BH300	Lumineux Driver,		
	LED Round Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 286x286x100,		
	WhiteBrand New In	Epistar Chips, IK08		
412	Box Stock	Rating; RRP £675.35	100	30
		20 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		-		
		lm/W, 1250 Lumens, ,		
	20 V Lumine BU200	220-240V AC 50/60 HZ,		
	20 X Lumineux BH300	Lumineux Driver,		
	LED Round Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 286x286x100,		
4.5	WhiteBrand New In	Epistar Chips, IK08	400	
413	Box Stock	Rating; RRP £675.35	100	30



		20 X Lumineux BH300 LED Round Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		Im/W, 1250 Lumens, ,		
		220-240V AC 50/60 HZ,		
	20 X Lumineux BH300	Lumineux Driver,		
	LED Round Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 286x286x100,		
	WhiteBrand New In	Epistar Chips, IK08		
414	Box Stock	Rating; RRP £675.35	100	30
		11 X Lumineux BH300		
		LED Square Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens,		
		220-240V AC 50/60 HZ,		
	11 X Lumineux BH300	Lumineux Driver,		
	LED Square Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 255x255x100,		
	WhiteBrand New In	Epistar Chips, IK08		
415	Box Stock	Rating; RRP £415.11	60	20
		10 X Lumineux BH300		
		LED Square Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens,		
	40.7/1 1 511225	220-240V AC 50/60 HZ,		
	10 X Lumineux BH300	Lumineux Driver,		
	LED Square Utility	White, 120D Beam		
	Bulkhead 16W 3000K WhiteBrand New In	Angle, 255x255x100,		
416		Epistar Chips, IK08 Rating; RRP £377.37	55	20
710	DON STOCK	10 X Lumineux BH300	33	20
		LED Square Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens,		
		220-240V AC 50/60 HZ,		
	10 X Lumineux BH300	Lumineux Driver,		
	LED Square Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 255x255x100,		
	WhiteBrand New In	Epistar Chips, IK08		
417	Box Stock	Rating; RRP £377.37	55	20



1		10 V I BU200	I	l l
		10 X Lumineux BH300		
		LED Square Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens,		
		220-240V AC 50/60 HZ,		
	10 X Lumineux BH300	Lumineux Driver,		
	LED Square Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 255x255x100,		
	WhiteBrand New In	Epistar Chips, IK08		
418	Box Stock	Rating; RRP £377.37	55	20
		10 X Lumineux BH300		
		LED Square Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens,		
		220-240V AC 50/60 HZ,		
	10 X Lumineux BH300	Lumineux Driver,		
	LED Square Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 255x255x100,		
	WhiteBrand New In	Epistar Chips, IK08		
419	Box Stock	Rating; RRP £377.37	55	20
		10 X Lumineux BH300		
		LED Square Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens,		
		220-240V AC 50/60 HZ,		
	10 X Lumineux BH300	Lumineux Driver,		
	LED Square Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 255x255x100,		
	WhiteBrand New In	Epistar Chips, IK08		
420	Box Stock	Rating; RRP £377.37	55	20
		10 X Lumineux BH300		
		LED Square Utility		
		Bulkhead 16W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens,		
		220-240V AC 50/60 HZ,		
	10 X Lumineux BH300	Lumineux Driver,		
	LED Square Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 255x255x100,		
	WhiteBrand New In	Epistar Chips, IK08		
421	Box Stock	Rating; RRP £377.37	55	20



422	10 X Lumineux BH300 LED Square Utility Bulkhead 16W 3000K WhiteBrand New In Box Stock	10 X Lumineux BH300 LED Square Utility Bulkhead 16W 3000K WhiteBrand New In Box Stock, Tough and durable Body, IP65, 78 Im/W, 1250 Lumens, 220-240V AC 50/60 HZ, Lumineux Driver, White, 120D Beam Angle, 255x255x100, Epistar Chips, IK08	55	20
422	10 X Lumineux BH300 LED Square Utility Bulkhead 16W 3000K WhiteBrand New In	Rating; RRP £377.37  10 X Lumineux BH300 LED Square Utility Bulkhead 16W 3000K WhiteBrand New In Box Stock, Tough and durable Body, IP65, 78 Im/W, 1250 Lumens, 220-240V AC 50/60 HZ, Lumineux Driver, White, 120D Beam Angle, 255x255x100, Epistar Chips, IK08	33	20
423	10 X Lumineux BH300 LED Square Utility Bulkhead 16W 3000K WhiteBrand New In	Rating; RRP £377.37  10 X Lumineux BH300 LED Square Utility Bulkhead 16W 3000K WhiteBrand New In Box Stock, Tough and durable Body, IP65, 78 Im/W, 1250 Lumens, 220-240V AC 50/60 HZ, Lumineux Driver, White, 120D Beam Angle, 255x255x100, Epistar Chips, IK08	55	20
424	10 X Lumineux BH300 LED Round Utility Bulkhead 16W 6000K Black EmergencyBrand New In Box Stock	Rating; RRP £377.37  10 X Lumineux BH300 LED Round Utility Bulkhead 16W 6000K Black EmergencyBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220-240v Input Voltage, Lumineux, Black, 120 Beam Angle, 286x286x100, Epistar, IK08 rating; RRP £575.73	55 85	30



]	<u> </u>	10 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 6000K		
		Black EmergencyBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 1400		
		Lumens, 220-240v		
		Input Voltage,		
	10 X Lumineux BH300	Lumineux, Black, 120		
	LED Round Utility	Beam Angle,		
	Bulkhead 16W 6000K	286x286x100, Epistar,		
	Black EmergencyBrand	IKO8 rating; RRP		
426	New In Box Stock	£575.73	85	30
		10 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 6000K		
		Black EmergencyBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 1400		
		Lumens, 220-240v		
	10 V Luminous BU200	Input Voltage,		
	10 X Lumineux BH300 LED Round Utility	Lumineux, Black, 120		
	Bulkhead 16W 6000K	Beam Angle, 286x286x100, Epistar,		
	Black EmergencyBrand	IK08 rating; RRP		
427	New In Box Stock	£575.73	85	30
127	New III Box Stock	10 X Lumineux BH300		30
		LED Round Utility		
		Bulkhead 16W 6000K		
		Black EmergencyBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 1400		
		Lumens, 220-240v		
		Input Voltage,		
	10 X Lumineux BH300	Lumineux, Black, 120		
	LED Round Utility	Beam Angle,		
	Bulkhead 16W 6000K	286x286x100, Epistar,		
422	Black EmergencyBrand	IK08 rating; RRP	3-	3.0
428	New In Box Stock	£575.73	85	30
		10 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 6000K		
		Black EmergencyBrand		
		New In Box Stock, Tough and durable		
		Body, IP65, 1400		
		Lumens, 220-240v		
		Input Voltage,		
	10 X Lumineux BH300	Lumineux, Black, 120		
	LED Round Utility	Beam Angle,		
	Bulkhead 16W 6000K	286x286x100, Epistar,		
	Black EmergencyBrand	IKO8 rating; RRP		
429	New In Box Stock	£575.73	85	30



1			İ	ı
		10 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 6000K		
		Black EmergencyBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 1400		
		Lumens, 220-240v		
		Input Voltage,		
	10 X Lumineux BH300	Lumineux, Black, 120		
	LED Round Utility	Beam Angle,		
	Bulkhead 16W 6000K	286x286x100, Epistar,		
	Black EmergencyBrand	IKO8 rating; RRP		
430	New In Box Stock	£575.73	85	30
+30	New III BOX Stock	10 X Lumineux BH300	83	30
		LED Round Utility		
		Bulkhead 16W 6000K		
		Black EmergencyBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 1400		
		Lumens, 220-240v		
		Input Voltage,		
	10 X Lumineux BH300	Lumineux, Black, 120		
	LED Round Utility	Beam Angle,		
	Bulkhead 16W 6000K	286x286x100, Epistar,		
	Black EmergencyBrand	IKO8 rating; RRP		
431	New In Box Stock	£575.73	85	30
		10 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 6000K		
		Black EmergencyBrand		
		New In Box Stock,		
		Tough and durable		
		_		
		Body, IP65, 1400		
		Lumens, 220-240v		
	10 V Lumin c DU200	Input Voltage,		
	10 X Lumineux BH300	Lumineux, Black, 120		
	LED Round Utility	Beam Angle,		
	Bulkhead 16W 6000K	286x286x100, Epistar,		
422	Black EmergencyBrand	IKO8 rating; RRP	0.5	20
432	New In Box Stock	£575.73	85	30
		10 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 6000K		
		Black EmergencyBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 1400		
		Lumens, 220-240v		
		Input Voltage,		
	10 X Lumineux BH300	Lumineux, Black, 120		
	LED Round Utility	Beam Angle,		
	Bulkhead 16W 6000K	286x286x100, Epistar,		
	Black EmergencyBrand	IK08 rating; RRP		
433	New In Box Stock	£575.73	85	30
			1	



434	10 X Lumineux BH300 LED Round Utility Bulkhead 16W 6000K Black EmergencyBrand New In Box Stock	10 X Lumineux BH300 LED Round Utility Bulkhead 16W 6000K Black EmergencyBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220-240v Input Voltage, Lumineux, Black, 120 Beam Angle, 286x286x100, Epistar, IK08 rating; RRP £575.73	85	30
435	11 X Lumineux BH300 LED Round Utility Bulkhead 16W 6000K White Emergency & MicrowaveBrand New In Box Stock	11 X Lumineux BH300 LED Round Utility Bulkhead 16W 6000K White Emergency & MicrowaveBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220-240v Input Voltage, Lumineux, White, 120 Beam Angle, 286x286x100, Epistar, IK08 rating; RRP £745.17	110	40
436	10 X Lumineux BH300 LED Round Utility Bulkhead 16W 6000K White Emergency & MicrowaveBrand New In Box Stock	10 X Lumineux BH300 LED Round Utility Bulkhead 16W 6000K White Emergency & MicrowaveBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220-240v Input Voltage, Lumineux, White, 120 Beam Angle, 286x286x100, Epistar, IK08 rating; RRP £677.42	100	30
437	10 X Lumineux BH300 LED Round Utility Bulkhead 16W 6000K White Emergency & MicrowaveBrand New In Box Stock	10 X Lumineux BH300 LED Round Utility Bulkhead 16W 6000K White Emergency & MicrowaveBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220-240v Input Voltage, Lumineux, White, 120 Beam Angle, 286x286x100, Epistar, IK08 rating; RRP £677.42	100	30



441	10 X Lumineux BH300 LED Utility Bulkhead 16W Black Emergency & Microwave Sensor 6000KBrand New In Box Stock	LED Utility Bulkhead 16W Black Emergency & Microwave Sensor 6000KBrand New In Box Stock, Tough and durable Body, IP65,1400 Lumens, 220-240v Input Voltage, Lumineux, Black, 120 Beam Angle, 286x286x100, Epistar, IK08 rating; RRP £687.61	105	40
440	10 X Lumineux BH300 LED Round Utility Bulkhead 16W 6000K White Emergency & MicrowaveBrand New In Box Stock	10 X Lumineux BH300 LED Round Utility Bulkhead 16W 6000K White Emergency & MicrowaveBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220-240v Input Voltage, Lumineux, White, 120 Beam Angle, 286x286x100, Epistar, IK08 rating; RRP £677.42 10 X Lumineux BH300	100	30
439	10 X Lumineux BH300 LED Round Utility Bulkhead 16W 6000K White Emergency & MicrowaveBrand New In Box Stock	10 X Lumineux BH300 LED Round Utility Bulkhead 16W 6000K White Emergency & MicrowaveBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220-240v Input Voltage, Lumineux, White, 120 Beam Angle, 286x286x100, Epistar, IK08 rating; RRP £677.42	100	30
438	10 X Lumineux BH300 LED Round Utility Bulkhead 16W 6000K White Emergency & MicrowaveBrand New In Box Stock	10 X Lumineux BH300 LED Round Utility Bulkhead 16W 6000K White Emergency & MicrowaveBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220-240v Input Voltage, Lumineux, White, 120 Beam Angle, 286x286x100, Epistar, IK08 rating; RRP £677.42	100	30



442	10 X Lumineux BH300 LED Utility Bulkhead 16W Black Emergency & Microwave Sensor 6000KBrand New In Box Stock	10 X Lumineux BH300 LED Utility Bulkhead 16W Black Emergency & Microwave Sensor 6000KBrand New In Box Stock, Tough and durable Body, IP65,1400 Lumens, 220-240v Input Voltage, Lumineux, Black, 120 Beam Angle, 286x286x100, Epistar, IK08 rating; RRP £687.61	105	40
443	10 X Lumineux BH300 LED Utility Bulkhead 16W Black Emergency & Microwave Sensor 6000KBrand New In Box Stock	10 X Lumineux BH300 LED Utility Bulkhead 16W Black Emergency & Microwave Sensor 6000KBrand New In Box Stock, Tough and durable Body, IP65,1400 Lumens, 220-240v Input Voltage, Lumineux, Black, 120 Beam Angle, 286x286x100, Epistar, IK08 rating; RRP £687.61	105	40
444	10 X Lumineux BH300 LED Utility Bulkhead 16W Black Emergency & Microwave Sensor 6000KBrand New In Box Stock	10 X Lumineux BH300 LED Utility Bulkhead 16W Black Emergency & Microwave Sensor 6000KBrand New In Box Stock, Tough and durable Body, IP65,1400 Lumens, 220-240v Input Voltage, Lumineux, Black, 120 Beam Angle, 286x286x100, Epistar, IK08 rating; RRP £687.61	105	40
445	10 X Lumineux BH300 LED Utility Bulkhead 16W Black Emergency & Microwave Sensor 6000KBrand New In Box Stock	10 X Lumineux BH300 LED Utility Bulkhead 16W Black Emergency & Microwave Sensor 6000KBrand New In Box Stock, Tough and durable Body, IP65,1400 Lumens, 220-240v Input Voltage, Lumineux, Black, 120 Beam Angle, 286x286x100, Epistar, IK08 rating; RRP £687.61	105	40



	4 X Lumineux BH300 LED Utility Bulkhead 16W Black Emergency & Microwave Sensor 6000KBrand New In	4 X Lumineux BH300 LED Utility Bulkhead 16W Black Emergency & Microwave Sensor 6000KBrand New In Box Stock, Tough and durable Body, IP65,1400 Lumens, 220-240v Input Voltage, Lumineux, Black, 120 Beam Angle, 286x286x100, Epistar, IK08 rating; RRP		
448	10 X Lumineux BH300 LED Utility Bulkhead 16W Black Emergency & Microwave Sensor 6000KBrand New In Box Stock	10 X Lumineux BH300 LED Utility Bulkhead 16W Black Emergency & Microwave Sensor 6000KBrand New In Box Stock, Tough and durable Body, IP65,1400 Lumens, 220-240v Input Voltage, Lumineux, Black, 120 Beam Angle, 286x286x100, Epistar, IK08 rating; RRP £687.61	105	40
447	10 X Lumineux BH300 LED Utility Bulkhead 16W Black Emergency & Microwave Sensor 6000KBrand New In Box Stock	10 X Lumineux BH300 LED Utility Bulkhead 16W Black Emergency & Microwave Sensor 6000KBrand New In Box Stock, Tough and durable Body, IP65,1400 Lumens, 220-240v Input Voltage, Lumineux, Black, 120 Beam Angle, 286x286x100, Epistar, IK08 rating; RRP £687.61	105	40
446	10 X Lumineux BH300 LED Utility Bulkhead 16W Black Emergency & Microwave Sensor 6000KBrand New In Box Stock	10 X Lumineux BH300 LED Utility Bulkhead 16W Black Emergency & Microwave Sensor 6000KBrand New In Box Stock, Tough and durable Body, IP65,1400 Lumens, 220-240v Input Voltage, Lumineux, Black, 120 Beam Angle, 286x286x100, Epistar, IK08 rating; RRP £687.61	105	40



1	I	42.V.L	I	ļ l
		12 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 4000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens,		
		220-240V AC 50/60 HZ,		
	12 X Lumineux BH300	Lumineux Driver,		
	LED Round Utility	White, 120D Beam		
	Bulkhead 16W 4000K	Angle, 286x286x100,		
	WhiteBrand New In	Epistar Chips, IK08		
450	Box Stock	Rating; RRP £390.86	60	20
		10 X Lumineux BH300		_
		LED Round Utility		
		Bulkhead 16W 6000K		
		White		
		EmergencyBrand New		
		In Box Stock, Tough		
		and durable Body,		
		IP65, 1400 Lumens,		
	10 X Lumineux BH300	220-240v Input		
	LED Round Utility	Voltage, Lumineux,		
	Bulkhead 16W 6000K	White, 120 Beam		
	White	Angle, 286x286x100,		
	EmergencyBrand New	Epistar, IKO8 rating;		
451	In Box Stock	RRP £579.42	85	30
		10 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 6000K		
		White		
		EmergencyBrand New		
		In Box Stock, Tough		
		and durable Body,		
		IP65, 1400 Lumens,		
	10 V Luminous BU300			
	10 X Lumineux BH300	220-240v Input		
	LED Round Utility	Voltage, Lumineux,		
	Bulkhead 16W 6000K	White, 120 Beam		
	White	Angle, 286x286x100,		
450	EmergencyBrand New	Epistar, IKO8 rating;	0.5	20
452	In Box Stock	RRP £579.42	85	30
		10 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 6000K		
		White		
		EmergencyBrand New		
		In Box Stock, Tough		
		and durable Body,		
		IP65, 1400 Lumens,		
	10 X Lumineux BH300	220-240v Input		
	LED Round Utility	Voltage, Lumineux,		
	Bulkhead 16W 6000K	White, 120 Beam		
	White			
		Angle, 286x286x100,		
453	EmergencyBrand New	Epistar, IK08 rating;	85	20
453	In Box Stock	RRP £579.42	85	30



454	10 X Lumineux BH300 LED Round Utility Bulkhead 16W 6000K White EmergencyBrand New In Box Stock	10 X Lumineux BH300 LED Round Utility Bulkhead 16W 6000K White EmergencyBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220-240v Input Voltage, Lumineux, White, 120 Beam Angle, 286x286x100, Epistar, IK08 rating; RRP £579.42	85	30
455	10 X Lumineux BH300 LED Round Utility Bulkhead 16W 6000K White EmergencyBrand New In Box Stock	10 X Lumineux BH300 LED Round Utility Bulkhead 16W 6000K White EmergencyBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220-240v Input Voltage, Lumineux, White, 120 Beam Angle, 286x286x100, Epistar, IK08 rating; RRP £579.42	85	30
456	10 X Lumineux BH300 LED Round Utility Bulkhead 16W 6000K White EmergencyBrand New In Box Stock	10 X Lumineux BH300 LED Round Utility Bulkhead 16W 6000K White EmergencyBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220-240v Input Voltage, Lumineux, White, 120 Beam Angle, 286x286x100, Epistar, IK08 rating; RRP £579.42	85	30
457	5 X Lumineux BH300 LED Round Utility Bulkhead 16W 6000K White EmergencyBrand New In Box Stock	5 X Lumineux BH300 LED Round Utility Bulkhead 16W 6000K White EmergencyBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220-240v Input Voltage, Lumineux, White, 120 Beam Angle, 286x286x100, Epistar, IK08 rating; RRP £289.71	45	20



		15 X Lumineux BH300		
		LED Square Utility		
		Bulkhead 16W 6000K		
		White Step-DimBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 1400		
		Lumens, 220-240v		
		Input Voltage,		
	15 X Lumineux BH300	Lumineux, Black, 120		
	LED Square Utility	Beam Angle,		
	Bulkhead 16W 6000K	286x286x100, Epistar,		
	White Step-DimBrand	IKO8 rating; RRP		
458	New In Box Stock	£2,372.50	355	120
130	INEW III BOX SLOCK	10 X Lumineux BH300	333	120
		LED Square Utility		
		Bulkhead 16W 6000K		
		White Step-DimBrand		
		•		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 1400 Lumens, 220-240v		
		· ·		
	10 V L	Input Voltage,		
	10 X Lumineux BH300	Lumineux, Black, 120		
	LED Square Utility Bulkhead 16W 6000K	Beam Angle,		
		286x286x100, Epistar,		
459	White Step-DimBrand	IK08 rating; RRP	235	80
433	New In Box Stock	£1,581.67	233	80
		15 X Lumineux BH300		
		LED Round Utility Bulkhead 16W 6000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens,		
	15 V L	220-240V AC 50/60 HZ,		
	15 X Lumineux BH300	Lumineux Driver,		
	LED Round Utility	White, 120D Beam		
	Bulkhead 16W 6000K	Angle, 286x286x100,		
460	WhiteBrand New In	Epistar Chips, IK08	85	30
400	Box Stock	Rating; RRP £570.66	03	30
		10 X Lumineux BH300		
		LED Round Utility		
		Bulkhead 16W 6000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens,		
	40 V Lumbin BU202	220-240V AC 50/60 HZ,		
	10 X Lumineux BH300	Lumineux Driver,		
	LED Round Utility	White, 120D Beam		
	Bulkhead 16W 6000K	Angle, 286x286x100,		
161	WhiteBrand New In	Epistar Chips, IK08	FF	20
461	Box Stock	Rating; RRP £380.44	55	20



		20 X Lumineux DL500		l I
		LED Retail Downlight		
		20W 4000K		
		WhiteBrand New In		
		Box Stock, Aluminium ,		
		IP20, 100 lm/W, 2000		
		Lumens, 220-240V AC		
		50/60 HZ, Built in		
		Internal Driver, White,		
	20 X Lumineux DL500	36° beam Angle, 145 x		
	LED Retail Downlight	102 HC 120-130,		
	20W 4000K	Citizen Chips, Multi		
	WhiteBrand New In	directional retail light;		
462	Box Stock	RRP £906.03	200	70
		20 X Lumineux DL500		
		LED Retail Downlight		
		20W 4000K		
		WhiteBrand New In		
		Box Stock, Aluminium ,		
		IP20, 100 lm/W, 2000		
		Lumens, 220-240V AC		
		50/60 HZ, Built in		
		Internal Driver, White,		
	20 X Lumineux DL500	36° beam Angle, 145 x		
	LED Retail Downlight	102 HC 120-130,		
	20W 4000K	Citizen Chips, Multi		
	WhiteBrand New In	directional retail light;		
463	Box Stock	RRP £906.03	200	70
		20 X Lumineux DL500		
		LED Retail Downlight		
		20W 4000K		
		WhiteBrand New In		
		Box Stock, Aluminium ,		
		IP20, 100 lm/W, 2000		
		Lumens, 220-240V AC		
		50/60 HZ, Built in		
		Internal Driver, White,		
	20 X Lumineux DL500	36° beam Angle, 145 x		
	LED Retail Downlight	102 HC 120-130,		
	20W 4000K	Citizen Chips, Multi		
4.0.4	WhiteBrand New In	directional retail light;	200	70
464	Box Stock	RRP £906.03	200	70
		20 X Lumineux DL500		
		LED Retail Downlight		
		20W 4000K		
		WhiteBrand New In		
		Box Stock, Aluminium ,		
		IP20, 100 lm/W, 2000		
		Lumens, 220-240V AC		
		50/60 HZ, Built in		
	20 X Lumineux DL500	Internal Driver, White, 36° beam Angle, 145 x		
	LED Retail Downlight	102 HC 120-130,		
	20W 4000K	Citizen Chips, Multi		
	WhiteBrand New In	directional retail light;		
465	Box Stock	RRP £906.03	200	70
.03	200 00000	2300.03		70



	20 X Lumineux DL500 LED Retail Downlight	20 X Lumineux DL500 LED Retail Downlight 20W 4000K WhiteBrand New In Box Stock, Aluminium, IP20, 100 lm/W, 2000 Lumens, 220-240V AC 50/60 HZ, Built in Internal Driver, White, 36° beam Angle, 145 x 102 HC 120-130,		
466	20W 4000K WhiteBrand New In	Citizen Chips, Multi directional retail light;	200	70
400	20 X Lumineux DL500 LED Retail Downlight 20W 4000K	RRP £906.03  20 X Lumineux DL500  LED Retail Downlight  20W 4000K  WhiteBrand New In  Box Stock, Aluminium,  IP20, 100 lm/W, 2000  Lumens, 220-240V AC  50/60 HZ, Built in  Internal Driver, White,  36° beam Angle, 145 x  102 HC 120-130,  Citizen Chips, Multi	200	70
467	WhiteBrand New In Box Stock	directional retail light; RRP £906.03	200	70
460	20 X Lumineux DL500 LED Retail Downlight 20W 4000K WhiteBrand New In	20 X Lumineux DL500 LED Retail Downlight 20W 4000K WhiteBrand New In Box Stock, Aluminium, IP20, 100 lm/W, 2000 Lumens, 220-240V AC 50/60 HZ, Built in Internal Driver, White, 36° beam Angle, 145 x 102 HC 120-130, Citizen Chips, Multi directional retail light;	222	
468	20 X Lumineux DL500 LED Retail Downlight 20W 4000K WhiteBrand New In	RRP £906.03  20 X Lumineux DL500  LED Retail Downlight 20W 4000K  WhiteBrand New In Box Stock, Aluminium, IP20, 100 lm/W, 2000  Lumens, 220-240V AC 50/60 HZ, Built in Internal Driver, White, 36° beam Angle, 145 x 102 HC 120-130, Citizen Chips, Multi directional retail light;	200	70
469	Box Stock	RRP £906.03	200	70



		20 X Lumineux DL500 LED Retail Downlight 20W 4000K WhiteBrand New In		
		Box Stock, Aluminium, IP20, 100 lm/W, 2000 Lumens, 220-240V AC		
	20 X Lumineux DL500	50/60 HZ, Built in Internal Driver, White, 36° beam Angle, 145 x		
	LED Retail Downlight 20W 4000K	102 HC 120-130, Citizen Chips, Multi		
470	WhiteBrand New In Box Stock	directional retail light; RRP £906.03 20 X Lumineux DL500	200	70
		LED Retail Downlight 20W 4000K		
		WhiteBrand New In Box Stock, Aluminium ,		
		IP20, 100 lm/W, 2000 Lumens, 220-240V AC 50/60 HZ, Built in		
	20 X Lumineux DL500	Internal Driver, White, 36° beam Angle, 145 x		
	LED Retail Downlight 20W 4000K	102 HC 120-130, Citizen Chips, Multi		
471	WhiteBrand New In Box Stock	directional retail light; RRP £906.03	200	70
		12 X Lumineux DL500 LED Retail Downlight 20W 4000K		
		WhiteBrand New In Box Stock, Aluminium ,		
		IP20, 100 lm/W, 2000 Lumens, 220-240V AC		
	12 X Lumineux DL500	50/60 HZ, Built in Internal Driver, White, 36° beam Angle, 145 x		
	LED Retail Downlight 20W 4000K	102 HC 120-130, Citizen Chips, Multi		
472	WhiteBrand New In Box Stock	directional retail light; RRP £543.62	120	40
		12 X Lumineux DL500 LED Retail Downlight 20W 4000K		
		WhiteBrand New In Box Stock, Aluminium ,		
		IP20, 100 lm/W, 2000 Lumens, 220-240V AC		
	12 X Lumineux DL500	50/60 HZ, Built in Internal Driver, White, 36° beam Angle, 145 x		
	LED Retail Downlight 20W 4000K	102 HC 120-130, Citizen Chips, Multi		
473	WhiteBrand New In Box Stock	directional retail light; RRP £543.62	120	40



474	20 X Lumineux DL500 LED Retail Downlight 45W 4000K WhiteBrand New In Box Stock	20 X Lumineux DL500 LED Retail Downlight 45W 4000K WhiteBrand New In Box Stock, Aluminium, IP20, 100 lm/W, 2000 Lumens, 220-240V AC 50/60 HZ, Built in Internal Driver, White, 36° beam Angle, 145 x 102 HC 120-130, Citizen Chips, Multi directional retail light; RRP £1,385.31	315	110
475	20 X Lumineux DL500 LED Retail Downlight 45W 4000K WhiteBrand New In Box Stock	20 X Lumineux DL500 LED Retail Downlight 45W 4000K WhiteBrand New In Box Stock, Aluminium, IP20, 100 lm/W, 2000 Lumens, 220-240V AC 50/60 HZ, Built in Internal Driver, White, 36° beam Angle, 145 x 102 HC 120-130, Citizen Chips, Multi directional retail light; RRP £1,385.31	315	110
476	20 X Lumineux DL500 LED Retail Downlight 45W 4000K WhiteBrand New In Box Stock	20 X Lumineux DL500 LED Retail Downlight 45W 4000K WhiteBrand New In Box Stock, Aluminium, IP20, 100 lm/W, 2000 Lumens, 220-240V AC 50/60 HZ, Built in Internal Driver, White, 36° beam Angle, 145 x 102 HC 120-130, Citizen Chips, Multi directional retail light; RRP £1,385.31	315	110
477	20 X Lumineux DL500 LED Retail Downlight 45W 4000K WhiteBrand New In Box Stock	20 X Lumineux DL500 LED Retail Downlight 45W 4000K WhiteBrand New In Box Stock, Aluminium, IP20, 100 lm/W, 2000 Lumens, 220-240V AC 50/60 HZ, Built in Internal Driver, White, 36° beam Angle, 145 x 102 HC 120-130, Citizen Chips, Multi directional retail light; RRP £1,385.31	315	110



		Box Stock, Aluminium, IP20, 100 lm/W, 2000 Lumens, 220-240V AC 50/60 HZ, Built in Internal Driver, White,		
	20 X Lumineux DL500	36° beam Angle, 145 x		
	LED Retail Downlight 45W 4000K	102 HC 120-130, Citizen Chips, Multi		
	WhiteBrand New In	directional retail light;		
478	Box Stock	RRP £1,385.31	315	110
		20 X Lumineux DL500		
		LED Retail Downlight 45W 4000K		
		WhiteBrand New In		
		Box Stock, Aluminium ,		
		IP20, 100 lm/W, 2000		
		Lumens, 220-240V AC		
		50/60 HZ, Built in Internal Driver, White,		
	20 X Lumineux DL500	36° beam Angle, 145 x		
	LED Retail Downlight	102 HC 120-130,		
	45W 4000K	Citizen Chips, Multi		
479	WhiteBrand New In	directional retail light;	315	110
473	Box Stock	RRP £1,385.31 20 X Lumineux DL500	313	110
		LED Retail Downlight		
		45W 4000K		
		WhiteBrand New In		
		Box Stock, Aluminium ,		
		IP20, 100 lm/W, 2000 Lumens, 220-240V AC		
		50/60 HZ, Built in		
		Internal Driver, White,		
	20 X Lumineux DL500	36° beam Angle, 145 x		
	LED Retail Downlight	102 HC 120-130,		
	45W 4000K WhiteBrand New In	Citizen Chips, Multi directional retail light;		
480	Box Stock	RRP £1,385.31	315	110
		20 X Lumineux DL500		
		LED Retail Downlight		
		45W 4000K WhiteBrand New In		
		Box Stock, Aluminium ,		
		IP20, 100 lm/W, 2000		
		Lumens, 220-240V AC		
		50/60 HZ, Built in		
	20 X Lumineux DL500	Internal Driver, White, 36° beam Angle, 145 x		
	LED Retail Downlight	102 HC 120-130,		
	45W 4000K	Citizen Chips, Multi		
	WhiteBrand New In	directional retail light;		
481	Box Stock	RRP £1,385.31	315	110



			_	
		10 X Lumineux DL500		
		LED Retail Downlight		
		45W 4000K		
		WhiteBrand New In		
		Box Stock, Aluminium ,		
		IP20, 100 lm/W, 2000		
		Lumens, 220-240V AC		
		50/60 HZ, Built in		
	40 V I 51 500	Internal Driver, White,		
	10 X Lumineux DL500	36° beam Angle, 145 x		
	LED Retail Downlight	102 HC 120-130,		
	45W 4000K	Citizen Chips, Multi		
402	WhiteBrand New In	directional retail light;	150	50
482	Box Stock	RRP £692.65	158	50
		10 X Lumineux BH100		
		LED Bulkhead 16W		
		6000K ChromeBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 89 lm/W,		
		1400 Lumens, 220-		
	10 X Lumineux BH100	240v Input range,		
	LED Bulkhead 16W	Chrome,		
	6000K ChromeBrand	330x330x110, IK08		
483	New In Box Stock	Rating; RRP £614.07	90	30
		10 X Lumineux BH100		
		LED Bulkhead 16W		
		6000K ChromeBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 89 lm/W,		
		1400 Lumens, 220-		
	10 X Lumineux BH100	240v Input range,		
	LED Bulkhead 16W	Chrome ,		
	6000K ChromeBrand	330x330x110, IK08		
484	New In Box Stock	Rating; RRP £614.07	90	30
104	TACAN III DOX 2000K	10 X Lumineux BH100	30	- 30
		LED Bulkhead 16W		
		6000K ChromeBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 89 lm/W,		
	40.41	1400 Lumens, 220-		
	10 X Lumineux BH100	240v Input range,		
	LED Bulkhead 16W	Chrome,		
405	6000K ChromeBrand	330x330x110, IK08	20	30
485	New In Box Stock	Rating; RRP £614.07	90	30
		10 X Lumineux BH100		
		LED Bulkhead 16W		
		6000K ChromeBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 89 lm/W,		
		1400 Lumens, 220-		
	10 X Lumineux BH100	240v Input range,		
	LED Bulkhead 16W	Chrome,		
	6000K ChromeBrand	330x330x110, IK08		
486	New In Box Stock	Rating; RRP £614.07	90	30



LED Bulkhead 16W   6000K ChromeBrand   New In Box Stock, Tough and durable   6000K ChromeBrand   New In Box Stock   Tough and bursels   10 X Lumineux BH100   LED Bulkhead 16W   6000K ChromeBrand   New In Box Stock   Tough and bursels   6000K ChromeBrand   New In Box Stock   Tough and bursels   6000K ChromeBrand   New In Box Stock   Tough and durable   6000K ChromeBrand   New In Box Stock   Tough and durable   6000K ChromeBrand   New In Box Stock   Tough and durable   6000K ChromeBrand   New In Box Stock   Tough and durable   6000K ChromeBrand   New In Box Stock   Tough and durable   6000K ChromeBrand   New In Box Stock   Tough and durable   6000K ChromeBrand   New In Box Stock   Tough and durable   6000K ChromeBrand   New In Box Stock   Tough and durable   6000K ChromeBrand   New In Box Stock   Tough and durable   6000K ChromeBrand   New In Box Stock   Tough and durable   6000K ChromeBrand   New In Box Stock   Tough and durable   6000K ChromeBrand   New In Box Stock   Tough and durable   6000K ChromeBrand   New In Box Stock   Tough and durable   6000K ChromeBrand   New In Box Stock   Tough and durable   6000K ChromeBrand   New In Box Stock   Tough and durable   6000K ChromeBrand   New In Box Stock   Tough and durable   6000K ChromeBrand   New In Box Stock   Tough and durable   6000K Chrome Step-DimBrand New In Box Stock, Tough and durable   6000K Chrome Step-DimBrand New In Box Stock, Tough and durable   6000K Chrome Step-DimBrand New In Box Stock   Tough and durable   6000K Chrome Step-DimBrand New In Box Stock   Tough and durable   6000K Chrome Step-DimBrand New In Box Stock   Tough and durable   6000K Chrome Step-DimBrand New In Box Stock   Tough and durable   6000K Chrome Step-DimBrand New In Box Stock   Tough and durable   6000K Chrome Step-DimBrand New In Box Stock   Tough and durable   6000K Chrome Step-DimBrand New In Box Stock   Tough and durable   6000K Chrome Step-DimBrand New In Box Stock   Tough and durable   6000K Chrome Step-DimBrand New In Box Stock   Tough and durable   6000K Chrome Step-DimB	1		10 X Lumineux BH100	I	
GOODK ChromeBrand   New In Box Stock   Tough and durable   Body, IP65, 89 Im/W, 1400 Lumens, 220- 240 Vinput range, Chrome, GOODK ChromeBrand   New In Box Stock   Tough and durable   Sody, IP65, 89 Im/W, 1400 Lumens, 220- 240 Vinput range, Chrome, GOODK ChromeBrand   New In Box Stock   Tough and durable   Body, IP65, 89 Im/W, 1400 Lumens, 220- 240 Vinput range, Chrome, GOODK ChromeBrand   New In Box Stock, Tough and durable   Body, IP65, 89 Im/W, 1400 Lumens, 220- 240 Vinput range, Chrome, GOODK ChromeBrand   New In Box Stock   Tough and durable   Body, IP65, 89 Im/W, 1400 Lumens, 220- 240 Vinput range, Chrome, GOODK ChromeBrand   New In Box Stock, Tough and durable   Body, IP65, 89 Im/W, 1400 Lumens, 220- 240 Vinput range, Chrome, GOODK ChromeBrand   New In Box Stock   Tough and durable   Body, IP65, 89 Im/W, 1400 Lumens, 220- 240 Vinput range, Chrome, GOODK ChromeBrand   New In Box Stock   Tough and durable   Body, IP65, 89 Im/W, 1400 Lumens, 220- 240 Vinput range, Chrome, GOODK ChromeBrand   New In Box Stock   Tough and durable   Body, IP65, 89 Im/W, 1400 Lumens, 220- 240 Vinput range, Chrome, GOODK ChromeBrand   New In Box Stock   Tough and durable   Body, IP65, 1400 Lumens, 220- 240 Vingut range, Chrome, GOODK Chrome Step-DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240 Vingut range, Chrome, GOODK Chrome Step-DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240 Vingut range, Chrome, GOODK Chrome Step-DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240 Vingut range, Chrome   GOODK Chrome Step-DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240 Vingut Range, RPF 238-8 Vingut Range, RPF 238-8 Vingut Range, RPF 238-8 Vingut Range, RPF 238-8 Vingut Range, RPF 238-8 Vingut Range, RPF 238-8 Vingut Range, RPF 238-8 Vingut Range, RPF 238-8 Vingut Range, RPF 238-8 Vingut Range, RPF 238-8 Vingut Range, RPF 238-8 Vingut Range, RPF 238-8 Vingut Range, RPF 238-8 Vingut Range, RPF 238-8 Vingut Range, RPF 238-8					
New In Box Stock   Tough and durable   Body, IP65, 89 lm/W, 1400 Lumens, 220-240 input range, Chrome   S30x330x10, IR08   Rating: RRP £614.07   90   30   30   30   30   30   30   30					
Tough and durable Body, IPSS, 58 ImJ/W, 1400 Lumens, 220- 240 v Input range, Chrome, G000K ChromeBrand New In Box Stock Tough and durable Body, IPSS, 58 ImJ/W, 1400 Lumineux BH100 LED Bulkhead 16W G000K ChromeBrand New In Box Stock, Tough and durable Body, IPSS, 58 ImJ/W, 1400 Lumens, 220- 240 v Input range, Chrome, G000K ChromeBrand New In Box Stock Tough and durable Body, IPSS, 89 ImJ/W, 1400 Lumens, 220- 240 v Input range, Chrome, G000K ChromeBrand New In Box Stock, Tough and durable Body, IPSS, 89 ImJ/W, 1400 Lumens, 220- 240 v Input range, Chrome, G000K ChromeBrand New In Box Stock, Tough and durable Body, IPSS, 89 ImJ/W, 1400 Lumens, 220- 240 v Input range, Chrome, G000K ChromeBrand New In Box Stock, Tough and durable Body, IPSS, 89 ImJ/W, 1400 Lumens, 220- 240 v Input range, Chrome, G000K ChromeBrand New In Box Stock, Tough and durable Body, IPSS, 89 ImJ/W, 1400 Lumens, 220- 240 v Input range, Chrome, G000K ChromeBrand New In Box Stock, Tough and durable Body, IPSS, 89 ImJ/W, 1400 Lumens, 220- 240 v Input range, Chrome, G000K ChromeBrand New In Box Stock, Tough and durable Body, IPSS, 89 ImJ/W, 1400 Lumens, 220- 240 v Input range, Chrome, G000K ChromeBrand New In Box Stock, Tough and durable Body, IPSS, 1400 Lumens, 220- 240 v AC S0/S0Hz, Lumineux BH100 LED Bulkhead 16W G000K Chrome Step-DimBrand New In Box Stock, Tough and durable Body, IPSS, 1400 Lumens, 220- 240 v AC S0/S0Hz, Lumineux Driver, 120° Beam Angle, 33 ox 33 ox 300 Lumineux Driver, 120° Beam Angle, 33 ox 33 ox 300 Lumineux Driver, 120° Beam Angle, 33 ox 33 ox 300 Lumineux Driver, 120° Beam Angle, 33 ox 33 ox 300 Lumineux Driver, 120° Beam Angle, 33 ox 33 ox 300 Lumineux Driver, 120° Beam Angle, 33 ox 33 ox 300 Lumineux Driver, 120° Beam Angle, 33 ox 33 ox 300 Lumineux Driver, 120° Beam Angle, 33 ox 33 ox 300 Lumineux Driver, 120° Beam Angle, 33 ox 33 ox 300 Lumineux Driver, 120° Beam Angle, 33 ox 33 ox 300 Lumineux Driver, 120° Beam Angle, 33 ox 33 ox 300 Lumineux Driver, 120° Beam Angle, 33 ox 33 ox 300 Lumineux Driver, 120° Beam Angle, 33					
Body, IP65, 89 Im/W,   1400 Lumens, 220- 240v Input range,   Chrome   330x330x110, IK08   Rating; RRP £614.07   90   30   30   30   30   30   30   30			•		
10 x Lumineux BH100   LED Bulkhead 16W   6000K ChromeBrand   New In Box Stock   Tough and durable   Body, IPES, 89 Im/W, 1400 Lumens, 220-240 Vinput range, ChromeBrand   New In Box Stock, Tough and durable   Body, IPES, 89 Im/W, 1400 Lumens, 220-240 Vinput range, ChromeBrand   New In Box Stock   Tough and durable   Body, IPES, 89 Im/W, 1400 Lumens, 220-240 Vinput range, ChromeBrand   New In Box Stock   Tough and durable   Body, IPES, 89 Im/W, 1400 Lumens, 220-240 Vinput range, ChromeBrand   New In Box Stock   Tough and durable   Body, IPES, 89 Im/W, 1400 Lumens, 220-240 Vinput range, ChromeBrand   New In Box Stock   Tough and durable   Body, IPES, 89 Im/W, 1400 Lumens, 220-240 Vinput range, ChromeBrand   New In Box Stock   Tough and durable   Body, IPES, 89 Im/W, 1400 Lumens, 220-240 Vinput range, ChromeBrand   New In Box Stock   Stumineux BH100   LED Bulkhead 16W   G000K ChromeBrand   New In Box Stock   Tough and durable   Body, IPES, 89 Im/W, 1400 Lumens, 220-240 Vinput range, Chrome, Colon ChromeBrand   New In Box Stock   Tough and durable   Body, IPES, 89 Im/W, 1400 Lumens, 220-240 Vinput range, Chrome, Colon ChromeBrand   New In Box Stock   Tough and durable   Body, IPES, 89 Im/W, 1400 Lumens, 220-240 Vinput range, Chrome, Colon ChromeBrand   Sanda Sa			_		
10 X Lumineux BH100   LED Bulkhead 16W   6000K ChromeBrand   New In Box Stock   Rating: RRP E614.07   90   30   30   30   30   30   30   30					
LED Bulkhead 16W   S000K ChromeBrand   S30x330x110, IK08   Rating; RRP £614.07   90   30		10 V Luminous BU100	,		
Marting   Mart			_		
A87   New In Box Stock   Rating; RRP £614.07   90   30					
10 X Lumineux BH100   LED Bulkhead 16W   6000K (ChromeBrand New In Box Stock, Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 240V Input range, Chrome, 330x330x110, IK08   Rating; RRP £614.07   90   30	107			00	20
LED Bulkhead 16W	467	New In Box Stock	<u>.</u>	90	30
6000K ChromeBrand   New In Box Stock,   Tough and durable   Body, IP65, 89 Im/W,   1400 Lumens, 220-   240v Input range,   Chrome,   330x330x110, IK08   Rating; RRP £619.85   Body, IP65, 89 Im/W,   1400 Lumens, 220-   240v Input range,   Chrome   Stock   Tough and durable   Body, IP65, 89 Im/W,   1400 Lumens, 220-   240v Input range,   Chrome,   Stock   Tough and durable   Stock   Stoc					
New In Box Stock, Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 240 Input range, Chrome Brand New In Box Stock   Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 240 Input range, Chrome Brand New In Box Stock   Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 2400 KchromeBrand New In Box Stock   Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 2400 KchromeBrand New In Box Stock   Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 2400 KchromeBrand New In Box Stock   Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 2400 Input range, Chrome, Stock   Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 2400 Input range, Chrome, Stock   Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 2400 Input range, Chrome, Stock   Tough and durable Body, IP65, 1400 Lumens, 220- 2400 Input range, Chrome, Chrome, Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 2400 Input range, Chrome, Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 2400 Kchrome Step- DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 2400 Kchrome Step- DimBrand New In Box Stock, Tough and Stock Tough and Stock Tough a					
Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 240 V Input range, Chrome, 330x330x110, IK08 Rating; RRP £614.07 90 30  488 New In Box Stock 7 X Lumineux BH100 LED Bulkhead 16W 6000K ChromeBrand New In Box Stock, Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 240 V Input range, Chrome Pand New In Box Stock, Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 240 V Input range, Chrome Pand New In Box Stock, Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 240 V Input range, Chrome, 330x330x110, IK08 Rating; RRP £429.85 65 20  6 X Lumineux BH100 LED Bulkhead 16W 6000K ChromeBrand New In Box Stock, Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 240 V Input range, Chrome, 330x330x110, IK08 Pating; RRP £38.44 55 20  490 Augusta Stock 100 X Lumineux BH100 LED Bulkhead 16W 6000K Chrome Step DimBrand New In Box Stock, Tough and durable Body, IP65, 91 Mount of Box Stock, Tough and durable Body, IP65, 91 Mount of Box Stock, Tough and durable Body, IP65, 91 Mount of Box Stock, Tough and durable Body, IP65, 91 Mount of Box Stock, Tough and durable Box Stock, Tough and durable Box Stock, Tough and durable Box Stock, Tough and durable Box Stock, Tough and durable Box Stock, Tough and durable Box Stock, Tough and durable Box Stock, Tough and durable Box Stock, Tough and durable Box Stock, Tough and durable Box Stock, Tough and durable Box Stock, Tough and durable Box Stock, Tough and durable Box Stock, Tough and durable Box Stock, Tough and Stock Andread Stock, Tough and Stock Andread Stock, Tough and Stock Andread Stock, Tough and St					
Body, IP55, 89 Im/W, 1400 Lumens, 220- 240v Input range, Chrome, Sa330x110, IK08					
10 X Lumineux BH100   LED Bulkhead 16W   6000K ChromeBrand   New In Box Stock   Rating: RRP Ed14.07   90   30					
10 X Lumineux BH100   LED Bulkhead 16W   S000K ChromeBrand   S000K ChromeBrand   S100K   S10			-		
LED Bulkhead 16W 6000K ChromeBrand New In Box Stock Rating; RRP £614.07 90 30    TX Lumineux BH100 LED Bulkhead 16W 6000K ChromeBrand New In Box Stock, Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220-20 ChromeBrand New In Box Stock Rating; RRP £618.07 Stock RATING; RRP \$618.07 Stock Rating; RRP			1400 Lumens, 220-		
A88   6000K ChromeBrand   Rating; RRP £614.07   90   30		10 X Lumineux BH100	240v Input range,		
A88		LED Bulkhead 16W			
7 X Lumineux BH100 LED Bulkhead 16W 6000K ChromeBrand New In Box Stock, Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 240v Input range, Chrome, 30x330x110, IK08 Rating; RRP £429.85 65 20  6 X Lumineux BH100 LED Bulkhead 16W 6000K ChromeBrand New In Box Stock, Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 240v Input range, Chrome, 30x330x110, IK08 Rating; RRP £429.85 65 20  6 X Lumineux BH100 LED Bulkhead 16W 6000K ChromeBrand New In Box Stock, Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 240v Input range, Chrome, 330x330x110, IK08 Rating; RRP £368.44 55 20  10 X Lumineux BH100 LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240v AC 50/60Hz, Lumineux Driver, 120° Beam Angle, 330 x 330 x 110, Epistar chips , DimBrand New In Box		6000K ChromeBrand	330x330x110, IK08		
LED Bulkhead 16W 6000K ChromeBrand New In Box Stock, Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220-240V Input range, Chrome & 6000K ChromeBrand New In Box Stock Rating; RRP £429.85 65 20  6 X Lumineux BH100 LED Bulkhead 16W 6000K ChromeBrand New In Box Stock, Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220-240V Input range, Chrome & 330x330x110, IK08 Rating; RRP £429.85 65 20  6 X Lumineux BH100 LED Bulkhead 16W 6000K ChromeBrand New In Box Stock, Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220-240V Input range, Chrome, 330x330x110, IK08 Rating; RRP £368.44 55 20  10 X Lumineux BH100 LED Bulkhead 16W 6000K Chrome Step-DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220-240V AC 50/60Hz, Lumineux BH100 LED Bulkhead 16W 6000K Chrome Step-DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220-240V AC 50/60Hz, Lumineux Driver, 120° Beam Angle, 330 x 330 x 310, x 110, Epistar chips , IK08 rating; RRP	488	New In Box Stock	Rating; RRP £614.07	90	30
6000K ChromeBrand New In Box Stock, Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 240v Input range, Chrome , 330x330x110, IK08 Rating; RRP £429.85 65 20  6 X Lumineux BH100 LED Bulkhead 16W 6000K ChromeBrand New In Box Stock Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 240v Input range, Chrome, 330x330x110, IK08 Rating; RRP £439.85 65 20  6 X Lumineux BH100 LED Bulkhead 16W 6000K ChromeBrand New In Box Stock Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 240v Input range, Chrome, 330x330x110, IK08 Rating; RRP £368.44 55 20  10 X Lumineux BH100 LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240V AC 50/60Hz, Lumineux BH100 LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240V AC 50/60Hz, Lumineux Driver, 120° Beam Angle, 330 x 330 x 110, IK08 rating; RRP			7 X Lumineux BH100		
New In Box Stock, Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220-240 Vinput range, Chrome Pand New In Box Stock   Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220-240 Vinput range, Chrome, 330x330x110, IK08 Rating; RRP £429.85   65   20			LED Bulkhead 16W		
Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 240v Input range, Chrome, 330x330x110, IK08 Rating; RRP F429.85 65 20  6 X Lumineux BH100 LED Bulkhead 16W 6000K ChromeBrand New In Box Stock 6 X Lumineux BH100 LED Bulkhead 16W 6000K ChromeBrand New In Box Stock, Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 240v Input range, Chrome, 6000K ChromeBrand New In Box Stock Rating; RRP E368.44 55 20  10 X Lumineux BH100 LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240V AC 50/60Hz, LUMINEUX BH100 LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box V 110, Epistar chips , UKOS rating; RRP			6000K ChromeBrand		
Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 240v Input range, Chrome, 330x330x110, IK08 Rating; RRP F429.85 65 20  6 X Lumineux BH100 LED Bulkhead 16W 6000K ChromeBrand New In Box Stock 6 X Lumineux BH100 LED Bulkhead 16W 6000K ChromeBrand New In Box Stock, Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 240v Input range, Chrome, 6000K ChromeBrand New In Box Stock Rating; RRP E368.44 55 20  10 X Lumineux BH100 LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240V AC 50/60Hz, LUMINEUX BH100 LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box V 110, Epistar chips , UKOS rating; RRP			New In Box Stock,		
Body, IP65, 89 lm/W, 1400 Lumens, 220- 240v Input range, Chrome					
1400 Lumens, 220-   240 Input range,   220-   240 Input range,   220-   240 Input range,   230-   2330330x110, IK08   230-   330x330x110, IK08   240-   Rating; RRP £429.85   65   20   20   20   20   20   20   20   2			-		
T X Lumineux BH100   LED Bulkhead 16W   G000K Chrome   G000K Chrome   G000K Chrome   G000K Chrome   G000K Chrome   G000K Chrome   G000K Chrome   Rating; RRP £429.85   G5   20			-		
LED Bulkhead 16W   6000K ChromeBrand   330x330x110, IK08   Rating; RRP £429.85   65   20		7 X Lumineux BH100			
A89   6000K ChromeBrand   330x330x110, IK08   Rating; RRP £429.85   65   20					
A89   New In Box Stock   Rating; RRP £429.85   65   20					
6 X Lumineux BH100 LED Bulkhead 16W 6000K ChromeBrand New In Box Stock, Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 240v Input range, Chrome, 330x330x110, IK08 Rating, RRP £368.44 55 20  10 X Lumineux BH100 LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240v Robert Step- DimBrand New In Box Stock Tough and durable Body, IP65, 1400 Lumens, 220- 240v AC 50/60Hz, Lumineux Driver, 120° Beam Angle, 330 x 330 x 10, Epistar chips , IK08 rating; RRP	489			65	20
LED Bulkhead 16W 6000K ChromeBrand New In Box Stock, Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 240V Input range, Chrome, 330x330x110, IK08 Rating; RRP £368.44 55 20  10 X Lumineux BH100 LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240V AC 50/60Hz, Lumineux BH100 LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240V AC 50/60Hz, Lumineux Driver, 120° Beam Angle, 330 x 330 x 110, Epistar chips , IK08 rating; RRP		New III Box stock	<u>.</u>		
6000K ChromeBrand New In Box Stock, Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 240v Input range, Chrome, 330x330x110, IK08 Rating; RRP £368.44 55 20  10 X Lumineux BH100 LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240v AC 50/60Hz, Lumineux BH100 LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240v AC 50/60Hz, Lumineux Driver, 120° Beam Angle, 330 x 330 x 110, Epistar chips, IK08 rating; RRP					
New In Box Stock, Tough and durable Body, IP65, 89 Im/W, 1400 Lumens, 220- 240v Input range, Chrome, 6000K ChromeBrand 330x330x110, IK08 Rating; RRP £368.44 55 20					
Tough and durable Body, IP65, 89 lm/W, 1400 Lumens, 220- 240v Input range, Chrome , 330x330x110, IK08 A90 New In Box Stock Rating; RRP £368.44 55 20  10 X Lumineux BH100 LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240V AC 50/60Hz, Lumineux BH100 LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240V AC 50/60Hz, Lumineux Driver, 120° Beam Angle, 330 x 330 x 110, Epistar chips , IK08 rating; RRP					
Body, IP65, 89 Im/W, 1400 Lumens, 220- 240v Input range, Chrome , 6000K ChromeBrand 330x330x110, IK08 A90 New In Box Stock Rating; RRP £368.44 55 20  10 X Lumineux BH100 LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240V AC 50/60Hz, Lumineux BH100 LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box Stock Tough and Stock Stock, Tough and Stock Stock, Tough and Stock Stock, Tough and Stock Stock, Tough and Stock Stock, Tough and Stock Stock, Tough and Stock Stock, Tough and Stock Stock, Tough and Stock Stock, Tough and Stock Stock, Tough and Stock Stock, Tough and Stock Stock, Tough and Stock Stock, Tough and Stock Stock, Tough and Stock Stock, Tough and Stock Stock, Tough and Stock Stock, Tough and Stock Stock, Tough and Stock Stock Stock, Tough and Stock Stock, Tough and Stock S			,		
1400 Lumens, 220- 240v Input range, Chrome , 330x330x110, IK08 Rating; RRP £368.44  55  20  10 X Lumineux BH100 LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240v AC 50/60Hz, Lumineux BH100 LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240v AC 50/60Hz, Lumineux Driver, 120° Beam Angle, 330 x 330 x 110, Epistar chips , IMAGE STATE			_		
6 X Lumineux BH100 LED Bulkhead 16W 6000K ChromeBrand New In Box Stock Rating; RRP £368.44  10 X Lumineux BH100 LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240V AC 50/60Hz, LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240V AC 50/60Hz, Lumineux Driver, 120° Beam Angle, 330 x 330 x 110, Epistar chips , DimBrand New In Box  K108 rating; RRP					
LED Bulkhead 16W 6000K ChromeBrand New In Box Stock Rating; RRP £368.44  10 X Lumineux BH100 LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240V AC 50/60Hz, Lumineux BH100 LED Bulkhead 16W Beam Angle, 330 x 330 6000K Chrome Step- DimBrand New In Box IK08 rating; RRP		C.V.I.,			
6000K ChromeBrand   330x330x110, IK08   Rating; RRP £368.44   55   20			_		
10 X Lumineux BH100					
10 X Lumineux BH100 LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240V AC 50/60Hz, Lumineux BH100 LED Bulkhead 16W Beam Angle, 330 x 330 6000K Chrome Step- DimBrand New In Box  IK08 rating; RRP	400				20
LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240V AC 50/60Hz, Lumineux BH100 LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box  LED Bulkhead 16W 110, Epistar chips , 11	490	New In Box Stock		55	20
6000K Chrome Step- DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240V AC 50/60Hz, Lumineux BH100 LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box  IK08 rating; RRP					
DimBrand New In Box Stock, Tough and durable Body, IP65, 1400 Lumens, 220- 240V AC 50/60Hz, Lumineux BH100 LED Bulkhead 16W Beam Angle, 330 x 330 6000K Chrome Step- DimBrand New In Box  IK08 rating; RRP					
Stock, Tough and durable Body, IP65, 1400 Lumens, 220-240V AC 50/60Hz,  10 X Lumineux BH100 LED Bulkhead 16W Beam Angle, 330 x 330   6000K Chrome Step-DimBrand New In Box IK08 rating; RRP			·		
durable Body, IP65, 1400 Lumens, 220- 240V AC 50/60Hz, 10 X Lumineux BH100 LED Bulkhead 16W Beam Angle, 330 x 330 6000K Chrome Step- DimBrand New In Box  durable Body, IP65, 1400 Lumens, 220- 240V AC 50/60Hz, Lumineux Driver, 120° Beam Angle, 330 x 330 x 110, Epistar chips , IK08 rating; RRP					
1400 Lumens, 220- 240V AC 50/60Hz,  10 X Lumineux BH100 LED Bulkhead 16W Beam Angle, 330 x 330 6000K Chrome Step- DimBrand New In Box  1400 Lumens, 220- 240V AC 50/60Hz, Lumineux Driver, 120° Beam Angle, 330 x 330 x 110, Epistar chips , IK08 rating; RRP			Stock, Tough and		
240V AC 50/60Hz, 10 X Lumineux BH100 LED Bulkhead 16W Beam Angle, 330 x 330 6000K Chrome Step- DimBrand New In Box  240V AC 50/60Hz, Lumineux Driver, 120° Beam Angle, 330 x 330 x 110, Epistar chips , IK08 rating; RRP			durable Body, IP65,		
10 X Lumineux BH100 LED Bulkhead 16W Beam Angle, 330 x 330 6000K Chrome Step- DimBrand New In Box  Lumineux Driver, 120° Beam Angle, 330 x 330 x 110, Epistar chips, IK08 rating; RRP			1400 Lumens, 220-		
LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box  Beam Angle, 330 x 330 x 110, Epistar chips , IK08 rating; RRP			240V AC 50/60Hz,		
LED Bulkhead 16W 6000K Chrome Step- DimBrand New In Box  Beam Angle, 330 x 330 x 110, Epistar chips , IK08 rating; RRP		10 X Lumineux BH100	Lumineux Driver, 120°		
6000K Chrome Step- DimBrand New In Box IK08 rating; RRP		LED Bulkhead 16W			
DimBrand New In Box IK08 rating; RRP		6000K Chrome Step-	-		
404		_ ·			
	491		_	90	30



	•			•
		10 X Lumineux BH100		
		LED Bulkhead 16W		
		6000K Chrome Step-		
		DimBrand New In Box		
		Stock, Tough and		
		durable Body, IP65,		
		1400 Lumens, 220-		
		240V AC 50/60Hz,		
	10 X Lumineux BH100	Lumineux Driver, 120°		
	LED Bulkhead 16W	Beam Angle, 330 x 330		
	6000K Chrome Step-	x 110, Epistar chips,		
	DimBrand New In Box	IK08 rating; RRP		
492	Stock	£614.07	90	30
132	Stock	21 X Lumineux BH100	30	30
		LED Bulkhead 9W		
		3000K WhiteBrand		
		New In Box Stock,		
		· ·		
		Tough and durable		
		Body, IP65, 78 lm/W,		
		700 Lumens, 220-240V		
		AC 50/60 HZ,		
		Lumineux Driver,		
	21 X Lumineux BH100	White, 120D Beam		
	LED Bulkhead 9W	Angle, 330x330x110,		
403	3000K WhiteBrand	Epistar Chips, IK08	CE	20
493	New In Box Stock	Rating; RRP £435.83	65	20
		20 X Lumineux BH100		
		LED Bulkhead 9W		
		3000K WhiteBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 78 lm/W,		
		700 Lumens, 220-240V		
		AC 50/60 HZ,		
		Lumineux Driver,		
	20 X Lumineux BH100	White, 120D Beam		
	LED Bulkhead 9W	Angle, 330x330x110,		
	3000K WhiteBrand	Epistar Chips, IK08		
494	New In Box Stock	Rating; RRP £415.08	60	20
		20 X Lumineux BH100		
		LED Bulkhead 9W		
		3000K WhiteBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 78 lm/W,		
		700 Lumens, 220-240V		
		AC 50/60 HZ,		
		Lumineux Driver,		
	20 X Lumineux BH100	White, 120D Beam		
	LED Bulkhead 9W	Angle, 330x330x110,		
	3000K WhiteBrand	Epistar Chips, IK08		
495	New In Box Stock	Rating; RRP £415.08	60	20



		20 X Lumineux BH100		
		LED Bulkhead 9W		
		3000K WhiteBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 78 lm/W,		
		700 Lumens, 220-240V		
		AC 50/60 HZ,		
		Lumineux Driver,		
	20 X Lumineux BH100	White, 120D Beam		
	LED Bulkhead 9W	1		
	3000K WhiteBrand	Angle, 330x330x110, Epistar Chips, IK08		
496			60	20
430	New In Box Stock	Rating; RRP £415.08	00	20
		20 X Lumineux BH100		
		LED Bulkhead 9W		
		3000K WhiteBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 78 lm/W,		
		700 Lumens, 220-240V		
		AC 50/60 HZ,		
		Lumineux Driver,		
	20 X Lumineux BH100	White, 120D Beam		
	LED Bulkhead 9W	Angle, 330x330x110,		
	3000K WhiteBrand	Epistar Chips, IK08		
497	New In Box Stock	Rating; RRP £415.08	60	20
		20 X Lumineux BH100		
		LED Bulkhead 9W		
		3000K WhiteBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 78 lm/W,		
		700 Lumens, 220-240V		
		AC 50/60 HZ,		
		Lumineux Driver,		
	20 X Lumineux BH100	White, 120D Beam		
	LED Bulkhead 9W	Angle, 330x330x110,		
	3000K WhiteBrand	Epistar Chips, IK08		
498	New In Box Stock	Rating; RRP £415.08	60	20
		20 X Lumineux BH100		
		LED Bulkhead 9W		
		3000K WhiteBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 78 lm/W,		
		700 Lumens, 220-240V		
		AC 50/60 HZ,		
		Lumineux Driver,		
	20 X Lumineux BH100	White, 120D Beam		
	LED Bulkhead 9W	Angle, 330x330x110,		
	3000K WhiteBrand	Epistar Chips, IK08		
499	New In Box Stock	Rating; RRP £415.08	60	20
.55			1	_0



1	1	20 V I BUI 100	1	I .
		20 X Lumineux BH100		
		LED Bulkhead 9W 3000K WhiteBrand		
		New In Box Stock,		
		l		
		Tough and durable		
		Body, IP65, 78 lm/W,		
		700 Lumens, 220-240V		
		AC 50/60 HZ, Lumineux Driver,		
	20 X Lumineux BH100	White, 120D Beam		
	LED Bulkhead 9W	Angle, 330x330x110,		
	3000K WhiteBrand	Epistar Chips, IK08		
500	New In Box Stock	Rating; RRP £415.08	60	20
300	NCW III BOX Stock	20 X Lumineux BH100		20
		LED Bulkhead 9W		
		3000K WhiteBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 78 lm/W,		
		700 Lumens, 220-240V		
		AC 50/60 HZ,		
		Lumineux Driver,		
	20 X Lumineux BH100	White, 120D Beam		
	LED Bulkhead 9W	Angle, 330x330x110,		
	3000K WhiteBrand	Epistar Chips, IK08		
501	New In Box Stock	Rating; RRP £415.08	60	20
		20 X Lumineux BH100		
		LED Bulkhead 9W		
		3000K WhiteBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 78 lm/W,		
		700 Lumens, 220-240V		
		AC 50/60 HZ,		
		Lumineux Driver,		
	20 X Lumineux BH100	White, 120D Beam		
	LED Bulkhead 9W	Angle, 330x330x110,		
	3000K WhiteBrand	Epistar Chips, IK08		
502	New In Box Stock	Rating; RRP £415.08	60	20
		19 X Lumineux BH100		
		LED Bulkhead 16W		
		6000K White Dusk-til-		
		Dawn SensorBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP65, 88 lm/W,		
		1400 Lumens, 220-		
	19 X Lumineux BH100	240V AC 50/60Hz,		
	LED Bulkhead 16W	Lumineux Driver, 120°		
	6000K White Dusk-til-	Beam Angle, 330 x 330		
F.2.2	Dawn SensorBrand	x 110, Epistar chips;	4	
503	New In Box Stock	RRP £766.88	115	40



506	1 X Lumineux LED HiCloud 300W 5000k	257, Nichia Chips, IK10 rating; RRP £1.016.17  1 X Lumineux LED HiCloud 300W 5000k 120DBrand New In Box Stock, Robust Extruded Aluminium Construction , IP65, >125 Im/W, 40000 Lumens, 1.5M H05RN- F 3 core cable & 0.3M 1-10 Signal Cable (1- 10V), 100-270v Input Voltage, Meanwell Driver, Black/Red, 120 Beam Angle, ф383 x	75	30
	1 X Lumineux LED HiCloud 300W 5000k	1 X Lumineux LED HiCloud 300W 5000k 120DBrand New In Box Stock, Robust Extruded Aluminium Construction , IP65, >125 Im/W, 40000 Lumens, 1.5M H05RN- F 3 core cable & 0.3M 1-10 Signal Cable (1- 10V), 100-270v Input Voltage, Meanwell Driver, Black/Red, 120 Beam Angle, ф383 x		
504	13 X Lumineux BH100 LED Bulkhead 16W 3000K Chrome Step- DimBrand New In Box Stock	rating; RRP £470.61  13 X Lumineux BH100 LED Bulkhead 16W 3000K Chrome Step- DimBrand New In Box Stock, Tough and durable Body, IP65, 1250 Lumens, 220- 240V AC 50/60Hz, Lumineux Driver, 120° Beam Angle, 330 x 330 x 110, Epistar chips , IK08 rating; RRP £791.33	120	20
	10 X Lumineux BH100 LED Bulkhead 16W 4000K Chrome MicrowayeBrand New	10 X Lumineux BH100 LED Bulkhead 16W 4000K Chrome MicrowaveBrand New In Box Stock, Tough and durable Body, IP65, 1350 Lumens,220-240V AC 50/60Hz, Lumineux Driver, 120° Beam Angle, 330 x 330 x 110, Epistar chips , IK08		



5 X Lumineux LED	
HiCloud 150W 1-10v	
5000k 90D Optics &	
Microwave	
SensorBrand New In	
Box Stock, Robust	
Extruded Aluminium	
Construction , IP65,	
145 lm/W, 21,750	
Lumens, 1.5M H05RN-	
F 3 core cable & 0.3M	
1-10 Signal Cable, 100-	
5 X Lumineux LED 270v Input Voltage,	
HiCloud 150W 1-10v Meanwell Driver,	
5000k 90D Optics & Black/Red, 90° Beam	
Microwave Angle, 383 x 182,	
SensorBrand New In Nichia Chips, IK10	
508 Box Stock rating; RRP £1,714.57 255	90
4 X Lumineux LED	
HiCloud 150W 1-10v	
5000k 90D Optics &	
Microwave	
SensorBrand New In	
Box Stock, Robust	
Extruded Aluminium	
Construction , IP65,	
145 lm/W, 21,750	
Lumens, 1.5M H05RN-	
F 3 core cable & 0.3M	
1-10 Signal Cable, 100-	
4 X Lumineux LED 270v Input Voltage,	
HiCloud 150W 1-10v Meanwell Driver,	
5000k 90D Optics & Black/Red, 90° Beam	
Microwave Angle, 383 x 182,	
SensorBrand New In Nichia Chips, IK10  509 Box Stock rating: RRP £1.371.66 205	70
3. 6, ,,	70
2 X Lumineux LED	
HiCloud 100W 5000k 90DBrand New In Box	
Stock, Robust Aluminium housing	
with durable powder	
coated finish, IP65,	
>145 lm/W, 13000	
Lumens, 1.5M H05RN-	
F 3 core cable, 100-	
277V AC 50/60 HZ,	
Meanwell Driver,	
2 X Lumineux LED Black/Red, 90° Beam	
HiCloud 100W 5000k Angle, 264 x 121.5,	
90DBrand New In Box Nichia Chips, IK10	
510 Stock rating; RRP £427.78 65	20



	2 X Lumineux LED HiCloud 100W 5000k 90DBrand New In Box	2 X Lumineux LED HiCloud 100W 5000k 90DBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, >145 Im/W, 13000 Lumens, 1.5M H05RN- F 3 core cable, 100- 277V AC 50/60 HZ, Meanwell Driver, Black/Red, 90° Beam Angle, 264 x 121.5, Nichia Chips, IK10		
511	Stock	rating; RRP £427.78	65	20
	1 X Lumineux LED HiCloud 200W 1-10v	1 X Lumineux LED HiCloud 200W 1-10v 5000k 120DBrand New In Box Stock, Robust Extruded Aluminium Construction , IP65, 145 Im/W, 29,000 Lumens, 1.5M H05RN- F 3 core cable & 0.3M 1-10 Signal Cable, 100- 270v Input Voltage, Meanwell Driver, Black/Red, 90° Beam Angle, 383 x 182,		
542	5000k 120DBrand New	Nichia Chips, IK10	40	10
512	1 X Lumineux LED HiCloud 240W 4000K 120D OpticBrand New In Box Stock	rating; RRP £279.62  1 X Lumineux LED HiCloud 240W 4000K 120D OpticBrand New In Box Stock, Robust Extruded Aluminium Construction , 145 Im/W, 1.5M H05RN-F 3 core cable & 0.3M 1- 10 Signal Cable, 100- 270v Input Voltage; RRP £318.06	50	20
514	2 X Lumineux LED HiCloud 100W 5000K Dimmable 1-10vBrand New In Box Stock	2 X Lumineux LED HiCloud 100W 5000K Dimmable 1-10vBrand New In Box Stock, Robust Extruded Aluminium Construction , 145 Im/W, 1.5M H05RN-F 3 core cable & 0.3M 1- 10 Signal Cable, 100- 270v Input Voltage; RRP £685.06	105	40



		HiCloud 100W 5000k Dimmable 1-10v c/W		
		120D OpticsBrand New		
		In Box Stock, Robust		
		Extruded Aluminium		
		Construction , 145		
	1 X Lumineux LED	lm/W, 1.5M H05RN-F 3		
	HiCloud 100W 5000k	core cable & 0.3M 1-		
	Dimmable 1-10v c/W	10 Signal Cable, 100-		
515	120D OpticsBrand New In Box Stock	270v Input Voltage; RRP £319.54	50	20
313	III BOX Stock	1 X Lumineux LED	30	20
		HiCloud 150W 1-10v		
		5000k 120DBrand New		
		In Box Stock, Robust		
		Extruded Aluminium		
		Construction , IP65,		
		145 lm/W, 21,750		
		Lumens, 1.5M H05RN-		
		F 3 core cable, 100- 270v Input Voltage,		
		Meanwell Driver,		
	1 X Lumineux LED	Black/Red, 90° Beam		
	HiCloud 150W 1-10v	Angle, 383 x 182,		
	5000k 120DBrand New	Nichia Chips, IK10		
516	In Box Stock	rating; RRP £305.01	45	20
		1 X Lumineux LED		
		HiCloud 100W 5000k		
		120D Optics RBrand		
		New In Box Stock, Robust Extruded		
		Aluminium		
		Construction , 130		
		lm/W, 13000 Lumens,		
		1.5M H05RN-F 3 core		
		cable & 0.3M 1-10		
		Signal Cable, 100-270v		
		Input Voltage,		
		Meanwell Driver,		
	1 X Lumineux LED	Black/Red, 120 Beam		
	HiCloud 100W 5000k 120D Optics RBrand	Angle, φ383 x 257, Nichia Chips, IK08		
517	New In Box Stock	rating; RRP £266.67	40	10
52/		3 X Lumineux LED		20
		HiCloud 150W 1-10v		
		5000k 120D		
		EmergencyBrand New		
		In Box Stock, Robust		
		Extruded Aluminium		
		Construction , IP65, 145 lm/W, 21,750		
		Lumens, 1.5M H05RN-		
		F 3 core cable & 0.3M		
		1-10 Signal Cable, 100-		
		270v Input Voltage,		
	3 X Lumineux LED	Meanwell Driver,		
	HiCloud 150W 1-10v	Black/Red, 90° Beam		
	5000k 120D	Angle, 383 x 182,		
E10	EmergencyBrand New	Nichia Chips, IK10	75	20
518	In Box Stock	rating; RRP £1,218.73	/5	30



İ	Ì	law	I	 
		2 X Lumineux LED		
		HiCloud 100W 1-10v		
		5000k 120D		
		OpticsBrand New In		
		Box Stock, Robust		
		Extruded Aluminium		
		Construction , IP65,		
		130 lm/W, 13000		
		Lumens, 1.5M H05RN-		
		F 3 core cable, 100-		
		270v Input Voltage,		
	2 X Lumineux LED	Meanwell Driver,		
	HiCloud 100W 1-10v	Black/Red, 120 Beam		
	5000k 120D	Angle, φ383 x 257,		
	OpticsBrand New In	Nichia Chips, IK08		
519	Box Stock	rating; RRP £647.42	95	30
	BOX SCOCK	2 X Lumineux LED		
		HiCloud 100W 1-10v		
		5000k 120D		
		OpticsBrand New In Box Stock, Robust		
		· ·		
		Extruded Aluminium		
		Construction , IP65,		
		130 lm/W, 13000		
		Lumens, 1.5M H05RN-		
		F 3 core cable, 100-		
		270v Input Voltage,		
	2 X Lumineux LED	Meanwell Driver,		
	HiCloud 100W 1-10v	Black/Red, 120 Beam		
	5000k 120D	Angle, φ383 x 257,		
500	OpticsBrand New In	Nichia Chips, IK08	0.5	20
520	Box Stock	rating; RRP £647.42	95	30
		1 X Lumineux LED		
		HiCloud 200W 5000k		
		120D EmergencyBrand		
		New In Box Stock,		
		Robust Aluminium		
		housing with durable		
		powder coated finish,		
		IP65, >145 lm/W,		
		29000 Lumens, 1.5M		
		H05RN-F 3 core cable		
		& 0.3M 1-10 Signal		
		Cable , 100-277V AC		
		50/60 HZ, Meanwell		
	1 X Lumineux LED	Driver, Black/Red, 90°		
	HiCloud 200W 5000k	Beam Angle, 383 x		
	120D EmergencyBrand	182, Nichia Chips, IK10		
521	New In Box Stock	rating; RRP £381.70	55	20



1	1		1	1 1
		10 X Lumineux FL100		
		LED Floodlight 10W		
		3000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 80		
		lm/W, 800 Lumens, 1m		
		H05RN-F 3 core cable,		
		220-240V AC 50/60Hz,		
	10 V I	Lumineux Driver, 110°		
	10 X Lumineux FL100	Beam Angle, Wide		
	LED Floodlight 10W	Beam angle, 115 x 87 x		
522	3000K BlackBrand New	85, Epistar chips; RRP	30	10
522	In Box Stock	£117.68	30	10
		10 X Lumineux FL100		
		LED Floodlight 10W		
		3000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 80		
		lm/W, 800 Lumens, 1m		
		H05RN-F 3 core cable,		
		,		
		220-240V AC 50/60Hz,		
		Lumineux Driver, 110°		
	10 X Lumineux FL100	Beam Angle, Wide		
	LED Floodlight 10W	Beam angle, 115 x 87 x		
	3000K BlackBrand New	85, Epistar chips; RRP		
523	In Box Stock	£117.68	30	10
		20 X Lumineux FL100		
		LED Floodlight 10W		
		4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 68		
		lm/W, 800 Lumens, 1m		
		H05RN-F 3 core cable,		
		·		
		220-240V AC 50/60Hz,		
	20 1/1	Lumineux Driver, 110°		
	20 X Lumineux FL100	Beam Angle, Wide		
	LED Floodlight 10W	Beam angle, 115 x 87 x		
F0.4	4000K BlackBrand New	85, Epistar chips; RRP		2.0
524	In Box Stock	£278.80	60	20
		20 X Lumineux FL100		
		LED Floodlight 10W		
		4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 68		
		lm/W, 800 Lumens, 1m		
		H05RN-F 3 core cable,		
		220-240V AC 50/60Hz,		
	20 V Lumino 51 100	Lumineux Driver, 110°		
	20 X Lumineux FL100	Beam Angle, Wide		
	LED Floodlight 10W	Beam angle, 115 x 87 x		
F35	4000K BlackBrand New	85, Epistar chips; RRP		30
525	In Box Stock	£278.80	60	20



1	1		1	1 1
		20 X Lumineux FL100		
		LED Floodlight 10W		
		4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 68		
		lm/W, 800 Lumens, 1m		
		H05RN-F 3 core cable,		
		220-240V AC 50/60Hz,		
	20 7 1 . 51400	Lumineux Driver, 110°		
	20 X Lumineux FL100	Beam Angle, Wide		
	LED Floodlight 10W	Beam angle, 115 x 87 x		
506	4000K BlackBrand New	85, Epistar chips; RRP	60	20
526	In Box Stock	£278.80	60	20
		20 X Lumineux FL100		
		LED Floodlight 10W		
		4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		-		
		coated finish, IP65, 68		
		lm/W, 800 Lumens, 1m		
		H05RN-F 3 core cable,		
		220-240V AC 50/60Hz,		
		Lumineux Driver, 110°		
	20 X Lumineux FL100	Beam Angle, Wide		
	LED Floodlight 10W	Beam angle, 115 x 87 x		
	4000K BlackBrand New	85, Epistar chips; RRP		
527	In Box Stock	£278.80	60	20
		20 X Lumineux FL100		
		LED Floodlight 10W		
		4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 68		
		lm/W, 800 Lumens, 1m		
		H05RN-F 3 core cable,		
		220-240V AC 50/60Hz,		
		Lumineux Driver, 110°		
	20 X Lumineux FL100	Beam Angle, Wide		
	LED Floodlight 10W	Beam angle, 115 x 87 x		
	4000K BlackBrand New	85, Epistar chips; RRP		<u>.</u> -
528	In Box Stock	£278.80	60	20
		20 X Lumineux FL100		
		LED Floodlight 10W		
		4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 68		
		lm/W, 800 Lumens, 1m		
		H05RN-F 3 core cable,		
		·		
		220-240V AC 50/60Hz,		
	20 V Luncha 51 400	Lumineux Driver, 110°		
	20 X Lumineux FL100	Beam Angle, Wide		
	LED Floodlight 10W	Beam angle, 115 x 87 x		
F30	4000K BlackBrand New	85, Epistar chips; RRP		3.0
529	In Box Stock	£278.80	60	20



LEB Floodlight 10W 400K BlackFarand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IPF5, 68 In/W, 800 Lumens, 1m H05NN+7 3 core cable, 220-240 / AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Vide Beam angle, 115 x 87 x 80		1	20 X Lumineux FL100		
4000K BlackBrand New					
Aluminum housing with durable powder coated finish, IPSS, 68 In/W, 800 Lumens, In HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, I15x 87 x 4000K BlackBrand New In Box Stock 20 20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock 10 20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock Robust Aluminium housing with durable powder coated finish, IPSS, 68 Im/W, 800 Lumens, Im HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, I15x 87 x 85, Epistar chips; RRP 278.80 60 20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock 20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock Robust Aluminium housing with durable powder coated finish, IPSS, 68 Im/W, 800 Lumens, Im HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, IVide Beam Angle, Wide Seam Angle, Wide Seam Angle, Wide Seam Angle, Wide Seam Angle, Wide Seam Angle, Wide Seam Angle, Wide Seam Angle, Wide Seam Angle, Wide Seam Angle, Wide Seam Angle, Wide Seam Angle, Seam Angle, Wide Seam Angle, Seam Angle, Wide Seam Angle, Seam Angle, Wide Seam Angle, Wide Seam Angle, Seam Angle, Wide Seam Angle, Wide Seam Angle, Wide Seam Angle, Wide Seam Angle, Seam Angle, Wide Seam Angle, Wi			_		
Aluminium housing with durable powder coated finish, IPSS, 68 In//W. 800 Lumens, 1m H05RNF-3 core cable, 220-240V AC 50/60Ptz, Lumineux FL100 EED Floodlight 10W 4000K BlackBrand New 1n Box Stock 2778.80 60 20 Lumineux FL100 EED Floodlight 10W 4000K BlackBrand New 1n Box Stock 60 20 Lumineux FL100 EED Floodlight 10W 4000K BlackBrand New 1n Box Stock Robust Aluminium housing with durable powder coated finish, IPSS, 68 Im/W. 800 Lumens, 1m H05RNF-3 core cable, 220-240V AC 50/60Ptz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, E15 x 87 x 85, Epistar chips; RRP 278.80 60 20 Lumineux FL100 EED Floodlight 10W 4000K BlackBrand New 1n Box Stock 7278.80 60 20 Lumineux FL100 EED Floodlight 10W 4000K BlackBrand New 1n Box Stock 7278.80 60 20 Lumineux FL100 EED Floodlight 10W 4000K BlackBrand New 1n Box Stock Robust Aluminium housing with durable powder coated finish, IPSS, 68 Im/W, 800 Lumens, 1m H05RNF-3 core cable, 220-240V AC 50/60Ptz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, IVide Beam Angle, Wide Seam Angle, Wide Seam Angle, Wide Seam Angle, Wide Seam Angle, Wide Seam Angle, Wide Seam Angle, Stock 7278.80 60 20 Lumineux FL100 EED Floodlight 10W 4000K BlackBrand New 1n Box Stock 7278.80 60 20 EED Floodlight 10W 4000K BlackBrand New 1n Box Stock 7278.80 60 20 EED Floodlight 10W 4000K BlackBrand New 1n Box Stock 7278.80 60 20 Lumineux FL100 EED Floodlight 10W 4000K BlackBrand New 1n Box Stock 7278.80 60 20 EED Floodlight 10W 4000K BlackBrand New 1n Box Stock 7278.80 60 20 Lumineux FL100 EED Floodlight 10W 4000K BlackBrand New 1n Box Stock 7278.80 60 20 Lumineux FL100 EED Floodlight 10W 4000K BlackBrand New 1n Box Stock 7278.80 60 20 EED Floodlight 10W 4000K BlackBrand New 1n Box Stock 7278.80 60 20 EED Floodlight 10W 4000K BlackBrand New 1n Box Stock 7278.80 60 20 EED Floodlight 10W 4000K BlackBrand New 1n Box Stock 7278.80 60 20 EED Floodlight 10W 4000K BlackBrand New 1n Box Stock 7278.80 60 20 EED Floodlight 10W 4000K BlackBrand New 1n Box Stock 7278 Floodlight 10W 800 EED Floodlight 10W 800 EED Floodli			In Box Stock. Robust		
with durable powder coated finish, IP65, 68 In/W, 800 Lumens, Im HOSRN-F 3 Core cable. 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, 115 x 87 x 80 ED ED Floodlight 10W 4000K BlackBrand New In Box Stock 82 ED ED ED ED ED ED ED ED ED ED ED ED ED			· · · · · · · · · · · · · · · · · · ·		
Coated finish, IP55, 68   In/W, 800 Lumens, Im H05RN-F 3 core cable, 220-240 A C 50/60Hz, Lumineux FL100   LED Floodlight 10W 4000K BlackBrand New In Box Stock			_		
In/M, 800 Lumens, Im   HoSRNF-3 core cable,   220-240V AC 50/60Hz,   Lumineux Driver, 110"   8eam Angle, Wide   8eam angle, 115 x 87 x   85, Epistar chips; RRP   278.80   60   20   20   20   20   20   20   2			•		
HISBNEF 3 core cable, 220-240 x C50/560Hz, Lumineux FL100   EED Floodlight 10W   4000K BlackBrand New In Box Stock   20 x Lumineux FL100   EED Floodlight 10W   4000K BlackBrand New In Box Stock   20 x Lumineux FL100   EED Floodlight 10W   4000K BlackBrand New In Box Stock   20 x Lumineux FL100   EED Floodlight 10W   4000K BlackBrand New In Box Stock   20 x Lumineux FL100   EED Floodlight 10W   4000K BlackBrand New In Box Stock   20 x Lumineux FL100   EED Floodlight 10W   4000K BlackBrand New In Box Stock   20 x Lumineux FL100   EED Floodlight 10W   4000K BlackBrand New In Box Stock   20 x Lumineux FL100   EED Floodlight 10W   4000K BlackBrand New In Box Stock   8 in/W, 800 Lumens, 1m   HISBNEF 3 core cable, 220-240W AC 50/560Hz, Lumineux FL100   EED Floodlight 10W   4000K BlackBrand New In Box Stock   8 in/W, 800 Lumens, 1m   HISBNEF 3 core cable, 220-240W AC 50/560Hz, Lumineux FL100   EED Floodlight 10W   4000K BlackBrand New In Box Stock   8 in/W, 800 Lumens, 1m   HISBNEF 3 core cable, 220-240W AC 50/560Hz, Lumineux FL100   EED Floodlight 10W   4000K BlackBrand New In Box Stock   8 in/W, 800 Lumens, 1m   HISBNEF 3 core cable, 220-240W AC 50/560Hz, Lumineux FL100   EED Floodlight 10W   4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68   In/W, 800 Lumens, 1m   HISBNEF 3 core cable, 220-240W AC 50/660Hz, Lumineux Driver, 110°   Beam Angle, Wide   EBD Floodlight 10W   4000K BlackBrand New In Box Stock   8 in/W, 800 Lumens, 1m   HISBNEF 3 core cable, 220-240W AC 50/660Hz, Lumineux Driver, 110°   Beam Angle, Wide   EBD Floodlight 10W   4000K BlackBrand New In Box Stock   8 in/W, 800 Lumens, 1m   HISBNEF 3 core cable, 220-240W AC 50/660Hz, Lumineux Driver, 110°   Beam Angle, Wide   EBD Floodlight 10W   4000K BlackBrand New In Box Stock   8 in/W, 800 Lumens, 1m   4000K BlackBrand New In Box Stock   8 in/W, 800 Lumens, 1m   4000K BlackBrand New In Box Stock   8 in/W, 800 Lumineux Briver, 110°   8 in/W, 800 Lumineux Briver, 110°   8 in/W, 800 Lumineux Briver, 110°					
20 X Lumineux FL100 LED Floodlight 10W 400K BlackBrand New In Box Stock  530 In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 400K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x 85, Epistar chips; RRP 278.80 60 20 20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x 85, Epistar chips; RRP 278.80 60 20 20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam Angle, Wide Beam Angle, Wide Beam Angle, Wide Beam Angle, Wide Beam Angle, Wide Beam Angle, Wide Beam Angle, Wide Beam Angle, Wide Beam Angle, Wide Beam Angle, 115 x 87 x					
Lumineux FL100   LED Floodlight 10W   4000K BlackBrand New   10 Box Stock   20 \					
20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W Beam Angle, Wide Beam Angle, Wide Beam Angle, Wide Beam Angle, Wide Beam Angle, Lits 8 7 x					
LED Floodlight 10W		20 V Luminoux El 100			
Solution   Solution					
20   20   20   20   20   20   20   20		_			
20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110* Beam Angle, 115 x 87 x 85, Epistar chips; RRP 531 In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110* Beam Angle, 115 x 87 x 85, Epistar chips; RRP 532 In Box Stock  20 X Lumineux, FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110* Beam Angle, 115 x 87 x 85, Epistar chips; RRP 532 In Box Stock Beam angle, 115 x 87 x 85, Epistar chips; RRP 278.80 60 20 20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110* Beam Angle, 115 x 87 x 80 Lumineux, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110* Beam Angle, 115 x 87 x Beam Angle, 115 x 87 x Beam Angle, 115 x 87 x Beam Angle, 115 x 87 x Beam Angle, 115 x 87 x	520		T	60	20
LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x 8000K BlackBrand New In Box Stock 20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 Beam Angle, Viide Beam angle, 115 x 87 x	330	IN BOX STOCK		00	20
4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Pti00 Beam angle, 115 x 87 x 85, Epistar chips; RRP E278.80 60 20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock 20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x 85, Epistar chips; RRP E278.80 60 20 X Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x 85, Epistar chips; RRP E278.80 60 20 X Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x 85, Epistar chips; RRP E278.80 60 20 X Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x 80, E20 X Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x 80, E20 X Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x 80, E20 X Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x 80, E20 X Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x 80 X 80 X 80 X 80 X 80 X 80 X 80 X 80					
In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60H2, Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock 20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60H2, Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60H2, Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock 20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock 20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock 20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock 8, Epistar chips; RRP 278.80 60 20 20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock 8, Epistar chips With durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60H2, Lumineux Driver, 110* Beam Angle, Wide Beam angle, 115 x 87 x Box Stock Beam Angle, Wide Beam angle, 115 x 87 x			_		
Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x 85, Epistar chips; RRP £73.80 60 20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x 85, Epistar chips; RRP £73.80 60 20 X Lumineux PL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, 115 x 87 x 85, Epistar chips; RRP £73.80 60 20 X Lumineux PL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux PL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Priver, 110° Beam Angle, Wide Beam angle, 115 x 87 x 80 Eam angle, Wide					
with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x 4000K BlackBrand New In Box Stock 50 20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W Beam Angle, Wide Beam A			· · · · · · · · · · · · · · · · · · ·		
Coated finish, P65, 68   Im/W, 800 Lumens, 1m   H0SRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110°   Beam Angle, 115 x 87 x   4000K BlackBrand New   ED Floodlight 10W   4000K BlackBrand New   In Box Stock   ED Floodlight 10W   4000K BlackBrand New   In Box Stock, Robust   Aluminium housing   with durable powder   coated finish, P65, 68   Im/W, 800 Lumens, 1m   H0SRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100   LED Floodlight 10W   4000K BlackBrand New   532   In Box Stock   ED Floodlight 10W   4000K BlackBrand New   532   In Box Stock   500 Lumineux Driver, 110°   ED Floodlight 10W   4000K BlackBrand New   532   In Box Stock   500 Lumineux Driver, 110° Lumineux Driver, 110° Lumineux Driver, 110°			_		
Im/W, 800 Lumens, 1m			•		
## HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W Beam angle, 115 x 87 x 8400K BlackBrand New In Box Stock ## E278.80					
20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  532  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock 60 20 20 20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock 60 20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock 60 20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W 20 X Lumineux FL100 LED Floodlight 10W Beam Angle, Vide Beam Angle, Vide Beam Angle, Vide Beam Angle, Vide Beam Angle, Vide Beam Angle, Vide Beam Angle, Vide Beam Angle, Vide Beam Angle, Vide Beam Angle, Vide Beam Angle, Vide Beam Angle, Vide Beam Angle, Vide			lm/W, 800 Lumens, 1m		
Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  531  Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  532  Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W LED			H05RN-F 3 core cable,		
20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  531    LED Floodlight 10W   St. Epistar chips; RRP   £278.80   60   20			220-240V AC 50/60Hz,		
LED Floodlight 10W			Lumineux Driver, 110°		
S		20 X Lumineux FL100	Beam Angle, Wide		
10   10   10   10   10   10   10   10		LED Floodlight 10W	Beam angle, 115 x 87 x		
S31		4000K BlackBrand New	85, Epistar chips; RRP		
LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New 4000K BlackBrand New 532 In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam Angle, Wide Beam angle, 115 x 87 x	531	In Box Stock	T	60	20
LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New 4000K BlackBrand New 532 In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m HOSRN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam Angle, Wide Beam angle, 115 x 87 x			20 X Lumineux FL100		
4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock 532 In Box Stock 532 In Box Stock 532 In Box Stock 532 In Box Stock 533 In Box Stock 534 In Box Stock 535 In Box Stock 536 Im/W, 800 Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W Beam Angle, Wide LED Floodlight 10W Beam Angle, Wide Beam angle, 115 x 87 x					
In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W Beam Angle, Wide LED Floodlight 10W Beam Angle, Wide Beam angle, 115 x 87 x			_		
Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x 85, Epistar chips; RRP f278.80 60 20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock 20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x					
with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x			· · · · · · · · · · · · · · · · · · ·		
coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x 85, Epistar chips; RRP £278.80  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x			_		
Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x 4000K BlackBrand New 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x			· · · · · · · · · · · · · · · · · · ·		
H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide LED Floodlight 10W 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x					
220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x 4000K BlackBrand New 1n Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New 1n Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x					
Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x			-		
20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New 1n Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x					
LED Floodlight 10W 4000K BlackBrand New In Box Stock  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux FL100 LED Floodlight 10W Beam angle, 115 x 87 x		20 V Luminoux El 100			
4000K BlackBrand New In Box Stock					
532 In Box Stock £278.80 60 20  20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 115 x 87 x		_			
20 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110°  20 X Lumineux FL100 Beam Angle, Wide LED Floodlight 10W  Beam angle, 115 x 87 x	522			60	วก
LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110°  20 X Lumineux FL100 Beam Angle, Wide LED Floodlight 10W  LED Floodlight 10W	332	III DUX SLUCK		00	20
4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110°  20 X Lumineux FL100 Beam Angle, Wide LED Floodlight 10W Beam angle, 115 x 87 x					
In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110°  20 X Lumineux FL100 Beam Angle, Wide LED Floodlight 10W Beam angle, 115 x 87 x			_		
Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110°  20 X Lumineux FL100 Beam Angle, Wide LED Floodlight 10W Beam angle, 115 x 87 x					
with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110°  20 X Lumineux FL100 Beam Angle, Wide LED Floodlight 10W Beam angle, 115 x 87 x					
coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110°  20 X Lumineux FL100 Beam Angle, Wide LED Floodlight 10W Beam angle, 115 x 87 x					
Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110°  20 X Lumineux FL100 Beam Angle, Wide LED Floodlight 10W Beam angle, 115 x 87 x					
H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110°  20 X Lumineux FL100 Beam Angle, Wide LED Floodlight 10W Beam angle, 115 x 87 x					
220-240V AC 50/60Hz, Lumineux Driver, 110° 20 X Lumineux FL100 Beam Angle, Wide LED Floodlight 10W Beam angle, 115 x 87 x					
Lumineux Driver, 110° 20 X Lumineux FL100 Beam Angle, Wide LED Floodlight 10W Beam angle, 115 x 87 x					
20 X Lumineux FL100 Beam Angle, Wide LED Floodlight 10W Beam angle, 115 x 87 x					
LED Floodlight 10W Beam angle, 115 x 87 x					
			Beam Angle, Wide		
4000K BlackBrand New   85, Epistar chips: RRP		LED Floodlight 10W	Beam angle, 115 x 87 x		
		4000K BlackBrand New	85, Epistar chips; RRP		
533 In Box Stock £278.80 60 20	533	In Box Stock	£278.80	60	20



		20 X Lumineux FL100		
		LED Floodlight 10W		
		4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 68		
		lm/W, 800 Lumens, 1m		
		H05RN-F 3 core cable,		
		220-240V AC 50/60Hz,		
		Lumineux Driver, 110°		
	20 X Lumineux FL100	Beam Angle, Wide		
	LED Floodlight 10W	Beam angle, 115 x 87 x		
	4000K BlackBrand New			
534	In Box Stock	85, Epistar chips; RRP £278.80	60	20
	III BOX SLOCK	20 X Lumineux FL100	00	20
		LED Floodlight 10W		
		4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 68		
		lm/W, 800 Lumens, 1m		
		H05RN-F 3 core cable,		
		220-240V AC 50/60Hz,		
	20 V Luminau Fl 100	Lumineux Driver, 110°		
	20 X Lumineux FL100	Beam Angle, Wide		
	LED Floodlight 10W	Beam angle, 115 x 87 x		
535	4000K BlackBrand New	85, Epistar chips; RRP	60	20
333	In Box Stock	£278.80	00	20
		20 X Lumineux FL100		
		LED Floodlight 10W 4000K BlackBrand New		
		In Box Stock, Robust		
		· ·		
		Aluminium housing with durable powder		
		coated finish, IP65, 68		
		lm/W, 800 Lumens, 1m		
		H05RN-F 3 core cable, 220-240V AC 50/60Hz,		
	20 V Luminous El 100	Lumineux Driver, 110°		
	20 X Lumineux FL100 LED Floodlight 10W	Beam Angle, Wide Beam angle, 115 x 87 x		
	4000K BlackBrand New	85, Epistar chips; RRP		
536	In Box Stock	£278.80	60	20
330	III DOX SLOCK	20 X Lumineux FL100		20
		LED Floodlight 10W		
		4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 68		
		lm/W, 800 Lumens, 1m		
		H05RN-F 3 core cable,		
		220-240V AC 50/60Hz,		
		Lumineux Driver, 110°		
	20 X Lumineux FL100	Beam Angle, Wide		
	LED Floodlight 10W	Beam angle, 115 x 87 x		
	4000K BlackBrand New	85, Epistar chips; RRP		
537	In Box Stock	£278.80	60	20
	III DOX SCOCK	1270.00	1 00	



		10 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 68 Im/W, 800 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110°		
538	10 X Lumineux FL100 LED Floodlight 10W 4000K BlackBrand New In Box Stock	Beam Angle, Wide Beam angle, 115 x 87 x 85, Epistar chips; RRP £139.40	30	10
	23 X Lumineux FL100	23 X Lumineux FL100 LED Floodlight 20W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 1600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam		
	LED Floodlight 20W 4000K BlackBrand New	Angle, , 130 x 105 x		
539	In Box Stock	110, Epistar chips; RRP £607.91	135	50
540	20 X Lumineux FL100 LED Floodlight 20W 4000K BlackBrand New	20 X Lumineux FL100 LED Floodlight 20W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 1600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, 130 x 105 x 110, Epistar chips; RRP	120	40
540	In Box Stock  20 X Lumineux FL100	£528.61  20 X Lumineux FL100  LED Floodlight 20W  4000K BlackBrand New In Box Stock, Robust  Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 1600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux	120	40
541	LED Floodlight 20W 4000K BlackBrand New In Box Stock	Driver, 110° Beam Angle, 130 x 105 x 110, Epistar chips; RRP £528.61	120	40



		20 X Lumineux FL100		
		LED Floodlight 20W		
		4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		_		
		with durable powder		
		coated finish, IP65, 80		
		lm/W, 1600 Lumens,		
		1m H05RN-F 3 core		
		cable, 220-240V AC		
		50/60Hz, Lumineux		
	20 X Lumineux FL100	Driver, 110° Beam		
	LED Floodlight 20W	Angle, 130 x 105 x 110,		
	4000K BlackBrand New	Epistar chips; RRP		
542	In Box Stock	£528.61	120	40
342	III BOX SLOCK		120	40
		20 X Lumineux FL100		
		LED Floodlight 20W		
		4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 80		
		lm/W, 1600 Lumens,		
		1m H05RN-F 3 core		
		cable, 220-240V AC		
		50/60Hz, Lumineux		
	20 X Lumineux FL100	Driver, 110° Beam		
	LED Floodlight 20W	Angle, 130 x 105 x 110,		
	4000K BlackBrand New	Epistar chips; RRP		
543	In Box Stock	£528.61	120	40
		20 X Lumineux FL100		
		LED Floodlight 20W		
		4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 80		
		lm/W, 1600 Lumens,		
		1m H05RN-F 3 core		
		cable, 220-240V AC		
		50/60Hz, Lumineux		
	20 X Lumineux FL100	Driver, 110° Beam		
	LED Floodlight 20W	Angle, 130 x 105 x 110,		
	4000K BlackBrand New	Epistar chips; RRP		
544		' '	120	40
544	In Box Stock	£528.61	120	40
		20 X Lumineux FL100		
		LED Floodlight 20W		
		4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 80		
		lm/W, 1600 Lumens,		
		1m H05RN-F 3 core		
		cable, 220-240V AC		
		50/60Hz, Lumineux		
	20 X Lumineux FL100	Driver, 110° Beam		
	LED Floodlight 20W	Angle, 130 x 105 x 110,		
	4000K BlackBrand New	Epistar chips; RRP		
545	In Box Stock	£528.61	120	40
L	•		•	



		20 X Lumineux FL100 LED Floodlight 20W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder		
		coated finish, IP65, 80 lm/W, 1600 Lumens,		
		1m H05RN-F 3 core cable, 220-240V AC		
		50/60Hz, Lumineux		
	20 X Lumineux FL100	Driver, 110° Beam		
	LED Floodlight 20W 4000K BlackBrand New	Angle, 130 x 105 x 110,		
546	In Box Stock	Epistar chips; RRP £528.61	120	40
		20 X Lumineux FL100 LED Floodlight 20W		
		4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder coated finish, IP65, 80		
		lm/W, 1600 Lumens,		
		1m H05RN-F 3 core		
		cable, 220-240V AC		
	20.7/1	50/60Hz, Lumineux		
	20 X Lumineux FL100 LED Floodlight 20W	Driver, 110° Beam Angle, 130 x 105 x 110,		
	4000K BlackBrand New	Epistar chips; RRP		
547	In Box Stock	£528.61	120	40
		20 X Lumineux FL100		
		LED Floodlight 20W		
		4000K BlackBrand New In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 80		
		lm/W, 1600 Lumens,		
		1m H05RN-F 3 core cable, 220-240V AC		
		50/60Hz, Lumineux		
	20 X Lumineux FL100	Driver, 110° Beam		
	LED Floodlight 20W	Angle, 130 x 105 x 110,		
548	4000K BlackBrand New In Box Stock	Epistar chips; RRP £528.61	120	40
		20 X Lumineux FL100		
		LED Floodlight 20W		
		4000K BlackBrand New		
		In Box Stock, Robust Aluminium housing		
		with durable powder		
		coated finish, IP65, 80		
		lm/W, 1600 Lumens,		
		1m H05RN-F 3 core cable, 220-240V AC		
		50/60Hz, Lumineux		
	20 X Lumineux FL100	Driver, 110° Beam		
	LED Floodlight 20W	Angle, 130 x 105 x 110,		
549	4000K BlackBrand New In Box Stock	Epistar chips; RRP £528.61	120	40
	III DUX SLUCK	LJZO.UI	120	40



		20 X Lumineux FL100		
		LED Floodlight 20W		
		4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 80		
		lm/W, 1600 Lumens,		
		1m H05RN-F 3 core		
		cable, 220-240V AC		
		50/60Hz, Lumineux		
	20 X Lumineux FL100	Driver, 110° Beam		
	LED Floodlight 20W	Angle, 130 x 105 x 110,		
	4000K BlackBrand New	Epistar chips; RRP		
550			120	40
330	In Box Stock	£528.61	120	40
		20 X Lumineux FL100		
		LED Floodlight 20W		
		4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 80		
		lm/W, 1600 Lumens,		
		1m H05RN-F 3 core		
		cable, 220-240V AC		
		50/60Hz, Lumineux		
	20 X Lumineux FL100	Driver, 110° Beam		
	LED Floodlight 20W	Angle, 130 x 105 x 110,		
	4000K BlackBrand New	Epistar chips; RRP		
551	In Box Stock	£528.61	120	40
		20 X Lumineux FL100		
		LED Floodlight 20W		
		_		
		4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 80		
		lm/W, 1600 Lumens,		
		1m H05RN-F 3 core		
		cable, 220-240V AC		
		50/60Hz, Lumineux		
	20 X Lumineux FL100	Driver, 110° Beam		
	LED Floodlight 20W	Angle, 130 x 105 x 110,		
FF3	4000K BlackBrand New	Epistar chips; RRP	430	40
552	In Box Stock	£528.61	120	40
		20 X Lumineux FL100		
		LED Floodlight 20W		
		4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		· ·		
		coated finish, IP65, 80		
		lm/W, 1600 Lumens,		
		1m H05RN-F 3 core		
		cable, 220-240V AC		
		50/60Hz, Lumineux		
	20 X Lumineux FL100	Driver, 110° Beam		
	LED Floodlight 20W	Angle, 130 x 105 x 110,		
	4000K BlackBrand New	Epistar chips; RRP		
553	In Box Stock	£528.61	120	40
	III DON STOCK	2020.01	1 220	10



		20 X Lumineux FL100 LED Floodlight 20W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 1600 Lumens, 1m H05RN-F 3 core		
		cable, 220-240V AC 50/60Hz, Lumineux		
	20 X Lumineux FL100 LED Floodlight 20W	Driver, 110° Beam Angle, 130 x 105 x 110,		
554	4000K BlackBrand New	Epistar chips; RRP	120	40
334	In Box Stock	£528.61 20 X Lumineux FL100	120	40
		LED Floodlight 20W		
		4000K BlackBrand New In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 80		
		lm/W, 1600 Lumens, 1m H05RN-F 3 core		
		cable, 220-240V AC		
		50/60Hz, Lumineux		
	20 X Lumineux FL100 LED Floodlight 20W	Driver, 110° Beam Angle, 130 x 105 x 110,		
	4000K BlackBrand New	Epistar chips; RRP		
555	In Box Stock	£528.61	120	40
		20 X Lumineux FL100		
		LED Floodlight 20W 4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 80 lm/W, 1600 Lumens,		
		1m H05RN-F 3 core		
		cable, 220-240V AC		
	20 V L 51400	50/60Hz, Lumineux		
	20 X Lumineux FL100 LED Floodlight 20W	Driver, 110° Beam Angle, 130 x 105 x 110,		
	4000K BlackBrand New	Epistar chips; RRP		
556	In Box Stock	£528.61	120	40
		20 X Lumineux FL100 LED Floodlight 20W		
		4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder coated finish, IP65, 80		
		lm/W, 1600 Lumens,		
		1m H05RN-F 3 core		
		cable, 220-240V AC		
	20 X Lumineux FL100	50/60Hz, Lumineux Driver, 110° Beam		
	LED Floodlight 20W	Angle, 130 x 105 x 110,		
	4000K BlackBrand New	Epistar chips; RRP	120	40
557	In Box Stock	£528.61	120	40



	20 X Lumineux FL100	20 X Lumineux FL100 LED Floodlight 20W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 1600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam		
558	LED Floodlight 20W 4000K BlackBrand New	Angle, 130 x 105 x 110, Epistar chips; RRP £528.61	120	40
	20 X Lumineux FL100	20 X Lumineux FL100 LED Floodlight 20W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 1600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam		
	LED Floodlight 20W 4000K BlackBrand New	Angle, 130 x 105 x 110, Epistar chips; RRP		
559	In Box Stock	£528.61	120	40
560	20 X Lumineux FL100 LED Floodlight 20W 4000K BlackBrand New	20 X Lumineux FL100 LED Floodlight 20W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 1600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, 130 x 105 x 110, Epistar chips; RRP	120	40
560	In Box Stock  20 X Lumineux FL100 LED Floodlight 20W	£528.61  20 X Lumineux FL100 LED Floodlight 20W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 1600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, 130 x 105 x 110,	120	40
561	4000K BlackBrand New In Box Stock	Epistar chips; RRP £528.61	120	40



		20 X Lumineux FL100 LED Floodlight 20W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 1600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux		
562	20 X Lumineux FL100 LED Floodlight 20W 4000K BlackBrand New In Box Stock	Driver, 110° Beam Angle, 130 x 105 x 110, Epistar chips; RRP £528.61	120	40
	20 X Lumineux FL100	20 X Lumineux FL100 LED Floodlight 20W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 1600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam		
	LED Floodlight 20W 4000K BlackBrand New	Angle, 130 x 105 x 110, Epistar chips; RRP		
563	In Box Stock	£528.61	120	40
	20 X Lumineux FL100 LED Floodlight 20W 4000K BlackBrand New	20 X Lumineux FL100 LED Floodlight 20W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 1600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, 130 x 105 x 110, Epistar chips; RRP	420	40
564	In Box Stock	£528.61  20 X Lumineux FL100  LED Floodlight 20W	120	40
	20 X Lumineux FL100 LED Floodlight 20W 4000K BlackBrand New	4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 1600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, 130 x 105 x 110, Epistar chips; RRP		
565	In Box Stock	£528.61	120	40



	20 X Lumineux FL100 LED Floodlight 20W	20 X Lumineux FL100 LED Floodlight 20W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 1600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, 130 x 105 x 110,		
500	4000K BlackBrand New	Epistar chips; RRP	120	40
566	In Box Stock	£528.61	120	40
	20 X Lumineux FL100	20 X Lumineux FL100 LED Floodlight 20W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 1600 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam		
	LED Floodlight 20W 4000K BlackBrand New	Angle, 130 x 105 x 110, Epistar chips; RRP		
567	In Box Stock	£528.61	120	40
	10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New	10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 2400 Lumiens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 227 x 187 x 130, Epistar chips; RRP		
568	In Box Stock	£288.36	68	20
	10 X Lumineux FL100 LED Floodlight 30W	10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 2400 Lumiens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam		
569	4000K BlackBrand New In Box Stock	Angle, Wide Beam angle, 227 x 187 x 130,	68	20
	20% 5000%			



Ī			Epistar chips; RRP £288.36		
Ļ			10 X Lumineux FL100		
			LED Floodlight 30W 4000K BlackBrand New		
			In Box Stock, Robust		
			Aluminium housing with durable powder		
			coated finish, IP65, 80		
			lm/W, 2400 Lumiens, 1m H05RN-F 3 core		
			cable, 220-240V AC		
			50/60Hz, Lumineux		
		10 X Lumineux FL100	Driver, 110° Beam Angle, Wide Beam		
		LED Floodlight 30W	angle, 227 x 187 x 130,		
	570	4000K BlackBrand New In Box Stock	Epistar chips; RRP £288.36	68	20
ĺ			10 X Lumineux FL100		
			LED Floodlight 30W 4000K BlackBrand New		
			In Box Stock, Robust		
			Aluminium housing		
			with durable powder coated finish, IP65, 80		
			lm/W, 2400 Lumiens,		
			1m H05RN-F 3 core cable, 220-240V AC		
			50/60Hz, Lumineux		
		10 V Luncia con 51 100	Driver, 110° Beam		
		10 X Lumineux FL100 LED Floodlight 30W	Angle, Wide Beam angle, 227 x 187 x 130,		
	F 74	4000K BlackBrand New	Epistar chips; RRP	60	30
-	571	In Box Stock	£288.36 10 X Lumineux FL100	68	20
			LED Floodlight 30W		
			4000K BlackBrand New In Box Stock, Robust		
			Aluminium housing		
			with durable powder		
			coated finish, IP65, 80 Im/W, 2400 Lumiens,		
			1m H05RN-F 3 core		
			cable, 220-240V AC 50/60Hz, Lumineux		
			Driver, 110° Beam		
		10 X Lumineux FL100	Angle, Wide Beam		
		LED Floodlight 30W 4000K BlackBrand New	angle, 227 x 187 x 130, Epistar chips; RRP		
	572	In Box Stock	£288.36	68	20



ı	1	1	1	1
		10 X Lumineux FL100		
		LED Floodlight 30W		
		4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 80		
		lm/W, 2400 Lumiens,		
		1m H05RN-F 3 core		
		cable, 220-240V AC		
		50/60Hz, Lumineux		
		Driver, 110° Beam		
	10 X Lumineux FL100	Angle, Wide Beam		
	LED Floodlight 30W	angle, 227 x 187 x 130,		
	4000K BlackBrand New	Epistar chips; RRP		
573	In Box Stock	£288.36	68	20
		10 X Lumineux FL100		
		LED Floodlight 30W		
		4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 80		
		lm/W, 2400 Lumiens,		
		1m H05RN-F 3 core		
		cable, 220-240V AC		
		50/60Hz, Lumineux		
		Driver, 110° Beam		
	10 X Lumineux FL100	Angle, Wide Beam		
	LED Floodlight 30W	angle, 227 x 187 x 130,		
	_	_		
574	4000K BlackBrand New	Epistar chips; RRP	68	20
3/4	In Box Stock	£288.36	06	20
		10 X Lumineux FL100		
		LED Floodlight 30W		
		4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 80		
		lm/W, 2400 Lumiens,		
		1m H05RN-F 3 core		
		cable, 220-240V AC		
		50/60Hz, Lumineux		
	40 V L	Driver, 110° Beam		
	10 X Lumineux FL100	Angle, Wide Beam		
	LED Floodlight 30W	angle, 227 x 187 x 130,		
	4000K BlackBrand New	Epistar chips; RRP		
575	In Box Stock	£288.36	68	20
		10 X Lumineux FL100		
		LED Floodlight 30W		
		4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 80		
		lm/W, 2400 Lumiens,		
		1m H05RN-F 3 core		
	10 X Lumineux FL100	cable, 220-240V AC		
	LED Floodlight 30W	50/60Hz, Lumineux		
	4000K BlackBrand New	Driver, 110° Beam		
576	In Box Stock	Angle, Wide Beam	68	20
				- I



			angle, 227 x 187 x 130, Epistar chips; RRP £288.36		
			10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New		
			In Box Stock, Robust Aluminium housing		
			with durable powder coated finish, IP65, 80		
			lm/W, 2400 Lumiens,		
			1m H05RN-F 3 core cable, 220-240V AC		
			50/60Hz, Lumineux Driver, 110° Beam		
		10 X Lumineux FL100	Angle, Wide Beam		
		LED Floodlight 30W 4000K BlackBrand New	angle, 227 x 187 x 130, Epistar chips; RRP		
	577	In Box Stock	£288.36	68	20
			10 X Lumineux FL100 LED Floodlight 30W		
			4000K BlackBrand New In Box Stock, Robust		
			Aluminium housing		
			with durable powder		
			coated finish, IP65, 80 lm/W, 2400 Lumiens,		
			1m H05RN-F 3 core		
			cable, 220-240V AC 50/60Hz, Lumineux		
			Driver, 110° Beam		
		10 X Lumineux FL100	Angle, Wide Beam		
		LED Floodlight 30W 4000K BlackBrand New	angle, 227 x 187 x 130, Epistar chips; RRP		
	578	In Box Stock	£288.36	68	20
			10 X Lumineux FL100 LED Floodlight 30W		
			4000K BlackBrand New		
			In Box Stock, Robust		
			Aluminium housing with durable powder		
			coated finish, IP65, 80		
			lm/W, 2400 Lumiens, 1m H05RN-F 3 core		
			cable, 220-240V AC		
			50/60Hz, Lumineux		
		10 X Lumineux FL100	Driver, 110° Beam Angle, Wide Beam		
		LED Floodlight 30W	angle, 227 x 187 x 130,		
	579	4000K BlackBrand New In Box Stock	Epistar chips; RRP £288.36	68	20
L	0.0	20% 0.000%		1	



580	10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New In Box Stock	10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 2400 Lumiens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 227 x 187 x 130, Epistar chips; RRP £288.36	68	20
	10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New	10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 2400 Lumiens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 227 x 187 x 130, Epistar chips; RRP		
581	In Box Stock  10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New In Box Stock	£288.36  10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 2400 Lumiens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 227 x 187 x 130, Epistar chips; RRP £288.36	68	20
583	10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New In Box Stock	10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 2400 Lumiens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam	68	20



		angle, 227 x 187 x 130, Epistar chips; RRP £288.36		
	10 X Lumineux FL100 LED Floodlight 30W	10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 2400 Lumiens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 227 x 187 x 130,		
584	4000K BlackBrand New In Box Stock	Epistar chips; RRP £288.36	68	20
	10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New	10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 2400 Lumiens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 227 x 187 x 130, Epistar chips; RRP		
585	In Box Stock	£288.36  10 X Lumineux FL100  LED Floodlight 30W  4000K BlackBrand New In Box Stock, Robust	68	20
	10 X Lumineux FL100	Aluminium housing with durable powder coated finish, IP65, 80 lm/W, 2400 Lumiens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam		
586	LED Floodlight 30W 4000K BlackBrand New In Box Stock	angle, 227 x 187 x 130, Epistar chips; RRP £288.36	68	20



	10 X Lumineux FL100 LED Floodlight 30W	10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 2400 Lumiens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 227 x 187 x 130,		
587	4000K BlackBrand New In Box Stock	Epistar chips; RRP £288.36	68	20
367	10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New	10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 2400 Lumiens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 227 x 187 x 130, Epistar chips; RRP	00	20
588	In Box Stock	£288.36	68	20
589	10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New In Box Stock	10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 2400 Lumiens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 227 x 187 x 130, Epistar chips; RRP £288.36	68	20
590	10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New In Box Stock	10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 2400 Lumiens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam	68	20



			angle, 227 x 187 x 130, Epistar chips; RRP £288.36		
			10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New In Box Stock, Robust Aluminium housing		
			with durable powder coated finish, IP65, 80 lm/W, 2400 Lumiens, 1m H05RN-F 3 core		
		10 X Lumineux FL100	cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam		
	591	LED Floodlight 30W 4000K BlackBrand New In Box Stock	angle, 227 x 187 x 130, Epistar chips; RRP £288.36 10 X Lumineux FL100	68	20
			LED Floodlight 30W 4000K BlackBrand New In Box Stock, Robust Aluminium housing		
			with durable powder coated finish, IP65, 80 lm/W, 2400 Lumiens, 1m H05RN-F 3 core		
		10 X Lumineux FL100 LED Floodlight 30W	cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 227 x 187 x 130,		
	592	4000K BlackBrand New In Box Stock	Epistar chips; RRP £288.36	68	20
			10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New In Box Stock, Robust		
			Aluminium housing with durable powder coated finish, IP65, 80 lm/W, 2400 Lumiens,		
			1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux		
		10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New	Driver, 110° Beam Angle, Wide Beam angle, 227 x 187 x 130, Epistar chips; RRP		
Ĺ	593	In Box Stock	£288.36	68	20



	10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New	10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 2400 Lumiens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 227 x 187 x 130, Epistar chips; RRP		
594	In Box Stock	£288.36	68	20
	10 X Lumineux FL100 LED Floodlight 30W	10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 2400 Lumiens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 227 x 187 x 130,		
595	4000K BlackBrand New In Box Stock	Epistar chips; RRP £288.36	68	20
596	10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New In Box Stock	10 X Lumineux FL100 LED Floodlight 30W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 2400 Lumiens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Wide Beam angle, 227 x 187 x 130, Epistar chips; RRP £288.36	68	20
597	2 X Lumineux FL150 LED PIR Floodlight 30W 4000K BlackBrand New In Box Stock	2 X Lumineux FL150 LED PIR Floodlight 30W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP44, 80 lm/W, 2400 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, 111 x 120 x 140,	20	10



		Epistar chips; RRP £77.98		
500	1 X Lumineux FL150 LED PIR Floodlight 50W 4000K BlackBrand	1 X Lumineux FL150 LED PIR Floodlight 50W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP44, 80 Im/W, 4000 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, 111 x 120 x 140, Epistar chips; RRP	20	10
598	5 X Lumineux FL175 LED DC Floodlight 50W 4000K 20v - 28v GreyBrand New In Box	£50.09  5 X Lumineux FL175 LED DC Floodlight 50W 4000K 20v - 28v GreyBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, 80 Im/W, 4000 Lumens, 1m H05RN-F 3 core cable, 220-240V AC 50/60Hz, Lumineux Driver, 120° Beam Angle, , 285 x 236 x 170, Epistar chips; RRP	20	10
599	1 X Lumineux FL200 LED SMD Floodlight 100W 4000K BlackBrand New In Box Stock	170, Epistar Chips, NAP £563.40 1 X Lumineux FL200 LED SMD Floodlight 100W 4000K BlackBrand New In Box Stock, Robust Aluminium housing with durable powder coated finish, IP65, >100 lm/W, 10000 lumens, 220-240V AC 50/60Hz, Lumineux Driver, 110° Beam Angle, Epistar chips; RRP £92.11	15	10



i	i	<u>-</u>	Ī	<u>.</u>
		3 X Lumineux FL200		
		LED SMD Floodlight		
		20W 4000K BlackBrand		
		New In Box Stock,		
		Robust Aluminium		
		housing with durable		
		powder coated finish,		
		IP65, >100 lm/W, 2000		
		Lumens, 220-240V AC		
		50/60Hz, Lumineux		
	3 X Lumineux FL200	Driver, 110° Beam		
		1		
	LED SMD Floodlight	Angle, , 162 x 147 x 36,		
601	20W 4000K BlackBrand	Epistar chips; RRP	15	10
001	New In Box Stock	£97.66	13	10
		12 X Lumineux FL200		
		LED SMD Floodlight		
		50W 4000K BlackBrand		
		New In Box Stock,		
		Robust Aluminium		
		housing with durable		
		powder coated finish,		
		IP65, >100 lm/W, 5000		
		Lumens, 220-240V AC		
	12 X Lumineux FL200	50/60Hz, Lumineux		
	LED SMD Floodlight	Driver, 110° Beam		
	50W 4000K BlackBrand	Angle, 235 x 205 x36,		
602	New In Box Stock	Epistar chips; RRP £494	75	30
		10 X Lumineux FL200		
		LED SMD Floodlight		
		50W 4000K BlackBrand		
		New In Box Stock,		
		Robust Aluminium		
		housing with durable		
		powder coated finish,		
		IP65, >100 lm/W, 5000		
		Lumens, 220-240V AC		
		50/60Hz, Lumineux		
	10 X Lumineux FL200	Driver, 110° Beam		
	LED SMD Floodlight	Angle , 235 x 205 x36,		
	50W 4000K BlackBrand	Epistar chips; RRP		
603	New In Box Stock	£411.67	60	20
505	INCAN III DOY 2000K	10 X Lumineux FL200		20
		LED SMD Floodlight		
		50W 4000K BlackBrand		
		New In Box Stock,		
		l '		
		Robust Aluminium		
		housing with durable		
		powder coated finish,		
		IP65, >100 lm/W, 5000		
		Lumens, 220-240V AC		
	40.41	50/60Hz, Lumineux		
	10 X Lumineux FL200	Driver, 110° Beam		
	LED SMD Floodlight	Angle , 235 x 205 x36,		
604	50W 4000K BlackBrand	Epistar chips; RRP		20
604	New In Box Stock	£411.67	60	20



1	İ	l	I	l i
		10 X Lumineux FL200		
		LED SMD Floodlight		
		50W 4000K BlackBrand		
		New In Box Stock,		
		Robust Aluminium		
		housing with durable		
		powder coated finish,		
		IP65, >100 lm/W, 5000		
		Lumens, 220-240V AC		
		50/60Hz, Lumineux		
	10 X Lumineux FL200	Driver, 110° Beam		
	LED SMD Floodlight	Angle , 235 x 205 x36,		
	50W 4000K BlackBrand	Epistar chips; RRP		
605	New In Box Stock	£411.67	60	20
		10 X Lumineux FL200		
		LED SMD Floodlight		
		50W 4000K BlackBrand		
		New In Box Stock,		
		Robust Aluminium		
		housing with durable		
		powder coated finish,		
		IP65, >100 lm/W, 5000		
		Lumens, 220-240V AC		
		50/60Hz, Lumineux		
	10 X Lumineux FL200	Driver, 110° Beam		
	LED SMD Floodlight	Angle , 235 x 205 x36,		
	50W 4000K BlackBrand	Epistar chips; RRP		
606	New In Box Stock	£411.67	60	20
		10 X Lumineux FL200		
		LED SMD Floodlight		
		50W 4000K BlackBrand		
		New In Box Stock,		
		Robust Aluminium		
		housing with durable		
		powder coated finish,		
		IP65, >100 lm/W, 5000		
		Lumens, 220-240V AC		
		50/60Hz, Lumineux		
	10 X Lumineux FL200	Driver, 110° Beam		
	LED SMD Floodlight	Angle , 235 x 205 x36,		
	50W 4000K BlackBrand	Epistar chips; RRP		
607	New In Box Stock	£411.67	60	20
		10 X Lumineux FL200		
		LED SMD Floodlight		
		50W 4000K BlackBrand		
		New In Box Stock,		
		Robust Aluminium		
		housing with durable		
		powder coated finish,		
		IP65, >100 lm/W, 5000		
		Lumens, 220-240V AC		
		50/60Hz, Lumineux		
	10 X Lumineux FL200	Driver, 110° Beam		
	LED SMD Floodlight	Angle , 235 x 205 x36,		
	50W 4000K BlackBrand	Epistar chips; RRP		
608	New In Box Stock	£411.67	60	20



		10 X Lumineux FL200		
		LED SMD Floodlight		
		50W 4000K BlackBrand		
		New In Box Stock,		
		Robust Aluminium		
		housing with durable		
		powder coated finish,		
		IP65, >100 lm/W, 5000		
		Lumens, 220-240V AC		
		50/60Hz, Lumineux		
	10 X Lumineux FL200	Driver, 110° Beam		
	LED SMD Floodlight	Angle , 235 x 205 x36,		
	50W 4000K BlackBrand	Epistar chips; RRP		
609	New In Box Stock	£411.67	60	20
	New III Box Stock	10 X Lumineux FL200		
		LED SMD Floodlight		
		50W 4000K BlackBrand		
		New In Box Stock,		
		Robust Aluminium		
		housing with durable		
		powder coated finish,		
		IP65, >100 lm/W, 5000		
		Lumens, 220-240V AC		
	10 X Lumineux FL200	50/60Hz, Lumineux		
		Driver, 110° Beam		
	LED SMD Floodlight 50W 4000K BlackBrand	Angle, 235 x 205 x36,		
610		Epistar chips; RRP	60	20
010	New In Box Stock	£411.67	00	20
		10 X Lumineux FL200		
		LED SMD Floodlight		
		50W 4000K BlackBrand		
		New In Box Stock,		
		Robust Aluminium		
		housing with durable		
		powder coated finish,		
		IP65, >100 lm/W, 5000		
		Lumens, 220-240V AC		
	40.7/1	50/60Hz, Lumineux		
	10 X Lumineux FL200	Driver, 110° Beam		
	LED SMD Floodlight	Angle , 235 x 205 x36,		
611	50W 4000K BlackBrand	Epistar chips; RRP	60	20
011	New In Box Stock	£411.67 13 X Lumineux FL500	00	20
		LED AC Driverless		
		Floodlight 20W Black RGBBrand New In Box		
		Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 1m		
	12 V I 51 500	H05RN-F 3 core cable,		
	13 X Lumineux FL500	220-240v Input		
	LED AC Driverless	Voltage, Black, 110°		
	Floodlight 20W Black	Beam Angle, 180 x 126		
612	RGBBrand New In Box	x 36, Epistar chips; RRP	95	30
012	Stock	£649.64	95	30



1	İ	10 V Luminous FLF00		l I
		10 X Lumineux FL500 LED AC Driverless		
		Floodlight 20W Black		
		_		
		RGBBrand New In Box		
		Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 1m		
		H05RN-F 3 core cable,		
	10 X Lumineux FL500	220-240v Input		
	LED AC Driverless	Voltage, Black, 110°		
	Floodlight 20W Black	Beam Angle, 180 x 126		
640	RGBBrand New In Box	x 36, Epistar chips; RRP		
613	Stock	£499.72	75	30
		10 X Lumineux FL500		
		LED AC Driverless		
		Floodlight 20W Black		
		RGBBrand New In Box		
		Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 1m		
		H05RN-F 3 core cable,		
	10 X Lumineux FL500	220-240v Input		
	LED AC Driverless	Voltage, Black, 110°		
	Floodlight 20W Black	Beam Angle, 180 x 126		
	RGBBrand New In Box	x 36, Epistar chips; RRP		
614	Stock	£499.72	75	30
		10 X Lumineux FL500		
		LED AC Driverless		
		Floodlight 20W Black		
		RGBBrand New In Box		
		Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 1m		
		H05RN-F 3 core cable,		
	10 X Lumineux FL500	220-240v Input		
	LED AC Driverless	Voltage, Black, 110°		
	Floodlight 20W Black	Beam Angle, 180 x 126		
	RGBBrand New In Box	x 36, Epistar chips; RRP		
615	Stock	£499.72	75	30
		10 X Lumineux FL500		
		LED AC Driverless		
		Floodlight 30W Black		
		RGBBrand New In Box		
		Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 1m		
		H05RN-F 3 core cable,		
	10 X Lumineux FL500	220-240v Input		
	LED AC Driverless	Voltage, Black, 110°		
	Floodlight 30W Black	Beam Angle, 210 x 147		
	RGBBrand New In Box	x 37, Epistar chips; RRP		
616	Stock	£691.11	105	40



		9 X Lumineux FL500		
		LED AC Driverless Floodlight 30W Black		
		RGBBrand New In Box		
		Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 1m H05RN-F 3 core cable,		
	9 X Lumineux FL500	220-240v Input		
	LED AC Driverless	Voltage, Black, 110°		
	Floodlight 30W Black	Beam Angle, 210 x 147		
647	RGBBrand New In Box	x 37, Epistar chips; RRP	0.5	20
617	Stock	£622	95	30
		10 X Lumineux DL600 LED Retail Wall Wash		
		45W 4000K		
		WhiteBrand New In		
		Box Stock, Aluminium ,		
		IP20, 85 lm/W, 3500		
		Lumens, Built in		
		Internal Driver, White,		
	10 X Lumineux DL600	120° Beam Angle, 235 x 145 117 HC 220 x		
	LED Retail Wall Wash	130, Hole Cutout Ø		
	45W 4000K	117mm, Adjustable		
	WhiteBrand New In	retail wall wash; RRP		
618	Box Stock	£827.78	125	40
		10 X Lumineux DL600		
		LED Retail Wall Wash 45W 4000K		
		WhiteBrand New In		
		Box Stock, Aluminium ,		
		IP20, 85 lm/W, 3500		
		Lumens, Built in		
		Internal Driver, White,		
	10 X Lumineux DL600	120° Beam Angle, 235 x 145 117 HC 220 x		
	LED Retail Wall Wash	130, Hole Cutout Ø		
	45W 4000K	117mm, Adjustable		
610	WhiteBrand New In	retail wall wash; RRP	40-	
619	Box Stock	£827.78	125	40
		10 X Lumineux DL600 LED Retail Wall Wash		
		45W 4000K		
		WhiteBrand New In		
		Box Stock, Aluminium ,		
		IP20, 85 lm/W, 3500		
		Lumens, Built in		
		Internal Driver, White, 120° Beam Angle, 235		
	10 X Lumineux DL600	x 145 117 HC 220 x		
	LED Retail Wall Wash	130, Hole Cutout Ø		
	45W 4000K	117mm, Adjustable		
630	WhiteBrand New In	retail wall wash; RRP	435	40
620	Box Stock	£827.78	125	40



621	10 X Lumineux DL600 LED Retail Wall Wash 45W 4000K WhiteBrand New In Box Stock	10 X Lumineux DL600 LED Retail Wall Wash 45W 4000K WhiteBrand New In Box Stock, Aluminium, IP20, 85 Im/W, 3500 Lumens, Built in Internal Driver, White, 120° Beam Angle, 235 x 145 117 HC 220 x 130, Hole Cutout Ø 117mm, Adjustable retail wall wash; RRP £827.78	125	40
622	10 X Lumineux DL600 LED Retail Wall Wash 45W 4000K WhiteBrand New In Box Stock	10 X Lumineux DL600 LED Retail Wall Wash 45W 4000K WhiteBrand New In Box Stock, Aluminium, IP20, 85 Im/W, 3500 Lumens, Built in Internal Driver, White, 120° Beam Angle, 235 x 145 117 HC 220 x 130, Hole Cutout Ø 117mm, Adjustable retail wall wash; RRP £827.78	125	40
623	7 X Lumineux DL600 LED Retail Wall Wash 45W 4000K WhiteBrand New In Box Stock	7 X Lumineux DL600 LED Retail Wall Wash 45W 4000K WhiteBrand New In Box Stock, Aluminium, IP20, 85 Im/W, 3500 Lumens, Built in Internal Driver, White, 120° Beam Angle, 235 x 145 117 HC 220 x 130, Hole Cutout Ø 117mm, Adjustable retail wall wash; RRP £579.44	85	30
624	7 X Lumineux DL600 LED Retail Wall Wash 45W 6000K WhiteBrand New In Box Stock	7 X Lumineux DL600 LED Retail Wall Wash 45W 4000K WhiteBrand New In Box Stock, Aluminium, IP20, 85 Im/W, 3500 Lumens, Built in Internal Driver, White, 120° Beam Angle, 235 x 145 117 HC 220 x 130, Hole Cutout Ø 117mm, Adjustable retail wall wash; RRP £579.44	85	30



1	1	l =	1	ı
		7 X Lumineux DL600		
		LED Retail Wall Wash		
		45W 4000K		
		WhiteBrand New In		
		Box Stock, Aluminium ,		
		IP20, 85 lm/W, 3500		
		Lumens, Built in		
		Internal Driver, White,		
		120° Beam Angle, 235		
	7 X Lumineux DL600	x 145 117 HC 220 x		
	LED Retail Wall Wash	130, Hole Cutout Ø		
	45W 6000K	117mm, Adjustable		
	WhiteBrand New In	retail wall wash; RRP		
625	Box Stock	£579.44	85	30
		50 X Lumineux Foxcote		
		LED Downlight Fire-		
		rated 7W 3CCT		
		WhiteBrand New In		
		Box Stock, 3CCT		
		downlight, IP65, 79		
		lm/W, 577 Lumens,		
		3000K/4000K/6000K,		
	50 X Lumineux Foxcote	220-240V AC 50/60 HZ,		
		Built in Internal Driver,		
	LED Downlight Fire-	White, 55D Beam		
	rated 7W 3CCT	Angle, 68x69x93 HC		
626	WhiteBrand New In	70-75mm, , Triac	150	FO
626	Box Stock	dimming; RRP £763.64	150	50
		50 X Lumineux Foxcote		
		LED Downlight Fire-		
		rated 7W 3CCT		
		WhiteBrand New In		
		Box Stock, 3CCT		
		downlight, IP65, 79		
		lm/W, 577 Lumens,		
		3000K/4000K/6000K,		
		220-240V AC 50/60 HZ,		
	50 X Lumineux Foxcote	Built in Internal Driver,		
	LED Downlight Fire-	White, 55D Beam		
	rated 7W 3CCT	Angle, 68x69x93 HC		
	WhiteBrand New In	70-75mm, , Triac		
627	Box Stock	dimming; RRP £763.64	150	50
		50 X Lumineux Foxcote		
		LED Downlight Fire-		
		rated 7W 3CCT		
		WhiteBrand New In		
		Box Stock, 3CCT		
		downlight, IP65, 79		
		lm/W, 577 Lumens,		
		3000K/4000K/6000K,		
		220-240V AC 50/60 HZ,		
	50 X Lumineux Foxcote	Built in Internal Driver,		
	LED Downlight Fire-	White, 55D Beam		
	rated 7W 3CCT	Angle, 68x69x93 HC		
	WhiteBrand New In	70-75mm, , Triac		
628	Box Stock	dimming; RRP £763.64	150	50
020	DOX STOCK	diffilling, INF 1703.04	130	30



	-	•	i	·
		50 X Lumineux Foxcote		
		LED Downlight Fire-		
		rated 7W 3CCT		
		WhiteBrand New In		
		Box Stock, 3CCT		
		downlight, IP65, 79		
		lm/W, 577 Lumens,		
		3000K/4000K/6000K,		
		220-240V AC 50/60 HZ,		
	50 X Lumineux Foxcote	Built in Internal Driver,		
		·		
	LED Downlight Fire-	White, 55D Beam		
	rated 7W 3CCT	Angle, 68x69x93 HC		
630	WhiteBrand New In	70-75mm, , Triac	150	F0
629	Box Stock	dimming; RRP £763.64	150	50
		50 X Lumineux Foxcote		
		LED Downlight Fire-		
		rated 7W 3CCT		
		WhiteBrand New In		
		Box Stock, 3CCT		
		downlight, IP65, 79		
		lm/W, 577 Lumens,		
		3000K/4000K/6000K,		
		220-240V AC 50/60 HZ,		
	50 X Lumineux Foxcote	Built in Internal Driver,		
	LED Downlight Fire-	White, 55D Beam		
	rated 7W 3CCT	Angle, 68x69x93 HC		
	WhiteBrand New In	70-75mm, , Triac		
630	Box Stock	dimming; RRP £763.64	150	50
		50 X Lumineux Foxcote		
		LED Downlight Fire-		
		rated 7W 3CCT		
		WhiteBrand New In		
		Box Stock, 3CCT		
		downlight, IP65, 79		
		lm/W, 577 Lumens,		
		3000K/4000K/6000K,		
		220-240V AC 50/60 HZ,		
	50 X Lumineux Foxcote	Built in Internal Driver,		
	LED Downlight Fire-	White, 55D Beam		
	rated 7W 3CCT	•		
		Angle, 68x69x93 HC		
631	WhiteBrand New In Box Stock	70-75mm, , Triac dimming; RRP £763.64	150	50
031	DOV STOCK	50 X Lumineux Foxcote	130	30
		LED Downlight Fire-		
		rated 7W 3CCT		
		WhiteBrand New In		
		Box Stock, 3CCT		
		downlight, IP65, 79		
		lm/W, 577 Lumens,		
		3000K/4000K/6000K,		
	FO V Lorente - F	220-240V AC 50/60 HZ,		
	50 X Lumineux Foxcote	Built in Internal Driver,		
	LED Downlight Fire-	White, 55D Beam		
	rated 7W 3CCT	Angle, 68x69x93 HC		
633	WhiteBrand New In	70-75mm, , Triac	450	
632	Box Stock	dimming; RRP £763.64	150	50



		50 X Lumineux Foxcote		
		LED Downlight Fire-		
		rated 7W 3CCT		
		WhiteBrand New In		
		Box Stock, 3CCT		
		downlight, IP65, 79		
		-		
		lm/W, 577 Lumens,		
		3000K/4000K/6000K,		
		220-240V AC 50/60 HZ,		
	50 X Lumineux Foxcote	Built in Internal Driver,		
	LED Downlight Fire-	White, 55D Beam		
	rated 7W 3CCT	Angle, 68x69x93 HC		
	WhiteBrand New In	70-75mm, , Triac	1-0	
633	Box Stock	dimming; RRP £763.64	150	50
		50 X Lumineux Foxcote		
		LED Downlight Fire-		
		rated 7W 3CCT		
		WhiteBrand New In		
		Box Stock, 3CCT		
		downlight, IP65, 79		
		lm/W, 577 Lumens,		
		3000K/4000K/6000K,		
		220-240V AC 50/60 HZ,		
	50 X Lumineux Foxcote	Built in Internal Driver,		
	LED Downlight Fire-	White, 55D Beam		
	rated 7W 3CCT	Angle, 68x69x93 HC		
	WhiteBrand New In	70-75mm, , Triac		
634	Box Stock	dimming; RRP £763.64	150	50
054	DOX STOCK	50 X Lumineux Foxcote	130	30
		LED Downlight Fire-		
		rated 7W 3CCT		
		WhiteBrand New In		
		Box Stock, 3CCT		
		downlight, IP65, 79		
		lm/W, 577 Lumens,		
		3000K/4000K/6000K,		
		220-240V AC 50/60 HZ,		
	50 X Lumineux Foxcote	Built in Internal Driver,		
	LED Downlight Fire-	White, 55D Beam		
	rated 7W 3CCT	Angle, 68x69x93 HC		
	WhiteBrand New In	70-75mm, , Triac		
635	Box Stock	dimming; RRP £763.64	150	50
		50 X Lumineux Foxcote		
		LED Downlight Fire-		
		rated 7W 3CCT		
		WhiteBrand New In		
		Box Stock, 3CCT		
		downlight, IP65, 79		
		lm/W, 577 Lumens,		
		3000K/4000K/6000K,		
		220-240V AC 50/60 HZ,		
	50 X Lumineux Foxcote	Built in Internal Driver,		
	LED Downlight Fire-	White, 55D Beam		
	rated 7W 3CCT	Angle, 68x69x93 HC		
	WhiteBrand New In	70-75mm, , Triac		
636	Box Stock	dimming; RRP £763.64	150	50
	20% Stock	~b, 1,05.04	130	30



		50 X Lumineux Foxcote		
		LED Downlight Fire-		
		rated 7W 3CCT		
		WhiteBrand New In		
		Box Stock, 3CCT		
		downlight, IP65, 79		
		-		
		lm/W, 577 Lumens,		
		3000K/4000K/6000K,		
		220-240V AC 50/60 HZ,		
	50 X Lumineux Foxcote	Built in Internal Driver,		
	LED Downlight Fire-	White, 55D Beam		
	rated 7W 3CCT	Angle, 68x69x93 HC		
	WhiteBrand New In	70-75mm, , Triac	1-0	
637	Box Stock	dimming; RRP £763.64	150	50
		50 X Lumineux Foxcote		
		LED Downlight Fire-		
		rated 7W 3CCT		
		WhiteBrand New In		
		Box Stock, 3CCT		
		downlight, IP65, 79		
		lm/W, 577 Lumens,		
		3000K/4000K/6000K,		
		220-240V AC 50/60 HZ,		
	50 X Lumineux Foxcote	Built in Internal Driver,		
	LED Downlight Fire-	White, 55D Beam		
	rated 7W 3CCT	Angle, 68x69x93 HC		
	WhiteBrand New In	70-75mm, , Triac		
638	Box Stock	dimming; RRP £763.64	150	50
030	DOX STOCK	50 X Lumineux Foxcote	130	30
		LED Downlight Fire-		
		rated 7W 3CCT		
		WhiteBrand New In		
		Box Stock, 3CCT		
		downlight, IP65, 79		
		lm/W, 577 Lumens,		
		3000K/4000K/6000K,		
		220-240V AC 50/60 HZ,		
	50 X Lumineux Foxcote	Built in Internal Driver,		
	LED Downlight Fire-	White, 55D Beam		
	rated 7W 3CCT	Angle, 68x69x93 HC		
	WhiteBrand New In	70-75mm, , Triac		
639	Box Stock	dimming; RRP £763.64	150	50
		41 X Lumineux Foxcote		
		LED Downlight Fire-		
		rated 7W 3CCT		
		WhiteBrand New In		
		Box Stock, 3CCT		
		downlight, IP65, 79		
		lm/W, 756 Lumens,		
		3000K/4000K/6000K,		
		220-240V AC 50/60 HZ,		
	41 X Lumineux Foxcote	Built in Internal Driver,		
	LED Downlight Fire-	White, 55D Beam		
	rated 7W 3CCT	Angle, 68x69x93 HC		
	WhiteBrand New In	70-75mm; RRP		
640	Box Stock	£626.19	125	40
5.0				10



		30 X Lumineux Foxcote		
		LED Downlight Fire-		
		rated 7W 3CCT		
		WhiteBrand New In		
		Box Stock, 3CCT		
		downlight, IP65, 79		
		lm/W, 756 Lumens,		
		3000K/4000K/6000K,		
		220-240V AC 50/60 HZ,		
	30 X Lumineux Foxcote	Built in Internal Driver,		
	LED Downlight Fire-	White, 55D Beam		
	rated 7W 3CCT	Angle, 68x69x93 HC		
	WhiteBrand New In	70-75mm; RRP		
641	Box Stock	£458.18	90	30
		278 X Lumineux BH400		
		LED Slimline Bulkhead		
		12W 4000K BlackBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP66, 66 lm/W,		
		800 Lumens,220-240V		
		AC 50/60 HZ,		
		Lumineux Driver,		
	278 X Lumineux BH400	Black, 120D Beam		
	LED Slimline Bulkhead	Angle, 300x300x92,		
	12W 4000K BlackBrand	Epistar Chips, IK08		
642	New In Box Stock	Rating; RRP £5,628.30	1268	420
		54 X Lumineux BH400		
		LED Slimline Bulkhead		
		12W 3000K White		
		MicrowaveBrand New		
		In Box Stock, Tough		
		and durable Body,		
		IP66, 750 Lumens, 220-		
	54 X Lumineux BH400	240v Input Voltage,		
	LED Slimline Bulkhead	Lumineux, White, 120		
	12W 3000K White	Beam Angle, 300 x 300		
	MicrowaveBrand New	x92, Epistar, IK08		
643	In Box Stock	rating; RRP £1,804.93	405	140
		488 X Lumineux BH400		
		LED Slimline Bulkhead		
		12W 4000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP66, 67		
		lm/W, 800 Lumens,		
		220-240V AC 50/60 HZ,		
	488 X Lumineux BH400	Lumineux Driver,		
	LED Slimline Bulkhead	White, 120D Beam		
	12W 4000K	Angle, 300x300x92,		
	WhiteBrand New In	Epistar Chips, IK08		
644	Box Stock	Rating; RRP £11,116.97	2505	840



Ì			149 X Lumineux BH100		
			LED Bulkhead 9W		
			3000K White		
			EmergencyBrand New		
			In Box Stock, Tough		
			and durable Body,		
			IP65, 700 Lumens,220-		
		440 V I DI 1400	240v Input Voltage,		
		149 X Lumineux BH100 LED Bulkhead 9W	Lumineux, White, 120		
		3000K White	Beam Angle,		
		EmergencyBrand New	271x271x92, Epistar, IK08 rating; RRP		
	645	In Box Stock	£5,885.50	1328	440
-		Box occor.	184 X Lumineux BH100		
			LED Bulkhead 9W		
			6000K White		
			EmergencyBrand New		
			In Box Stock, Tough		
			and durable Body,		
			IP65, 700 Lumens, 220-		
			240v Input Voltage,		
		184 X Lumineux BH100	Lumineux, White, 120		
		LED Bulkhead 9W	Beam Angle,		
		6000K White	271x271x92, Epistar,		
	646	EmergencyBrand New In Box Stock	IKO8 rating; RRP	1710	570
	040	III BOX SLOCK	£7,610.42 276 X Lumineux BH400	1710	370
			LED Slimline Eyelid		
			Bulkhead 12W 6000K		
			BlackBrand New In Box		
			Stock, Tough and		
			durable Body, IP66, 50		
			lm/W, 600 Lumens,		
			Eyelid , 220-240V AC		
			50/60 HZ, Lumineux		
		276 X Lumineux BH400	Driver, Black, 120D		
		LED Slimline Eyelid	Beam Angle,		
		Bulkhead 12W 6000K	300x300x92, Epistar		
	647	BlackBrand New In Box	Chips, IK08 Rating; RRP	1358	450
ŀ	047	Stock	£6,021.86 151 X Lumineux BH400	1330	430
			LED Slimline Eyelid		
			Bulkhead 12W 3000K		
			BlackBrand New In Box		
			Stock, Tough and		
			durable Body, IP66, 41		
			lm/W, 500 Lumens,		
			Eyelid , 220-240V AC		
			50/60 HZ, Lumineux		
		151 X Lumineux BH400	Driver, Black, 120D		
		LED Slimline Eyelid	Beam Angle,		
		Bulkhead 12W 3000K	300x300x92, Epistar		
	648	BlackBrand New In Box	Chips, IK08 Rating; RRP	773	260
L	040	Stock	£3,442.60	1/3	200



1	İ	150 V Lumin aug BUI400	1	ı
		150 X Lumineux BH400		
		LED Slimline Bulkhead		
		12W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP66, 62		
		lm/W, 750 Lumens,		
		220-240V AC 50/60 HZ,		
	150 X Lumineux BH400	Lumineux Driver,		
	LED Slimline Bulkhead	White, 120D Beam		
	12W 3000K	Angle, 300x300x92,		
	WhiteBrand New In	Epistar Chips, IK08		
649	Box Stock	Rating; RRP £3,493.40	788	260
		150 X Lumineux BH400		
		LED Slimline Bulkhead		
		12W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP66, 62		
		lm/W, 750 Lumens,		
		220-240V AC 50/60 HZ,		
	150 X Lumineux BH400	Lumineux Driver,		
	LED Slimline Bulkhead	White, 120D Beam		
	12W 3000K	Angle, 300x300x92,		
	WhiteBrand New In	Epistar Chips, IK08		
650	Box Stock	Rating; RRP £3,493.40	788	260
		150 X Lumineux BH400		
		LED Slimline Bulkhead		
		12W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP66, 62		
		lm/W, 750 Lumens,		
		220-240V AC 50/60 HZ,		
	150 X Lumineux BH400	Lumineux Driver,		
	LED Slimline Bulkhead	White, 120D Beam		
	12W 3000K	Angle, 300x300x92,		
	WhiteBrand New In	Epistar Chips, IK08		
651	Box Stock	Rating; RRP £3,493.40	788	260
132		140 X Lumineux FL100		
		LED Floodlight 30W		
		4000K BlackBrand New		
		In Box Stock, Robust		
		Aluminium housing		
		with durable powder		
		coated finish, IP65, 80		
		lm/W, 4000 Lumens,		
		1m H05RN-F 3 core		
		cable, 220-240V AC		
		50/60Hz, Lumineux		
		Driver, 110° Beam		
	140 X Lumineux FL100	Angle, Wide Beam		
	LED Floodlight 30W	angle, 227 x 187 x 130,		
	4000K BlackBrand New	Epistar chips; RRP		
652	In Box Stock	£4,037.04	908	300
032	III DUX SLUCK	L4,U37.U4	J08	300



		117 X Lumineux BH300		
		LED Square Utility		
		Bulkhead 16W 4000K		
		BlackBrand New In Box		
		Stock, Tough and		
		durable Body, IP65, 84		
		lm/W, 1350 Lumens, ,		
		220-240V AC 50/60 HZ,		
	117 X Lumineux BH300	Lumineux Driver,		
	LED Square Utility	White, 120D Beam		
	Bulkhead 16W 4000K	Angle, 255x255x100,		
653	BlackBrand New In Box	Epistar Chips, IK08	885	300
033	Stock	Rating; RRP £3,932.53	003	300
		281 X Lumineux BH300		
		LED Round Utility Bulkhead 16W 3000K		
		BlackBrand New In Box		
		Stock, Tough and		
		durable Body, IP65, 78		
		lm/W, 1250 Lumens,		
		220-240V AC 50/60 HZ,		
	281 X Lumineux BH300	Lumineux Driver,		
	LED Round Utility	White, 120D Beam		
	Bulkhead 16W 3000K	Angle, 286x286x100,		
	BlackBrand New In Box	Epistar Chips, IK08		
654	Stock	Rating; RRP £9,545.35	2145	720
		150 X Lumineux BH300		
		LED Square Utility		
		Bulkhead 16W 6000K		
		BlackBrand New In Box		
		Stock, Tough and		
		durable Body, IP65, 87		
		lm/W, 1400 Lumens,		
	450 771	220-240V AC 50/60 HZ,		
	150 X Lumineux BH300	Lumineux Driver,		
	LED Square Utility Bulkhead 16W 6000K	White, 120D Beam		
	BlackBrand New In Box	Angle, 255x255x100,		
655	Stock	Epistar Chips, IK08 Rating; RRP £5,724	1290	430
	Stock	62 X Lumineux BH300	1230	150
		LED Round Utility		
		Bulkhead 16W 4000K		
		White		
		MicrowaveBrand New		
		In Box Stock, Tough		
		and durable Body,		
		IP65, , 1400 Lumens,		
	62 X Lumineux BH300	220-240v Input		
	LED Round Utility	Voltage, Lumineux,		
	Bulkhead 16W 4000K	White, 120 Beam		
	White	Angle, 286x286x100,		
CEC	MicrowaveBrand New	Epistar, IKO8 rating;	COO	300
656	In Box Stock	RRP £2,711.47	608	200



	339 X Lumineux LED Slim Fit Downlight	339 X Lumineux LED Slim Fit Downlight 12W 6 inch 6000K WhiteBrand New In Box Stock, Recessed Fitting, IP20, 840 Lumens, 220-240V AC 50/60 HZ, Built in Internal Driver, White,		
657	12W 6 inch 6000K WhiteBrand New In	100° beam Angle, Ø170 x 26.5 HC 154;	638	210
037	333 X Lumineux LED Slim Fit Downlight 8W	RRP £2,825 333 X Lumineux LED Slim Fit Downlight 8W 4 inch 6000K WhiteBrand New In Box Stock, Recessed Fitting, IP20,480 Lumens, 220-240V AC 50/60 HZ, Built in Internal Driver, White,	038	210
	4 inch 6000K	100° beam Angle,		
658	WhiteBrand New In Box Stock	Ø120 x 25.5 HC 106; RRP £2,099.68	473	160
659	848 X Lumineux LED Commercial Downlight 15W 7 inch 4000K WhiteBrand New In Box Stock	848 X Lumineux LED Commercial Downlight 15W 7 inch 4000K WhiteBrand New In Box Stock, Recessed Fitting, IP20, 1250 Lumens, 220-240V AC 50/60 HZ, Built in Internal Driver, White, 100° beam Angle, 175 X 85 HC 150; RRP £9,846.13	2213	740
660	220 X Lumineux LED Commercial Downlight 15W 7 inch 6000K WhiteBrand New In Box Stock	220 X Lumineux LED Commercial Downlight 15W 7 inch 6000K WhiteBrand New In Box Stock, Recessed Fitting, IP20, 1300 Lumens, 220-240V AC 50/60 HZ, Built in Internal Driver, White, 100° beam Angle, 175 X 85 HC 150; RRP £2,554.42	578	190
661	596 X Lumineux DL800 LED Downlight 15W 4000K WhiteBrand	596 X Lumineux DL800 LED Downlight 15W 4000K WhiteBrand New In Box Stock; RRP	2948	980
001	New In Box Stock	£13,092.50	2340	900



1			I	1
		103 X Lumineux LED		
		Slim Fit Downlight 8W		
		4 inch 4000K		
		WhiteBrand New In		
		Box Stock, Recessed		
		Fitting, IP20, 450		
		Lumens, 220-240V AC		
	103 X Lumineux LED	50/60 HZ, Built in		
	Slim Fit Downlight 8W	Internal Driver, White,		
	4 inch 4000K	100° beam Angle,		
	WhiteBrand New In	Ø120 x 25.5 HC 106;		
662	Box Stock	RRP £649.45	143	50
		67 X Lumineux DL800		
	67 X Lumineux DL800	LED Downlight 10W		
	LED Downlight 10W	3CCT WhiteBrand New		
	3CCT WhiteBrand New	In Box Stock; RRP		
663	In Box Stock	£1,284.17	293	100
		69 X Lumineux DL800		
	69 X Lumineux DL800	LED Downlight 10W		
	LED Downlight 10W	4000K WhiteBrand		
	4000K WhiteBrand	New In Box Stock; RRP		
664	New In Box Stock	£1,130.82	255	90
	TVCW III BOX Stock	612 X Lumineux BH400		
		LED Slimline Bulkhead		
		12W 6000K BlackBrand		
		New In Box Stock,		
		Tough and durable		
		Body, IP66, 78 lm/W,		
		850 Lumens, , 220-		
		240V AC 50/60 HZ,		
	C12 V I BUI400	Lumineux Driver,		
	612 X Lumineux BH400	Black, 120D Beam		
	LED Slimline Bulkhead	Angle, 300x300x92,		
665	12W 6000K BlackBrand	Epistar Chips, IK08	3390	1130
003	New In Box Stock	Rating; RRP £15,074.70	3330	1130
		242 X Lumineux BH400		
		LED Slimline Bulkhead		
		12W 6000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP66, 70		
		lm/W, 850 Lumens,		
		220-240V AC 50/60 HZ,		
	242 X Lumineux BH400	Lumineux Driver,		
	LED Slimline Bulkhead	White, 120D Beam		
	12W 6000K	Angle, 300x300x92,		
	WhiteBrand New In	Epistar Chips, IK08	40.45	400
666	Box Stock	Rating; RRP £5,522.04	1245	420
		275 X Lumineux BH400		
		LED Slimline Eyelid		
		Bulkhead 12W 3000K		
		WhiteBrand New In		
		Box Stock, Tough and		
		durable Body, IP66, 41		
		lm/W, 500 Lumens,		
	275 X Lumineux BH400	Eyelid , 220-240V AC		
	LED Slimline Eyelid	50/60 HZ, Lumineux		
	Bulkhead 12W 3000K	Driver, White, 120D		
	WhiteBrand New In	Beam Angle,		
667	Box Stock	300x300x92, Epistar	1433	480



		Chips, IK08 Rating; RRP £6,351.86		
	427 X Lumineux BH400	427 X Lumineux BH400 LED Slimline Bulkhead 12W 3000K BlackBrand New In Box Stock, Tough and durable Body, IP66, 62 lm/W, 750 Lumens, 220-240V AC 50/60 HZ, Lumineux Driver, Black, 120D Beam		
668	LED Slimline Bulkhead 12W 3000K BlackBrand New In Box Stock	Angle, 300x300x92, Epistar Chips, IK08 Rating; RRP £9,798.51	2205	740
669	74 X Lumineux BH400 LED Slimline Eyelid Bulkhead 12W 6000K WhiteBrand New In Box Stock	74 X Lumineux BH400 LED Slimline Eyelid Bulkhead 12W 6000K WhiteBrand New In Box Stock, Tough and durable Body, IP66, 50 Im/W, 600 Lumens, Eyelid, 220-240V AC 50/60 HZ, Lumineux Driver, White, 120D Beam Angle, 300x300x92, Epistar Chips, IK08 Rating; RRP £1,679.26	375	130
	20 X Lumineux Lumineux LED Lowbay Driver Sosen 200WBrand New In	20 X Lumineux Lumineux LED Lowbay Driver Sosen 200WBrand New In Box Stock, Model - SS- 200G-38, 200w LED Driver, Up to 93% efficiency, Full specification can be found via seraching model number; RRP		
670	Box Stock	£538.84 20 X Lumineux	128	40
	20 X Lumineux Lumineux LED Lowbay Driver Sosen 200WBrand New In	Lumineux LED Lowbay Driver Sosen 200WBrand New In Box Stock, Model - SS- 200G-38, 200w LED Driver, Up to 93% efficiency, Full specification can be		
671	Box Stock	found via seraching	128	40



		model number; RRP £538.84		
		1550.04		
		20 X Lumineux		
		Lumineux LED Lowbay		
		Driver Sosen 200WBrand New In		
		Box Stock, Model - SS-		
		200G-38, 200w LED		
		Driver, Up to 93%		
	20 X Lumineux	efficiency, Full		
	Lumineux LED Lowbay	specification can be		
	Driver Sosen	found via seraching		
673	200WBrand New In	model number; RRP	120	40
672	Box Stock	£538.84	128	40
		20 X Lumineux Lumineux LED Lowbay		
		Driver Sosen		
		200WBrand New In		
		Box Stock, Model - SS-		
		200G-38, 200w LED		
		Driver, Up to 93%		
	20 X Lumineux	efficiency, Full		
	Lumineux LED Lowbay	specification can be		
	Driver Sosen 200WBrand New In	found via seraching		
673	Box Stock	model number; RRP £538.84	128	40
	DOX STOCK	20 X Lumineux	120	
		Lumineux LED Lowbay		
		Driver Sosen		
		200WBrand New In		
		Box Stock, Model - SS-		
		200G-38, 200w LED		
	20 V Luminous	Driver, Up to 93%		
	20 X Lumineux Lumineux LED Lowbay	efficiency, Full specification can be		
	Driver Sosen	found via seraching		
	200WBrand New In	model number; RRP		
674	Box Stock	£538.84	128	40
		20 X Lumineux		
		Lumineux LED Lowbay		
		Driver Sosen		
		200WBrand New In Box Stock, Model - SS-		
		200G-38, 200w LED		
		Driver, Up to 93%		
	20 X Lumineux	efficiency, Full		
	Lumineux LED Lowbay	specification can be		
	Driver Sosen	found via seraching		
675	200WBrand New In	model number; RRP	430	
675	Box Stock	£538.84	128	40



		20 X Lumineux Lumineux LED Lowbay Driver Sosen		
		200WBrand New In Box Stock, Model - SS- 200G-38, 200w LED		
	20 X Lumineux	Driver, Up to 93% efficiency, Full		
	Lumineux LED Lowbay Driver Sosen	specification can be found via seraching		
676	200WBrand New In Box Stock	model number; RRP £538.84	128	40
		20 X Lumineux Lumineux LED Lowbay Driver Sosen		
		200WBrand New In Box Stock, Model - SS- 200G-38, 200w LED		
	20 X Lumineux Lumineux LED Lowbay	Driver, Up to 93% efficiency, Full specification can be		
	Driver Sosen	found via seraching		
677	200WBrand New In Box Stock	model number; RRP £538.84	128	40
		20 X Lumineux Lumineux LED Lowbay		
		Driver Sosen		
		200WBrand New In Box Stock, Model - SS-		
		200G-38, 200w LED		
	20 X Lumineux	Driver, Up to 93% efficiency, Full		
	Lumineux LED Lowbay	specification can be		
	Driver Sosen	found via seraching		
678	200WBrand New In Box Stock	model number; RRP £538.84	128	40
		20 X Lumineux		
		Lumineux LED Lowbay Driver Sosen		
		200WBrand New In		
		Box Stock, Model - SS-		
		200G-38, 200w LED Driver, Up to 93%		
	20 X Lumineux	efficiency, Full		
	Lumineux LED Lowbay Driver Sosen	specification can be found via seraching		
	200WBrand New In	model number; RRP		
679	Box Stock	£538.84	128	40
		20 X Lumineux Lumineux LED Lowbay		
		Driver Sosen		
		200WBrand New In Box Stock, Model - SS-		
		200G-38, 200w LED		
	20.71	Driver, Up to 93%		
	20 X Lumineux Lumineux LED Lowbay	efficiency, Full specification can be		
	Driver Sosen	found via seraching		
680	200WBrand New In Box Stock	model number; RRP f538.84	128	40
680	Driver Sosen	found via seraching	128	40



	20 X Lumineux Lumineux LED Lowbay Driver Sosen	20 X Lumineux Lumineux LED Lowbay Driver Sosen 200WBrand New In Box Stock, Model - SS- 200G-38, 200w LED Driver, Up to 93% efficiency, Full specification can be found via seraching		
681	200WBrand New In Box Stock	model number; RRP	128	40
	20 X Lumineux Lumineux LED Lowbay Driver Sosen 200WBrand New In	£538.84  20 X Lumineux Lumineux LED Lowbay Driver Sosen 200WBrand New In Box Stock, Model - SS- 200G-38, 200w LED Driver, Up to 93% efficiency, Full specification can be found via seraching model number; RRP		
682	Box Stock	£538.84	128	40
	20 X Lumineux Lumineux LED Lowbay Driver Sosen 200WBrand New In	20 X Lumineux Lumineux LED Lowbay Driver Sosen 200WBrand New In Box Stock, Model - SS- 200G-38, 200w LED Driver, Up to 93% efficiency, Full specification can be found via seraching model number; RRP		
683	Box Stock	£538.84	128	40
684	20 X Lumineux Lumineux LED Lowbay Driver Sosen 200WBrand New In Box Stock	20 X Lumineux Lumineux LED Lowbay Driver Sosen 200WBrand New In Box Stock, Model - SS- 200G-38, 200w LED Driver, Up to 93% efficiency, Full specification can be found via seraching model number; RRP £538.84	128	40
	11 X Lumineux Lumineux LED Lowbay Driver Sosen 200WBrand New In	11 X Lumineux Lumineux LED Lowbay Driver Sosen 200WBrand New In Box Stock, Model - SS- 200G-38, 200w LED Driver, Up to 93% efficiency, Full specification can be found via seraching model number; RRP		
685	Box Stock	£296.36	72	20



		10 X Lumineux LED Driver, LCI 42W 900mA TEC SRBrand New In		
		Box Stock, For full specification, please		
		use the link provided,		
		https://resources.trido		
		nic.com/PDB/Ressourc		
		e/Web_TR/Archive_PD F/LED Drivers/Compac		
	10 X Lumineux LED	t_fixed_output/TALEX		
	Driver, LCI 42W 900mA	Xconverter_LCI_42W_		
	TEC SRBrand New In	TEC_SR_en.pdf; RRP		
686	Box Stock	£256.67	64	20
		10 X Lumineux LED		
		Driver, LCI 42W 900mA TEC SRBrand New In		
		Box Stock, For full		
		specification, please		
		use the link provided,		
		https://resources.trido		
		nic.com/PDB/Ressourc e/Web TR/Archive PD		
		F/LED_Drivers/Compac		
	10 X Lumineux LED	t_fixed_output/TALEX		
	Driver, LCI 42W 900mA	Xconverter_LCI_42W_		
	TEC SRBrand New In	TEC_SR_en.pdf; RRP		
687	Box Stock	£256.67	64	20
		10 X Lumineux LED Driver, LCI 42W 900mA		
		TEC SRBrand New In		
		Box Stock, For full		
		specification, please		
		use the link provided,		
		https://resources.trido		
		nic.com/PDB/Ressourc e/Web TR/Archive PD		
		F/LED_Drivers/Compac		
	10 X Lumineux LED	t_fixed_output/TALEX		
	Driver, LCI 42W 900mA	Xconverter_LCI_42W_		
688	TEC SRBrand New In	TEC_SR_en.pdf; RRP	64	20
000	Box Stock	£256.67 10 X Lumineux LED	04	20
		Driver, LCI 42W 900mA		
		TEC SRBrand New In		
		Box Stock, For full		
		specification, please		
		use the link provided, https://resources.trido		
		nic.com/PDB/Ressourc		
		e/Web_TR/Archive_PD		
		F/LED_Drivers/Compac		
	10 X Lumineux LED	t_fixed_output/TALEX		
	Driver, LCI 42W 900mA	Xconverter_LCI_42W_		
689	TEC SRBrand New In Box Stock	TEC_SR_en.pdf; RRP £256.67	64	20
	DON SLOCK	2230.07	U 9 <del>7</del>	



		10 X Lumineux LED Driver, LCI 42W 900mA TEC SRBrand New In Box Stock, For full specification, please use the link provided, https://resources.trido nic.com/PDB/Ressourc e/Web_TR/Archive_PD		
690	10 X Lumineux LED Driver, LCI 42W 900mA TEC SRBrand New In Box Stock	F/LED_Drivers/Compac t_fixed_output/TALEX Xconverter_LCI_42W_ TEC_SR_en.pdf; RRP £256.67	64	20
		10 X Lumineux LED Driver, LCI 42W 900mA TEC SRBrand New In Box Stock, For full specification, please use the link provided, https://resources.trido nic.com/PDB/Ressourc e/Web_TR/Archive_PD		
691	10 X Lumineux LED Driver, LCI 42W 900mA TEC SRBrand New In Box Stock	F/LED_Drivers/Compac t_fixed_output/TALEX Xconverter_LCI_42W_ TEC_SR_en.pdf; RRP £256.67	64	20
	10 X Lumineux LED Driver, LCI 42W 900mA TEC SRBrand New In	10 X Lumineux LED Driver, LCI 42W 900mA TEC SRBrand New In Box Stock, For full specification, please use the link provided, https://resources.trido nic.com/PDB/Ressourc e/Web_TR/Archive_PD F/LED_Drivers/Compac t_fixed_output/TALEX Xconverter_LCI_42W_ TEC_SR_en.pdf; RRP		
692	Box Stock	£256.67  10 X Lumineux LED	64	20
	10 V Luggio 200 150	Driver, LCI 42W 900mA TEC SRBrand New In Box Stock, For full specification, please use the link provided, https://resources.trido nic.com/PDB/Ressourc e/Web_TR/Archive_PD F/LED_Drivers/Compac		
	10 X Lumineux LED Driver, LCI 42W 900mA TEC SRBrand New In	t_fixed_output/TALEX Xconverter_LCI_42W_ TEC_SR_en.pdf; RRP		
693	Box Stock	£256.67 1 X Lumineux LED	64	20
	1 X Lumineux LED 150w Inventronics Driver DALI - BVABrand	150w Inventronics Driver DALI - BVABrand New In Box Stock; RRP		
694	New In Box Stock	£120.72	32	10



695	10 X Lumineux LED Driver Tridonic Dimmable 25W 350- 1050mA one4all SR PREBrand New In Box Stock	10 X Lumineux LED Driver Tridonic Dimmable 25W 350- 1050mA one4all SR PREBrand New In Box Stock, For full specification, please use the link provided, https://www.tridonic.c om/en/int/product/23 310?tab=0; RRP £495	120	40
	10 X Lumineux LED Driver Tridonic Dimmable 25W 350- 1050mA one4all SR	10 X Lumineux LED Driver Tridonic Dimmable 25W 350- 1050mA one4all SR PREBrand New In Box Stock, For full specification, please use the link provided, https://www.tridonic.c		
696	PREBrand New In Box Stock	om/en/int/product/23 310?tab=0; RRP £495	120	40
	10 X Lumineux LED Driver Tridonic Dimmable 25W 350- 1050mA one4all SR PREBrand New In Box	10 X Lumineux LED Driver Tridonic Dimmable 25W 350- 1050mA one4all SR PREBrand New In Box Stock, For full specification, please use the link provided, https://www.tridonic.c		
697	Stock	om/en/int/product/23 310?tab=0; RRP £495	120	40
698	10 X Lumineux LED Driver Tridonic Dimmable 25W 350- 1050mA one4all SR PREBrand New In Box Stock	10 X Lumineux LED Driver Tridonic Dimmable 25W 350- 1050mA one4all SR PREBrand New In Box Stock, For full specification, please use the link provided, https://www.tridonic.c om/en/int/product/23 310?tab=0; RRP £495	120	40
699	7 X Lumineux LED Driver Tridonic Dimmable 25W 350- 1050mA one4all SR PREBrand New In Box Stock	7 X Lumineux LED Driver Tridonic Dimmable 25W 350- 1050mA one4all SR PREBrand New In Box Stock, For full specification, please use the link provided, https://www.tridonic.c om/en/int/product/23 310?tab=0; RRP £346.50	80	30



700	10 X Lumineux Osram DALI LED DriverBrand	10 X Lumineux Osram DALI LED DriverBrand New In Box Stock, For full specification, please use the link provided, https://www.inventro nics-light.com/ecat/OPTOT RONIC%20Intelligent% 20-%20DALI%20LT2-Constant%20Current% 20Compact%20-%20Dimmable-Constant%20Current% 20Compact%20-%20Indoor-LED%20Drivers-OSRAM%20Products/c om/en/GPS01_112164 2/ZMP_4055933/; RRP	112	40
700	New In Box Stock	£477.08	112	40
701	10 X Lumineux Osram DALI LED DriverBrand New In Box Stock	10 X Lumineux Osram DALI LED DriverBrand New In Box Stock, For full specification, please use the link provided, https://www.inventro nics- light.com/ecat/OPTOT RONIC%20Intelligent% 20-%20DALI%20LT2- Constant%20Current% 20Compact%20- %20Dimmable- Constant%20Current% 20Compact%20- %20Indoor- LED%20Drivers- OSRAM%20Products/c om/en/GPS01_112164 2/ZMP_4055933/; RRP £477.08	112	40
702	10 X Lumineux Osram DALI LED DriverBrand New In Box Stock	10 X Lumineux Osram DALI LED DriverBrand New In Box Stock, For full specification, please use the link provided, https://www.inventro nics- light.com/ecat/OPTOT RONIC%20Intelligent% 20-%20DALI%20LT2- Constant%20Current% 20Compact%20- %20Dimmable- Constant%20Current% 20Compact%20- %20Indoor-	112	40



		LED%20Drivers- OSRAM%20Products/c om/en/GPS01_112164 2/ZMP_4055933/; RRP £477.08		
703	10 X Lumineux Osram DALI LED DriverBrand New In Box Stock	10 X Lumineux Osram DALI LED DriverBrand New In Box Stock, For full specification, please use the link provided, https://www.inventro nics- light.com/ecat/OPTOT RONIC%20Intelligent% 20-%20DALI%20LT2- Constant%20Current% 20Compact%20- %20Dimmable- Constant%20Current% 20Compact%20- %20Indoor- LED%20Drivers- OSRAM%20Products/c om/en/GPS01_112164 2/ZMP_4055933/; RRP £477.08	112	40
703	10 X Lumineux Osram DALI LED DriverBrand New In Box Stock	10 X Lumineux Osram DALI LED DriverBrand New In Box Stock, For full specification, please use the link provided, https://www.inventro nics- light.com/ecat/OPTOT RONIC%20Intelligent% 20-%20DALI%20LT2- Constant%20Current% 20Compact%20- %20Dimmable- Constant%20Current% 20Compact%20- %20Indoor- LED%20Drivers- OSRAM%20Products/c om/en/GPS01_112164 2/ZMP_4055933/; RRP £477.08	112	40



705	10 X Lumineux Osram DALI LED DriverBrand	10 X Lumineux Osram DALI LED DriverBrand New In Box Stock, For full specification, please use the link provided, https://www.inventro nics-light.com/ecat/OPTOT RONIC%20Intelligent% 20-%20DALI%20LT2-Constant%20Current% 20Compact%20-%20Dimmable-Constant%20Current% 20Compact%20-%20Indoor-LED%20Drivers-OSRAM%20Products/c om/en/GPS01_112164 2/ZMP_4055933/; RRP	112	40
705	New In Box Stock	£477.08	112	40
706	10 X Lumineux Osram DALI LED DriverBrand New In Box Stock	10 X Lumineux Osram DALI LED DriverBrand New In Box Stock, For full specification, please use the link provided, https://www.inventro nics- light.com/ecat/OPTOT RONIC%20Intelligent% 20-%20DALI%20LT2- Constant%20Current% 20Compact%20- %20Dimmable- Constant%20Current% 20Compact%20- %20Indoor- LED%20Drivers- OSRAM%20Products/c om/en/GPS01_112164 2/ZMP_4055933/; RRP £477.08	112	40
707	10 X Lumineux Osram DALI LED DriverBrand New In Box Stock	10 X Lumineux Osram DALI LED DriverBrand New In Box Stock, For full specification, please use the link provided, https://www.inventro nics- light.com/ecat/OPTOT RONIC%20Intelligent% 20-%20DALI%20LT2- Constant%20Current% 20Compact%20- %20Dimmable- Constant%20Current% 20Compact%20- %20Indoor-	112	40



10 X Lumineux O DALI LED DriverE New In Box Stock full specification, please use the lir provided, https://www.inv nics- light.com/ecat/O RONIC%20Intelli; 20-%20DALI%20 Constant%20Cur 20Compact%20- %20Dimmable- Constant%20Cur 20Compact%20- %20Indoor- LED%20Drivers- OSRAM%20Prod om/en/GPS01_1 2/ZMP_4055933 708 New In Box Stock £477.08	Brand k, For nk rentro  DPTOT gent% LT2- rrent%  rrent%
708 New In Box Stock  £477.08  4 X Lumineux Os DALI LED DriverB New In Box Stock  full specification, please use the lift provided, https://www.inv.nics-light.com/ecat/C RONIC%20Intelli, 20-%20DALI%20 Constant%20Cur 20Compact%20-%20Dimmable-Constant%20Cur 20Compact%20-%20Indoor-LED%20Drivers-OSRAM%20Prod om/en/GPS01_1 DALI LED DriverBrand  709 New In Box Stock  £477.08  4 X Lumineux Os Stock  £477.08  4 X Lumineux Os Stock  £477.08  4 X Lumineux Os Stock  £477.08  4 X Lumineux Os Stock  £477.08  4 X Lumineux Os Stock	rram Brand k, For , nk rentro  DPTOT gent% LT2- rrent%  rrent%



		20 X Lumineux		
		Lumineux LED Lowbay		
		Driver Sosen 150W 1-		
		10v DimmableBrand		
		New In Box Stock,		
		Model - SS-150G-38 /		
		B, 150w LED Driver 1-		
	20 1/1	10v Dimmable, Up to		
	20 X Lumineux	93% efficiency, Full		
	Lumineux LED Lowbay	specification can be		
	Driver Sosen 150W 1-	found via seraching		
710	10v DimmableBrand	model number; RRP	256	90
/10	New In Box Stock	£1,080.97	250	90
		20 X Lumineux		
		Lumineux LED Lowbay		
		Driver Sosen 150W 1-		
		10v DimmableBrand New In Box Stock,		
		,		
		Model - SS-150G-38 /		
		B, 150w LED Driver 1- 10v Dimmable, Up to		
	20 X Lumineux	· ·		
	Lumineux LED Lowbay	93% efficiency, Full specification can be		
	Driver Sosen 150W 1-	found via seraching		
	10v DimmableBrand	model number; RRP		
711	New In Box Stock	£1,080.97	256	90
, 11	New III Box Stock	20 X Lumineux	250	30
		Lumineux LED Lowbay		
		Driver Sosen 150W 1-		
		10v DimmableBrand		
		New In Box Stock,		
		Model - SS-150G-38 /		
		B, 150w LED Driver 1-		
		10v Dimmable, Up to		
	20 X Lumineux	93% efficiency, Full		
	Lumineux LED Lowbay	specification can be		
	Driver Sosen 150W 1-	found via seraching		
	10v DimmableBrand	model number; RRP		
712	New In Box Stock	£1,080.97	256	90
		20 X Lumineux		
		Lumineux LED Lowbay		
		Driver Sosen 150W 1-		
		10v DimmableBrand		
		New In Box Stock,		
		Model - SS-150G-38 /		
		B, 150w LED Driver 1-		
		10v Dimmable, Up to		
	20 X Lumineux	93% efficiency, Full		
	Lumineux LED Lowbay	specification can be		
	Driver Sosen 150W 1-	found via seraching		
	10v DimmableBrand	model number; RRP		
713	New In Box Stock	£1,080.97	256	90



•	1	1	1	1
		20 X Lumineux		
		Lumineux LED Lowbay		
		Driver Sosen 150W 1-		
		10v DimmableBrand		
		New In Box Stock,		
		Model - SS-150G-38 /		
		B, 150w LED Driver 1-		
		10v Dimmable, Up to		
	20 X Lumineux	93% efficiency, Full		
	Lumineux LED Lowbay	specification can be		
	Driver Sosen 150W 1-	found via seraching		
	10v DimmableBrand	model number; RRP		
714	New In Box Stock	£1,080.97	256	90
		20 X Lumineux		
		Lumineux LED Lowbay		
		Driver Sosen 150W 1-		
		10v DimmableBrand		
		New In Box Stock,		
		Model - SS-150G-38 /		
		B, 150w LED Driver 1-		
		10v Dimmable, Up to		
	20 X Lumineux	93% efficiency, Full		
	Lumineux LED Lowbay	specification can be		
	Driver Sosen 150W 1-	found via seraching		
	10v DimmableBrand	model number; RRP		
715	New In Box Stock	£1,080.97	256	90
		20 X Lumineux		
		Lumineux LED Lowbay		
		Driver Sosen 150W 1-		
		10v DimmableBrand		
		New In Box Stock,		
		Model - SS-150G-38 /		
		B, 150w LED Driver 1-		
		10v Dimmable, Up to		
	20 X Lumineux	93% efficiency, Full		
	Lumineux LED Lowbay	specification can be		
	Driver Sosen 150W 1-	found via seraching		
	10v DimmableBrand	model number; RRP		
716	New In Box Stock	£1,080.97	256	90
		20 X Lumineux		
		Lumineux LED Lowbay		
		Driver Sosen 150W 1-		
		10v DimmableBrand		
		New In Box Stock,		
		Model - SS-150G-38 /		
		B, 150w LED Driver 1-		
		10v Dimmable, Up to		
	20 X Lumineux	93% efficiency, Full		
	Lumineux LED Lowbay	specification can be		
	Driver Sosen 150W 1-	found via seraching		
	10v DimmableBrand	model number; RRP	<b>-</b>	
717	New In Box Stock	£1,080.97	256	90



1	1	•	1	
		20 X Lumineux		
		Lumineux LED Lowbay		
		Driver Sosen 150W 1-		
		10v DimmableBrand		
		New In Box Stock,		
		,		
		Model - SS-150G-38 /		
		B, 150w LED Driver 1-		
		10v Dimmable, Up to		
	20 X Lumineux	93% efficiency, Full		
	Lumineux LED Lowbay	specification can be		
	Driver Sosen 150W 1-	found via seraching		
	10v DimmableBrand	model number; RRP		
718	New In Box Stock		256	90
710	New III BOX Stock	£1,080.97	230	30
		20 X Lumineux		
		Lumineux LED Lowbay		
		Driver Sosen 150W 1-		
		10v DimmableBrand		
		New In Box Stock,		
		Model - SS-150G-38 /		
		B, 150w LED Driver 1-		
		10v Dimmable, Up to		
	20 X Lumineux	93% efficiency, Full		
	Lumineux LED Lowbay	specification can be		
	Driver Sosen 150W 1-	found via seraching		
	10v DimmableBrand	model number; RRP		
719	New In Box Stock	£1,080.97	256	90
, 13	III DOX STOCK	20 X Lumineux	250	30
		Lumineux LED Lowbay		
		Driver Sosen 150W 1-		
		10v DimmableBrand		
		New In Box Stock,		
		Model - SS-150G-38 /		
		B, 150w LED Driver 1-		
		10v Dimmable, Up to		
	20 V I			
	20 X Lumineux	93% efficiency, Full		
	Lumineux LED Lowbay	specification can be		
	Driver Sosen 150W 1-	found via seraching		
	10v DimmableBrand	model number; RRP		
720	New In Box Stock	£1,080.97	256	90
		14 X Lumineux		
		Lumineux LED Lowbay		
		Driver Sosen 150W 1-		
		10v DimmableBrand		
		New In Box Stock,		
		Model - SS-150G-38 /		
		B, 150w LED Driver 1-		
		10v Dimmable, Up to		
	14 X Lumineux	93% efficiency, Full		
	Lumineux LED Lowbay	specification can be		
	Driver Sosen 150W 1-			
		found via seraching		
724	10v DimmableBrand	model number; RRP	404	<b>CO</b>
721	New In Box Stock	£756.68	184	60
		20 X Lumineux		
		Lumineux LED Lowbay		
		Driver Sosen		
		150WBrand New In		
	20 X Lumineux	Box Stock, Model - SS-		
	Lumineux LED Lowbay	150G-38, 150w LED		
	Driver Sosen	Driver, Up to 93%		
	150WBrand New In	efficiency, Full	<b>.</b>	
722	Box Stock	specification can be	232	80
			1	



		found via seraching model number; RRP		
		£973.27		
		20 X Lumineux		
		Lumineux LED Lowbay		
		Driver Sosen		
		150WBrand New In		
		Box Stock, Model - SS-		
		150G-38, 150w LED		
		Driver, Up to 93%		
	20 X Lumineux	efficiency, Full		
	Lumineux LED Lowbay Driver Sosen	specification can be found via seraching		
	150WBrand New In	model number; RRP		
723	Box Stock	£973.27	232	80
		20 X Lumineux		
		Lumineux LED Lowbay		
		Driver Sosen		
		150WBrand New In		
		Box Stock, Model - SS-		
		150G-38, 150w LED		
	20 V I	Driver, Up to 93%		
	20 X Lumineux	efficiency, Full		
	Lumineux LED Lowbay Driver Sosen	specification can be found via seraching		
	150WBrand New In	model number; RRP		
724	Box Stock	£973.27	232	80
_		20 X Lumineux		
		Lumineux LED Lowbay		
		Driver Sosen		
		150WBrand New In		
		Box Stock, Model - SS-		
		150G-38, 150w LED		
	20 V Luminouv	Driver, Up to 93%		
	20 X Lumineux Lumineux LED Lowbay	efficiency, Full specification can be		
	Driver Sosen	found via seraching		
	150WBrand New In	model number; RRP		
725	Box Stock	£973.27	232	80
		20 X Lumineux		
		Lumineux LED Lowbay		
		Driver Sosen		
		150WBrand New In		
		Box Stock, Model - SS- 150G-38, 150w LED		
		Driver, Up to 93%		
	20 X Lumineux	efficiency, Full		
	Lumineux LED Lowbay	specification can be		
	Driver Sosen	found via seraching		
	150WBrand New In	model number; RRP		
726	Box Stock	£973.27	232	80



	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In Box Stock, Model - SS- 150G-38, 150w LED Driver, Up to 93% efficiency, Full specification can be found via seraching model number; RRP		
727	Box Stock	£973.27	232	80
	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In Box Stock, Model - SS- 150G-38, 150w LED Driver, Up to 93% efficiency, Full specification can be found via seraching model number; RRP		
728	Box Stock	£973.27	232	80
	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In Box Stock, Model - SS- 150G-38, 150w LED Driver, Up to 93% efficiency, Full specification can be found via seraching model number; RRP		
729	Box Stock	£973.27	232	80
720	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In Box Stock, Model - SS- 150G-38, 150w LED Driver, Up to 93% efficiency, Full specification can be found via seraching model number; RRP	222	90
730	Box Stock	£973.27 20 X Lumineux	232	80
731	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In	Lumineux LED Lowbay Driver Sosen 150WBrand New In Box Stock, Model - SS- 150G-38, 150w LED Driver, Up to 93% efficiency, Full specification can be found via seraching model number; RRP	232	80
/31	Box Stock	£973.27	232	80



		20 X Lumineux		
		Lumineux LED Lowbay Driver Sosen		
		150WBrand New In		
		Box Stock, Model - SS-		
		150G-38, 150w LED		
		Driver, Up to 93%		
	20 X Lumineux	efficiency, Full		
	Lumineux LED Lowbay	specification can be		
	Driver Sosen	found via seraching		
732	150WBrand New In Box Stock	model number; RRP £973.27	232	80
732	BOX SLOCK	20 X Lumineux	232	80
		Lumineux LED Lowbay		
		Driver Sosen		
		150WBrand New In		
		Box Stock, Model - SS-		
		150G-38, 150w LED		
	20 7/1	Driver, Up to 93%		
	20 X Lumineux	efficiency, Full		
	Lumineux LED Lowbay	specification can be		
	Driver Sosen 150WBrand New In	found via seraching model number; RRP		
733	Box Stock	£973.27	232	80
		20 X Lumineux		
		Lumineux LED Lowbay		
		Driver Sosen		
		150WBrand New In		
		Box Stock, Model - SS-		
		150G-38, 150w LED Driver, Up to 93%		
	20 X Lumineux	efficiency, Full		
	Lumineux LED Lowbay	specification can be		
	Driver Sosen	found via seraching		
	150WBrand New In	model number; RRP		
734	Box Stock	£973.27	232	80
		20 X Lumineux		
		Lumineux LED Lowbay Driver Sosen		
		150WBrand New In		
		Box Stock, Model - SS-		
		150G-38, 150w LED		
		Driver, Up to 93%		
	20 X Lumineux	efficiency, Full		
	Lumineux LED Lowbay	specification can be		
	Driver Sosen	found via seraching		
735	150WBrand New In	model number; RRP	232	80
/33	Box Stock	£973.27 20 X Lumineux	232	80
		Lumineux LED Lowbay		
		Driver Sosen		
		150WBrand New In		
		Box Stock, Model - SS-		
		150G-38, 150w LED		
	20 V Lumine	Driver, Up to 93%		
	20 X Lumineux Lumineux LED Lowbay	efficiency, Full specification can be		
	Driver Sosen	found via seraching		
	150WBrand New In	model number; RRP		
736	Box Stock	£973.27	232	80



	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In Box Stock, Model - SS- 150G-38, 150w LED Driver, Up to 93% efficiency, Full specification can be found via seraching model number; RRP		
737	Box Stock	£973.27	232	80
	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In Box Stock, Model - SS- 150G-38, 150w LED Driver, Up to 93% efficiency, Full specification can be found via seraching model number; RRP		
738	Box Stock	£973.27	232	80
	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In Box Stock, Model - SS- 150G-38, 150w LED Driver, Up to 93% efficiency, Full specification can be found via seraching model number; RRP		
739	Box Stock	£973.27	232	80
740	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In Box Stock, Model - SS- 150G-38, 150w LED Driver, Up to 93% efficiency, Full specification can be found via seraching model number; RRP	222	90
740	Box Stock	£973.27 20 X Lumineux	232	80
741	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In Box Stock	Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In Box Stock, Model - SS- 150G-38, 150w LED Driver, Up to 93% efficiency, Full specification can be found via seraching model number; RRP £973.27	232	80
	DOX STOCK	2373.27		



	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In Box Stock, Model - SS- 150G-38, 150w LED Driver, Up to 93% efficiency, Full specification can be found via seraching model number; RRP		
742	Box Stock	£973.27	232	80
	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In Box Stock, Model - SS- 150G-38, 150w LED Driver, Up to 93% efficiency, Full specification can be found via seraching model number; RRP		
743	Box Stock	£973.27	232	80
	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In Box Stock, Model - SS- 150G-38, 150w LED Driver, Up to 93% efficiency, Full specification can be found via seraching model number; RRP		
744	Box Stock	£973.27	232	80
745	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In	20 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In Box Stock, Model - SS- 150G-38, 150w LED Driver, Up to 93% efficiency, Full specification can be found via seraching model number; RRP	232	90
/45	Box Stock	£973.27 14 X Lumineux	232	80
746	14 X Lumineux Lumineux LED Lowbay Driver Sosen 150WBrand New In Box Stock	Lumineux LED Lowbay Driver Sosen 150WBrand New In Box Stock, Model - SS- 150G-38, 150w LED Driver, Up to 93% efficiency, Full specification can be found via seraching model number; RRP £681.29	160	50
. 10	DOX STOCK	2001.23	1 200	



			10 X Lumineux		
			Lumineux LED Lowbay		
			Driver Sosen		
			150WBrand New In		
			Box Stock, Model - SS-		
			150G-38, 150w LED		
			Driver, Up to 93%		
		10 X Lumineux	efficiency, Full		
		Lumineux LED Lowbay	specification can be		
		Driver Sosen	found via seraching		
		150WBrand New In	model number; RRP		
	747	Box Stock	£486.63	120	40
ı			10 X Lumineux		
			Lumineux LED Lowbay		
			Driver Sosen		
			100WBrand New In		
			Box Stock, Model - SS-		
			100G-38, 100w LED		
		40.44	Driver, Up to 93%		
		10 X Lumineux	efficiency, Full		
		Lumineux LED Lowbay	specification can be		
		Driver Sosen	found via seraching		
		100WBrand New In	model number; RRP		
	748	Box Stock	£453.41	112	40
ĺ			9 X Lumineux		
			Lumineux LED Lowbay		
			Driver Sosen		
			100WBrand New In		
			Box Stock, Model - SS-		
			100G-38, 100w LED		
		0.771	Driver, Up to 93%		
		9 X Lumineux	efficiency, Full		
		Lumineux LED Lowbay	specification can be		
		Driver Sosen	found via seraching		
	740	100WBrand New In	model number; RRP	0.5	20
	749	Box Stock	£408.07	96	30
			20 X Lumineux		
			Merrytek Daylight		
			Sensor 1-10vBrand		
			New In Box Stock,		
			Model - Merrytek		
			MS01, Distinguishes		
			between artificial and		
			natural light, Can be		
			precisely pre-set via		
			rotary wheel		
			•		
			(potentiometer),		
			Directly connected to		
			1-10V interface,		
			Flexible mounting		
			options, Compatible		
			with any 1-10V		
			Dimming Driver, IP20,		
		20 X Lumineux	69.3 x ø21.47mm, Lux		
		Merrytek Daylight	Levels: 5lux - 200lux,		
		Sensor 1-10vBrand	Dimming Range: 1-		
	750	New In Box Stock	100%; RRP £461.99	50	20
1			=======================================	l	



	20 X Lumineux	20 X Lumineux Merrytek Daylight Sensor 1-10vBrand New In Box Stock, Model - Merrytek MS01, Distinguishes between artificial and natural light, Can be precisely pre-set via rotary wheel (potentiometer), Directly connected to 1-10v interface, Flexible mounting options, Compatible with any 1-10v Dimming Driver, IP20, 69.3 x Ø21.47mm, Lux		
	Merrytek Daylight Sensor 1-10vBrand	Levels: 5lux - 200lux, Dimming Range: 1-		
751	New In Box Stock	100%; RRP £461.99	50	20
	20 X Lumineux Merrytek Daylight Sensor 1-10vBrand	20 X Lumineux Merrytek Daylight Sensor 1-10vBrand New In Box Stock, Model - Merrytek MS01, Distinguishes between artificial and natural light, Can be precisely pre-set via rotary wheel (potentiometer), Directly connected to 1-10V interface, Flexible mounting options, Compatible with any 1-10V Dimming Driver, IP20, 69.3 x Ø21.47mm, Lux Levels: 5lux - 200lux, Dimming Range: 1-		
752	New In Box Stock	100%; RRP £461.99	50	20
	20 X Lumineux Merrytek Daylight Sensor 1-10vBrand	20 X Lumineux Merrytek Daylight Sensor 1-10vBrand New In Box Stock, Model - Merrytek MS01, Distinguishes between artificial and natural light, Can be precisely pre-set via rotary wheel (potentiometer), Directly connected to 1-10V interface, Flexible mounting options, Compatible with any 1-10V Dimming Driver, IP20, 69.3 x ø21.47mm, Lux		
753	New In Box Stock	Levels: 5lux - 200lux,	50	20



		Dimming Range: 1- 100%; RRP £461.99		
754	20 X Lumineux Merrytek Daylight Sensor 1-10vBrand New In Box Stock	20 X Lumineux Merrytek Daylight Sensor 1-10vBrand New In Box Stock, Model - Merrytek MS01, Distinguishes between artificial and natural light, Can be precisely pre-set via rotary wheel (potentiometer), Directly connected to 1-10V interface, Flexible mounting options, Compatible with any 1-10V Dimming Driver, IP20, 69.3 x Ø21.47mm, Lux Levels: 5lux - 200lux, Dimming Range: 1- 100%; RRP £461.99	50	20
755	20 X Lumineux Merrytek Daylight Sensor 1-10vBrand New In Box Stock	20 X Lumineux Merrytek Daylight Sensor 1-10vBrand New In Box Stock, Model - Merrytek MS01, Distinguishes between artificial and natural light, Can be precisely pre-set via rotary wheel (potentiometer), Directly connected to 1-10V interface, Flexible mounting options, Compatible with any 1-10V Dimming Driver, IP20, 69.3 x ø21.47mm, Lux Levels: 5lux - 200lux, Dimming Range: 1- 100%; RRP £461.99	50	20



	20 X Lumineux Merrytek Daylight	20 X Lumineux Merrytek Daylight Sensor 1-10vBrand New In Box Stock, Model - Merrytek MS01, Distinguishes between artificial and natural light, Can be precisely pre-set via rotary wheel (potentiometer), Directly connected to 1-10v interface, Flexible mounting options, Compatible with any 1-10v Dimming Driver, IP20, 69.3 x ø21.47mm, Lux Levels: 5lux - 200lux,		
756	Sensor 1-10vBrand New In Box Stock	Dimming Range: 1- 100%; RRP £461.99	50	20
	20 X Lumineux Merrytek Daylight Sensor 1-10vBrand	20 X Lumineux Merrytek Daylight Sensor 1-10vBrand New In Box Stock, Model - Merrytek MS01, Distinguishes between artificial and natural light, Can be precisely pre-set via rotary wheel (potentiometer), Directly connected to 1-10V interface, Flexible mounting options, Compatible with any 1-10V Dimming Driver, IP20, 69.3 x ø21.47mm, Lux Levels: 5lux - 200lux, Dimming Range: 1-		
757	20 X Lumineux Merrytek Daylight Sensor 1-10vBrand New In Box Stock	100%; RRP £461.99  20 X Lumineux Merrytek Daylight Sensor 1-10vBrand New In Box Stock, Model - Merrytek MS01, Distinguishes between artificial and natural light, Can be precisely pre-set via rotary wheel (potentiometer), Directly connected to 1-10V interface, Flexible mounting options, Compatible with any 1-10V Dimming Driver, IP20, 69.3 x Ø21.47mm, Lux Levels: 5lux - 200lux,	50	20



		Dimming Range: 1-		
		100%; RRP £461.99		
		20 X Lumineux		
		Merrytek Daylight Sensor 1-10vBrand		
		New In Box Stock,		
		Model - Merrytek		
		MS01, Distinguishes between artificial and		
		natural light, Can be		
		precisely pre-set via		
		rotary wheel (potentiometer),		
		Directly connected to		
		1-10V interface,		
		Flexible mounting options, Compatible		
		with any 1-10V		
		Dimming Driver, IP20,		
	20 X Lumineux Merrytek Daylight	69.3 x ø21.47mm, Lux Levels: 5lux - 200lux,		
	Sensor 1-10vBrand	Dimming Range: 1-		
759	New In Box Stock	100%; RRP £461.99	50	20
		20 X Lumineux Merrytek Daylight		
		Sensor 1-10vBrand		
		New In Box Stock,		
		Model - Merrytek MS01, Distinguishes		
		between artificial and		
		natural light, Can be		
		precisely pre-set via		
		rotary wheel (potentiometer),		
		Directly connected to		
		1-10V interface,		
		Flexible mounting options, Compatible		
		with any 1-10V		
	20 V Lumeter	Dimming Driver, IP20,		
	20 X Lumineux Merrytek Daylight	69.3 x ø21.47mm, Lux Levels: 5lux - 200lux,		
	Sensor 1-10vBrand	Dimming Range: 1-		
760	New In Box Stock	100%; RRP £461.99	50	20



20 X Lumineux Merrytek Daylight Sensor 1-10vBrand New In Box Stock, Model - Merrytek	
Sensor 1-10vBrand New In Box Stock,	
New In Box Stock,	İ
I WIOGCI WICH VICK	
MS01, Distinguishes	
between artificial and	
natural light, Can be	
precisely pre-set via	
rotary wheel	
(potentiometer),	
Directly connected to	
1-10V interface,	
Flexible mounting	
options, Compatible	
with any 1-10V	
Dimming Driver, IP20,	
20 X Lumineux 69.3 x Ø21.47mm, Lux	
Merrytek Daylight Levels: 5lux - 200lux,	
Sensor 1-10vBrand Dimming Range: 1-	
761 New In Box Stock 100%; RRP £461.99 50	20
20 X Lumineux	
Merrytek Daylight	
Sensor 1-10vBrand	
New In Box Stock,	
Model - Merrytek	ļ
MS01, Distinguishes	
between artificial and	
natural light, Can be	ļ
precisely pre-set via	ļ
rotary wheel	
(potentiometer),	
Directly connected to	
1-10V interface,	
	ļ
Flexible mounting	ļ
options, Compatible	ļ
with any 1-10V	
Dimming Driver, IP20,	
20 X Lumineux 69.3 x Ø21.47mm, Lux	
Merrytek Daylight Levels: 5lux - 200lux,	
Sensor 1-10vBrand Dimming Range: 1-	
762 New In Box Stock 100%; RRP £461.99 50	20
20 X Lumineux	
Merrytek Daylight	
Sensor 1-10vBrand	
New In Box Stock,	
Model - Merrytek	
MS01, Distinguishes	
between artificial and	
natural light, Can be	
precisely pre-set via	
rotary wheel	
(potentiometer),	
Directly connected to	
1-10V interface,	
Flexible mounting	
options, Compatible	
20 X Lumineux with any 1-10V	
Merrytek Daylight Dimming Driver, IP20,	
Sensor 1-10vBrand 69.3 x Ø21.47mm, Lux	
763 New In Box Stock Levels: 5lux - 200lux, 50	20



I		Dimming Range: 1-		
		100%; RRP £461.99		
		20 X Lumineux		
		Merrytek Daylight		
		Sensor 1-10vBrand		
		New In Box Stock, Model - Merrytek		
		MS01, Distinguishes		
		between artificial and		
		natural light, Can be		
		precisely pre-set via		
		rotary wheel (potentiometer),		
		Directly connected to		
		1-10V interface,		
		Flexible mounting		
		options, Compatible		
		with any 1-10V		
	20 X Lumineux	Dimming Driver, IP20, 69.3 x ø21.47mm, Lux		
	Merrytek Daylight	Levels: 5lux - 200lux,		
	Sensor 1-10vBrand	Dimming Range: 1-		
764	New In Box Stock	100%; RRP £461.99	50	20
		20 X Lumineux		
		Merrytek Daylight		
		Sensor 1-10vBrand New In Box Stock,		
		Model - Merrytek		
		MS01, Distinguishes		
		between artificial and		
		natural light, Can be		
		precisely pre-set via rotary wheel		
		(potentiometer),		
		Directly connected to		
		1-10V interface,		
		Flexible mounting		
		options, Compatible		
		with any 1-10V Dimming Driver, IP20,		
	20 X Lumineux	69.3 x Ø21.47mm, Lux		
	Merrytek Daylight	Levels: 5lux - 200lux,		
	Sensor 1-10vBrand	Dimming Range: 1-	<u>-</u> -	<u>.</u> -
765	New In Box Stock	100%; RRP £461.99	50	20



1	1	1	1	· •
		20 X Lumineux		
		Merrytek Daylight		
		Sensor 1-10vBrand		
		New In Box Stock,		
		Model - Merrytek		
		MS01, Distinguishes		
		between artificial and		
		natural light, Can be		
		precisely pre-set via		
		rotary wheel		
		(potentiometer),		
		Directly connected to		
		1-10V interface,		
		Flexible mounting		
		options, Compatible		
		with any 1-10V		
		Dimming Driver, IP20,		
	20 X Lumineux	69.3 x ø21.47mm, Lux		
	Merrytek Daylight	Levels: 5lux - 200lux,		
	Sensor 1-10vBrand	Dimming Range: 1-		
766	New In Box Stock	100%; RRP £461.99	50	20
		20 X Lumineux		
		Merrytek Daylight		
		Sensor 1-10vBrand		
		New In Box Stock,		
		Model - Merrytek		
		MS01, Distinguishes		
		between artificial and		
		natural light, Can be		
		precisely pre-set via		
		rotary wheel		
		(potentiometer),		
		Directly connected to		
		1-10V interface,		
		Flexible mounting		
		options, Compatible		
		with any 1-10V		
		Dimming Driver, IP20,		
	20 X Lumineux	69.3 x ø21.47mm, Lux		
	Merrytek Daylight	Levels: 5lux - 200lux,		
767	Sensor 1-10vBrand	Dimming Range: 1-	50	20
767	New In Box Stock	100%; RRP £461.99	50	20
		20 X Lumineux		
		Merrytek Daylight		
		Sensor 1-10vBrand		
		New In Box Stock,		
		Model - Merrytek		
		MS01, Distinguishes		
		between artificial and		
		natural light, Can be		
		precisely pre-set via		
		rotary wheel		
		(potentiometer), Directly connected to		
		T		
		1-10V interface,		
		Flexible mounting		
	20 X Lumineux	options, Compatible		
		with any 1-10V		
	Merrytek Daylight Sensor 1-10vBrand	Dimming Driver, IP20, 69.3 x ø21.47mm, Lux		
768	New In Box Stock	Levels: 5lux - 200lux,	50	20
708	NEW III DUX SLUCK	Levels. Slux - ZUUIUX,	1 30	20



		Dimming Range: 1- 100%; RRP £461.99		
769	20 X Lumineux Merrytek Daylight Sensor 1-10vBrand New In Box Stock	20 X Lumineux Merrytek Daylight Sensor 1-10vBrand New In Box Stock, Model - Merrytek MS01, Distinguishes between artificial and natural light, Can be precisely pre-set via rotary wheel (potentiometer), Directly connected to 1-10V interface, Flexible mounting options, Compatible with any 1-10V Dimming Driver, IP20, 69.3 x Ø21.47mm, Lux Levels: 5lux - 200lux, Dimming Range: 1- 100%; RRP £461.99	50	20
770	20 X Lumineux Merrytek Daylight Sensor 1-10vBrand New In Box Stock	20 X Lumineux Merrytek Daylight Sensor 1-10vBrand New In Box Stock, Model - Merrytek MS01, Distinguishes between artificial and natural light, Can be precisely pre-set via rotary wheel (potentiometer), Directly connected to 1-10V interface, Flexible mounting options, Compatible with any 1-10V Dimming Driver, IP20, 69.3 x ø21.47mm, Lux Levels: 5lux - 200lux, Dimming Range: 1- 100%; RRP £461.99	50	20



		20 X Lumineux		
		Merrytek Daylight		
		Sensor 1-10vBrand		
		New In Box Stock,		
		Model - Merrytek		
		MS01, Distinguishes		
		between artificial and		
		natural light, Can be		
		precisely pre-set via		
		l ' '		
		rotary wheel		
		(potentiometer),		
		Directly connected to		
		1-10V interface,		
		Flexible mounting		
		options, Compatible		
		with any 1-10V		
		Dimming Driver, IP20,		
	20 X Lumineux	69.3 x ø21.47mm, Lux		
	Merrytek Daylight	Levels: 5lux - 200lux,		
	Sensor 1-10vBrand	Dimming Range: 1-		
771	New In Box Stock	100%; RRP £461.99	50	20
771	New III Box Stock	20 X Lumineux	30	20
		Merrytek Daylight		
		Sensor 1-10vBrand		
		New In Box Stock,		
		Model - Merrytek		
		MS01, Distinguishes		
		between artificial and		
		natural light, Can be		
		precisely pre-set via		
		rotary wheel		
		(potentiometer),		
		Directly connected to		
		1-10V interface,		
		Flexible mounting		
		options, Compatible		
		with any 1-10V		
		Dimming Driver, IP20,		
	20 X Lumineux	69.3 x ø21.47mm, Lux		
	Merrytek Daylight	Levels: 5lux - 200lux,		
	Sensor 1-10vBrand	Dimming Range: 1-		
772	New In Box Stock	100%; RRP £461.99	50	20
172	New III Box Stock		30	20
		20 X Lumineux		
		Merrytek Daylight		
		Sensor 1-10vBrand		
		New In Box Stock,		
		Model - Merrytek		
		MS01, Distinguishes		
		between artificial and		
		natural light, Can be		
		precisely pre-set via		
		rotary wheel		
		(potentiometer),		
		Directly connected to		
		1-10V interface,		
		Flexible mounting		
		options, Compatible		
	20 X Lumineux	with any 1-10V		
	Merrytek Daylight	Dimming Driver, IP20,		
	Sensor 1-10vBrand	69.3 x ø21.47mm, Lux		
773	New In Box Stock	Levels: 5lux - 200lux,	50	20
,,,	INCAN III DOY OTOCK	Levels. Jlux - ZUUlux,	1 30	20



		Dimming Range: 1-		
		100%; RRP £461.99		
		20 X Lumineux		
		Merrytek Daylight		
		Sensor 1-10vBrand		
		New In Box Stock, Model - Merrytek		
		MS01, Distinguishes		
		between artificial and		
		natural light, Can be		
		precisely pre-set via		
		rotary wheel		
		(potentiometer), Directly connected to		
		1-10V interface,		
		Flexible mounting		
		options, Compatible		
		with any 1-10V		
	20 X Lumineux	Dimming Driver, IP20, 69.3 x ø21.47mm, Lux		
	Merrytek Daylight	Levels: 5lux - 200lux,		
	Sensor 1-10vBrand	Dimming Range: 1-		
774	New In Box Stock	100%; RRP £461.99	50	20
		20 X Lumineux		
		Merrytek Daylight		
		Sensor 1-10vBrand New In Box Stock,		
		Model - Merrytek		
		MS01, Distinguishes		
		between artificial and		
		natural light, Can be		
		precisely pre-set via		
		rotary wheel (potentiometer),		
		Directly connected to		
		1-10V interface,		
		Flexible mounting		
		options, Compatible		
		with any 1-10V		
	20 X Lumineux	Dimming Driver, IP20, 69.3 x ø21.47mm, Lux		
	Merrytek Daylight	Levels: 5lux - 200lux,		
	Sensor 1-10vBrand	Dimming Range: 1-		
775	New In Box Stock	100%; RRP £461.99	50	20



776	20 X Lumineux Merrytek Daylight Sensor 1-10vBrand New In Box Stock  17 X Lumineux Merrytek Daylight Sensor 1-10vBrand	20 X Lumineux Merrytek Daylight Sensor 1-10vBrand New In Box Stock, Model - Merrytek MS01, Distinguishes between artificial and natural light, Can be precisely pre-set via rotary wheel (potentiometer), Directly connected to 1-10V interface, Flexible mounting options, Compatible with any 1-10V Dimming Driver, IP20, 69.3 x Ø21.47mm, Lux Levels: 5lux - 200lux, Dimming Range: 1- 100%; RRP £461.99  17 X Lumineux Merrytek Daylight Sensor 1-10vBrand New In Box Stock, Model - Merrytek MS01, Distinguishes between artificial and natural light, Can be precisely pre-set via rotary wheel (potentiometer), Directly connected to 1-10V interface, Flexible mounting options, Compatible with any 1-10V Dimming Driver, IP20, 69.3 x Ø21.47mm, Lux Levels: 5lux - 200lux, Dimming Range: 1-	50	20
777	New In Box Stock	100%; RRP £392.69	50	20

**END OF SALE**